

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

DEVELOPMENT OF NUMERICAL 3-WAVE INTERACTIONS MODULE FOR OPERATIONAL WAVE FORECASTS IN INTERMEDIATE-DEPTH AND SHALLOW WATER

Alexandru Sheremet

Civil & Coastal Engineering, 365 Weil Hall, University of Florida, Gainesville, FL 32611 phone:
(352) 392-9537/1429, email: alex@coastal.ufl.edu

James M. Kaihatu

Zachry Department of Civil Engineering, Texas A&M University, 3136 TAMU, College Station,
TX 77843-3136, phone: (979) 862-3511, email: jkaihatu@civil.tamu.edu

Grant Number: N00014-10-1-0805

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 2009		2. REPORT TYPE		3. DATES COVERED 00-00-2009 to 00-00-2009	
4. TITLE AND SUBTITLE Development Of Numerical 3-Wave Interactions Module For Operational Wave Forecasts In Intermediate-Depth And Shallow Water				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Florida,Civil & Coastal Engineering, 365 Weil Hall,Gainesville,FL,32611				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Government or Federal Purpose Rights License					
14. ABSTRACT The goal of the project is to develop an effective and numerically efficient implementation of 3wave (triad) interactions for finite-depth wave models, in coordination with the project ?Nonlinear and Dissipation Characteristics of Ocean Surface Waves in Estuarine Environments? funded by the Office of Naval Research (ONR) through the National Ocean Partnership Program (NOPP). The theoretical approach and numerical module, based on efficient stochastic formulations (e.g., Agnon and Sheremet, 1997), will be developed and tested following the same development cycle. The numerical module will be and comparison with accurate but computationally expensive pilot models, on a number of observational field and laboratory data sets. The module will be integrated and tested within operational model framework (e.g., WAVEWATCH III, STWAVE, SWAN, and others), in collaboration with operational code developers and other researchers working under the present NOPP program.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 7	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

LONG-TERM GOALS

The goal of the project is to develop an effective and numerically efficient implementation of 3-wave (triad) interactions for finite-depth wave models, in coordination with the project “Nonlinear and Dissipation Characteristics of Ocean Surface Waves in Estuarine Environments” funded by the Office of Naval Research (ONR) through the National Ocean Partnership Program (NOPP). The theoretical approach and numerical module, based on efficient stochastic formulations (e.g., Agnon and Sheremet, 1997), will be developed and tested following the same development cycle. The numerical module will be compared with accurate but computationally expensive pilot models, on a number of observational field and laboratory data sets. The module will be integrated and tested within operational model framework (e.g., WAVEWATCH III, STWAVE, SWAN, and others), in collaboration with operational code developers and other researchers working under the present NOPP program.

Due to funding delays, the project is in a very early stage of development.

OBJECTIVES

On mildly sloping beaches and over relatively short distances, $O(1\text{ km})$, 3-wave (triad) interactions have been shown to dominate wave dynamics in the shoaling zone outside the surf zone (e.g., at Duck, NC, Herbers et al., 1995a, 1995b; Sheremet et al., 2002, 2005; Henderson et al., 2006, and many others). This evolution has been successfully modeled in the spectral domain based on both phase-resolving models (Agnon et al., 1993; Kaihatu and Kirby, 1995; Agnon and Sheremet, 1997), and phase-averaged (stochastic) models Agnon and Sheremet (1997); Herbers and Burton (1997).

Historically, operational models have focused on the deep-water domain, where 3-wave nonlinearities are eliminated as irrelevant to wave dynamics (e.g., Hasselmann 1962; 1963a; 1963b; Zakharov, 1968; Zakharov et al., 1992; Krasitskii, 1994). Using an analogy from thermodynamics, deep-water wave conditions are characterized by homogeneity and evolution scales that allow for a quasi-equilibrium description, with relaxation times (e.g., life of oscillatory non-resonant 3-wave interactions), much shorter than the evolution scale. Attempts to extend deep-water models into finite-depth inevitably lead to a self-contradictory thought process, exemplified by the use of wave-number Fourier representations, resulting unrealistically slow evolution scales, and a discussion focused on direct energy cascade in the short-wave tail of the spectrum, where deep-water, rather than shallow-water dynamics dominate (e.g., recently, Onorato et al., 2009). Important physical aspects, such as infragravity wave (IG) generation, are not accounted for in the 4-wave interaction framework.

Neglecting finite-depth 3-wave interactions has led to simplified, empirical process calculations with large errors, particularly for complex wave trains with multi-modal spectra (e.g., Holthuijsen et al. 1994a; 1994b; 1995). At present, 3-wave interactions are either ignored or poorly implemented in existing operational models. For example, the LTA approach implemented in SWAN (Eldeberky and Battjes, 1995; based on a single laboratory experiment by Beji and Battjes, 1993) is typically disabled in the model (with LTA activated, results are as often worse as they are better). However, an accurate and efficient representation of triad evolution is becoming increasingly nec-

essary as the resolution of operational models in coastal waters increases. Operational models at NCEP now run with a coastal resolution of approximately 7.5 km. For coastal applications of the SWAN model (inherently designed for more regional applications) by the Naval Oceanographic Office, 3-6 km resolution is typically used. The National Weather Service envisions resolutions increasing to 5 km soon (by the end of this NOPP period), with 2.5 km not too far in the future. During hurricane/typhoon landfall, wave conditions in large areas of the grid are similar to nearshore environments. US Army Corps of Engineers nearshore applications are often run at a resolution as fine as 100-200 m. The pressure to move to higher resolution is always present, particularly as nearshore models such as Delft3D (Lesser et al., 2004) become a larger part of forecasting systems (military or otherwise). Moreover, methods for deduction of bathymetry from remote sensing (e.g., Stockdon and Holman, 2000) offer continual improvement of bathymetric estimations, provided the requisite high resolution models is available.

The goal of this project is to develop a simplified, low-dimensional, physically effective model of near-resonant 3-wave interactions, and formulate an efficient numerical implementation for operational wave models.

APPROACH

The project will include a thorough investigation of the 3-wave interaction system, essentially paralleling the effort to develop efficient and accurate solutions of the 4-wave interaction equations (DIA, ?; methods based on WRT approximation, Webb, 1978; Tracy and Resio, 1982; Van Vledder, 2006; the two-scale approximation TSA, Resio and Perrie, 2008, and many others). The complexities of analytical approaches to the triad-interaction problem to be (non-resonant character, importance of phase correlations, and inhomogeneity of the finite-depth dispersion relationship – e.g., Stiassnie and Shemer, 1984; Resio et al., 2001 for 4-wave formulations) will be addressed following the same principle of a two-pronged approach (theoretical effort supported and guided by numerical studies) that is outlined in the project “Nonlinear and Dissipation Characteristics of Ocean Surface Waves in Estuarine Environments” supported through NOPP.

We will use “exact”, high-dimension pilot models to identify efficient and effective ways to lower the dimension of the system, and to evaluate the performance of the simplified modules throughout the development cycle. For skill evaluation, we will use detailed metrics involving the evolution of wave energy (2-order statistics, power spectrum), as well as phase information (higher order statistics, bicoherence, skewness, kurtosis). At later stages, candidates for operational modules will be tested within a semi-operational environment. NCEP and USACE models that are used operationally will be set up to adequately represent the geographical areas where field data are available (e.g., Atchafalaya shelf, LA, Jaramillo et al., 2009; Duck, NC, Sheremet et al., 2002, 2005), and with laboratory data (Smith and Vincent, 2003; and ongoing studies on a reef structure). This will allow for the development of the low-dimensional formulation to be carried out in close relationship to a practical semi-operational modeling environment.

The final numerical module will be designed for easy importing into existing operational models such as SWAN, WAVEWATCH III, and STWAVE.

WORK COMPLETED

The project is in a very early stage of development. Work has started at setting up operational models (e.g., WAVEWATCH III) at UF. NCEP is providing support this effort through access to the NOAA subversion server access. We are in the process of developing the theoretical approach and strategies for numerical investigations. Unidirectional implementations of triad interaction models have been made operational on selected datasets (Atchafalaya LA; Laboratory sloping beaches). Additional numerical implementations for directional triads are under development. We are also working with other NOPP project PI's to compile an accessible set of test data for use in model development and validation.

RESULTS

Figure 1 illustrates the capabilities of the existing model (unidirectional version). In this example, the stochastic model is used to simulate wave propagation over a reef. The data used for the simulations are laboratory observations collected during a wind-wave flume study conducted in August-September 2006 at the University of Michigan at Ann Arbor (Demirbilek et al., 2007).

IMPACT/APPLICATIONS

The project will provide an accurate and computationally effective numerical implementation that will improve the performance of operational wave models such as WAVEWATCH III, STWAVE, SWAN, in the intermediate depth and shallow water.

RELATED PROJECTS

This research benefits from, and enhances, parallel research (Sheremet) funded under Coastal Geoscience to study wave-sediment interaction in muddy environments, conducted in collaboration with the MURI wave-mud project. The scope and approach of the present research builds on the strong, ongoing collaboration between U. Florida and U. Texas illustrated by a number of papers in print and in preparation. The project is also closely aligned with the NOPP project “Nonlinear and Dissipation Characteristics of Ocean Surface Waves in Estuarine Environments” (PI: Kaihatu; Co-PI: Sheremet).




Figure 1: Comparison of observations and numerical simulations based on the stochastic model (Agnon and Sheremet, 1997), for one of the wave tested in the laboratory flume study conducted in 2006 at the University of Michigan at Ann Arbor (Demirbilek et al., 2007). Upper: bathymetry profile for the experiment (prototype scale), reproducing a fringing reef in Guam. The location of the wave gauges is marked by numbers. Lower: Spectral energy flux density (circles – observations; line – numerical simulations) at the location of sensors 7 and 8, for a JONSWAP spectrum characterized by initial peak period of 20 s and significant height of 5 m.

References

- Agnon, Y., A. Sheremet, J. Gonsalves, and M. Stiassnie, A unidirectional model for shoaling gravity waves, *Coastal Eng.* 20, 29-58, 1993.
- Agnon, Y. and A. Sheremet, “Stochastic nonlinear shoaling of directional spectra”, *J. Fluid Mech.* 345, 79–99, 1997.
- Beji, S., and J.A. Battjes, Experimental investigation of wave propagation over a bar, *Coastal Eng.* 19, 151-162, 1993.
- Demirbilek Z., O.G. Nwogu, and D.L. Ward, Laboratory Study of Wind Effect on Runup over Fringing Reefs, Report 1: Data Report, ERDC/CHL TR-07-4, Coastal and Hydraulics Laboratory, 2007.
- Eldeberky, Y., and J.A. Battjes, Parametrization of triad interaction in wave energy models, *Proc. Coast. Dyn. Conf.*, Gdansk, 140-148, 1995.
- Hasselmann, K., On the non-linear energy transfer in a gravity-wave spectrum. 1. General theory, *J. Fluid Mech.* 12/4, 481-500, 1962.
- Hasselmann, K., On the non-linear energy transfer in a gravity wave spectrum. 2. Conservation theorems - wave-particle analogy - irreversibility, *J. Fluid Mech.* 15/2, 273-281, 1963.

- Hasselmann, K., On the non-linear energy transfer in a gravity-wave spectrum. 3. Evaluation of the energy flux and swell-sea interaction for a Neumann spectrum, *J. Fluid Mech.* 15/3, 385-398, 1963.
- Herbers, T.H.C., S. Elgar, and R.T. Guza, Infragravity frequency (0.005 – 0.05 Hz) motions on the shelf: II. Free waves, *J. Phys. Oceanogr.*, 1063 – 1079, 1995a.
- Herbers, T. H. C., S. Elgar, and R. T. Guza, Generation and propagation of infragravity waves, *J. Geophys. Res.*, 100, 24,863-24,872, 1995b.
- Herbers, T.H.C., and Burton, M.C., Nonlinear shoaling of directionally spread waves on a beach, *J. Geophys. Res.* 102, 21101-21114, 1997.
- Henderson, S.M., R.T. Guza, S. Elgar, T.H.C. Herbers, and A.J. Bowen, Nonlinear generation and loss of infragravity wave energy, *J. Geophys. Res.* 111/C12, C12007, 2006.
- Holthuijsen, L. H., J. G. de Ronde, Y. Eldeberky, H. L. Tolman, N. Booij, E. Bouws, P. G. P. Ferier and J. Andorka Gal, Modelling extreme wave conditions in the southern North Sea. *Proc. Waves - Physical and Numerical modelling*. M. Isaacson and M.C. Quick Eds., Vancouver, 694-703, 1994a.
- Holthuijsen, L. H., J. G. de Ronde, Y. Eldeberky, H. L. Tolman, N. Booij, E. Bouws and P. G. P. Ferier, The maximum significant wave height in the southern North Sea. *Proc. 24rd Int. Conf. Coastal Eng.*, ASCE, Cobe, 1994b.
- Holthuijsen, L. H., Y. Eldeberky, N. Booij, P. G. P. Ferier, E. Bouws and H. L. Tolman, The maximum significant wave height in the southern North Sea. *Faculty of Civil Engineering, Delft Univ. of Techn.*, Rep. No. 14-94, 40 pp., 1995.
- Jaramillo, S., A. Sheremet, M.A. Allison, A.H. Reed, and K.T. Holland, Wave-mud Interactions Over the Muddy Atchafalaya Subaqueous Clinoform, Louisiana, USA: Wave-supported Sediment Transport, *J. Geophys. Res.* (in press) 2009.
- Kaihatu, J.M., and J.K. Kirby, Nonlinear transformation of waves in finite water depth, *Phys. Fluids* 7, 1903–1914, 1995.
- Kaihatu, J.M., Application of a nonlinear frequency domain wave–current interaction model to shallow water recurrence effects in random waves, *Ocean Modelling* 26, 190–205, 2009.
- Krasitskii, V.P. On the reduced equations in the Hamiltonian theory of weakly nonlinear surface waves, *J. Fluid Mech.* 272, 1-20, 1994.
- Lesser, G.R., Roelvink, J.A., van Kester, J.A.T.M., and Stelling, G.S., Development and validation of a three-dimensional morphological model. *Coastal Engineering* 51, 883-915, 2004.
- Onorato, M., A.R. Osborne, P.A.E.M. Janssen, and D. Resio, Four-wave resonant interactions in the classical quadratic Boussinesq equations, *J. Fluid Mech.* 618, 263–277, 2009.
- Resio, D.T., and W. Perrie, A two-scale approximation for efficient representation of nonlinear energy transfers in a wind wave spectrum,. Part 1: Theoretical development, *J. Phys. Oceanogr.* 38/12, 2801-2816, 2008.
- Resio, D.T., J. H. Pihl, B.A. Tracy, and C.L. Vincent, Nonlinear energy fluxes and the finite depth equilibrium range in wave spectra, *J. Geophys. res.* 106/C4, 6985-7000, 2001.
- Sheremet, A., R. T. Guza, S. Elgar, and T. H. C. Herbers, Observations of nearshore infragravity waves: Seaward and shoreward propagating components, *J. Geophys. Res.* 107/C8, 3095, 10.1029/2001JC000970, 2002.

- Sheremet, A., R. T. Guza, and T. H. C. Herbers, A new estimator for directional properties of nearshore waves J. Geophys. Res. 110, C01001, doi:10.1029/2003JC002236, 2005.
- Smith, J.M., and C.L. Vincent, Equilibrium ranges in surf zone wave spectra J. Geophys. Res. 108/C11, 3366, 2003.
- Smith, L.M., and S.L. Woodruff, Renormalization-group analysis of turbulence, Annu.. Rev. Fluid Mech. 30, 275-310, 1998.
- Stiassnie, M. and L. Shemer, On modifications of the Zakharov equation for surface gravity waves, J. Fluid Mech. 143, 47-67, 1984.
- Stockdon, H.F., and R.A. Holman, Estimation of wave phase speed and nearshore bathymetry from video imagery, J. Geophys. Res. 105/C9, 22015-22033, 2000.
- Tracy, B.A., and D.T. Resio, Theory and calculation of the nonlinear energy transfer between sea waves in deep water, U.S.Army Engineer Waterways Experiment Station WES, Rep. 11, 52 pp, 1982.
- van Dongeren, A., N. Plant, A. Cohen, D. Roelvink, M.C. Haller, P. Catalan, Beach Wizard: Nearshore bathymetry estimation through assimilation of model computations and remote observations, Coastal Eng. 55/12, 1016-1027, 2008.
- Van Vledder, G.Ph., The WRT method for the computation of non-linear four wave interactions in discrete spectral wave models, Coastal Eng. 53, 223-242, 2006.
- Webb, D.J., Nonlinear transfers between sea waves, Deep Sea Res. 25, 279-298, 1978.
- Zakharov, V.E., Stability of periodic waves of finite amplitude on the surface of a deep fluid, J. Appl. Mech. Tech. Phys. (English translation) 2, 190-1904, 1968.
- Zakharov, V.E., V.S. L'vov, V. S., and G. Falkovich, Kolmogorov Spectra of Turbulence, Springer, 1992.