

Passive Autonomous Acoustic Monitoring of Marine Mammals: System Development Using Seaglider™

Neil M. Bogue and Jim Luby
Applied Physics Laboratory
University of Washington
Box 355640

Seattle WA 98195-5640

phone: (206) 221-7687 fax: (206) 543-6785 email: bogue@apl.washington.edu
phone: (206) 543-6854 fax: (206) 543-6785 email: jcl@apl.washington.edu

Award Number: N00014-10-1-0515

<http://www.apl.washington.edu>

LONG-TERM GOALS

This effort exists within a group dedicated to the use of autonomous underwater vehicles, and buoyancy-driven gliders in particular, to support Navy missions. The group generally uses the Seaglider™, developed at the Applied Physics Laboratory of the University of Washington (APL-UW), and develops or adapts instruments and glider behavior to support specific mission requirements. This group is informally called the Applied Seaglider™ Group, whose acronym, ASG, is also used to describe the Applied Seaglider™ itself.

This report describes ongoing efforts as part of the ONR Passive Autonomous Acoustic Monitoring (PAAM) program. The long-term goals of the PAAM program are as follows:

- Perform persistent and autonomous passive acoustic monitoring of a 500-1000 square nautical mile Navy exercise area for presence of marine mammals.
- Monitor for three weeks prior to, three weeks during, and three weeks after a typical exercise.
- Detect, classify and localize vocalizing marine mammals.
- Provide actionable information in a timely manner to the officer in tactical command to support marine mammal mitigation efforts.

OBJECTIVES

With previous ONR funding (N00014-08-1-0309), we have enhanced the passive acoustic detection, recording, and on-board processing capabilities of Applied Seaglider™ (ASG), with particular attention to the automated detection and classification of beaked whale vocalizations. In particular, we have designed and built a new passive acoustic detection and recording system for ASG, and tested this system in the field several times.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 2010		2. REPORT TYPE		3. DATES COVERED 00-00-2010 to 00-00-2010	
4. TITLE AND SUBTITLE Passive Autonomous Acoustic Monitoring of Marine Mammals: System Development Using Seaglider				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Washington, Applied Physics Laboratory, Box 355640, Seattle, WA, 98195-5640				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

The objectives of this program are to enhance detection and classification performance with multiple hydrophones or small hydrophone arrays, improve the automated detection and classification (software) components, and successfully demonstrate the system in a Navy fleet exercise.

APPROACH

The program will continue to focus on automated detection, classification, and recording of beaked whale vocalizations.

Our approach is as follows:

- Treat the single-hydrophone PAAM electronics system as deployed at AUTEC in June, 2010 as a baseline.
- Continue to collaborate with Drs. David Mellinger and Holger Klinck at Oregon State University (OSU) on improved beaked whale detection and classification algorithms.
- Test installation of second omni-directional hydrophone to minimize signal obstruction by the Seaglider™ pressure hull.
- Collaborate with Ocean Acoustical Services and Instrumentation Systems (OASIS), Inc. on the integration of an L3 Chesapeake Sciences Mills cross high-frequency array.

Key participants at APL-UW, in addition to the Principal Investigators listed above, are Bill Jump (hardware and system design engineer), Geoff Shilling (software engineer), Trina Litchendorf (ASG Lab), and Angie Wood (ASG Lab). David Mellinger and Holger Klinck at OSU provide detection and classification algorithms. Phil Abbot, Chuck Gedney, and Dave Morton at OASIS, Inc., collaborate on the Mills cross hydrophone array, fabricated by L3/Chesapeake Sciences Corporation.

WORK COMPLETED

Initial program planning is complete. Non-disclosure agreements are in place between the University of Washington (UW) and L3/Chesapeake Sciences Corporation which allow APL-UW to release Seaglider™ engineering drawings licensed by the UW to iRobot Corporation.

An initial round of design discussions have been held with OASIS, Inc. personnel regarding integration of their array telemetry and recorder and signal processing packages.

Initial hardware and software modifications were started to incorporate a second omni-directional hydrophone into the standard Seaglider™ PAAM single-hydrophone configuration. This modification will be tested on one Seaglider™ in an upcoming marine mammal mission.

RESULTS

Due to the extremely long time required to establish the relevant non-disclosure agreements, and hence exchange initial technical information between the relevant engineering staffs at the participating organizations, no lab or field results of the technology development or test program can be reported.

Initial discussions were held, by telephone and email, between engineers at APL-UW and OASIS. APL-UW communicated the payload integration constraints imposed by Seaglider™: size, weight, power consumption, and integration into the command, control, and data telemetry system. It is clear that the existing OASIS hardware (TARR, FPGA signal processor, etc.) exceeds the limitations imposed by the Seaglider™ in almost every way. The next round of engineering discussions will focus on two tracks: the ability of OASIS to use existing Seaglider™ PAAM hardware to meet their needs, and the feasibility of a redesign of the OASIS hardware to fit within the Seaglider™ constraints.

We plan to have both a two-hydrophone and a Mills cross array version of the Seaglider™ PAAM system available for at-sea testing by summer, 2011, and fully implemented for a Navy fleet demonstration planned in FY2012.