

# MSMR

A publication of the Armed Forces Health Surveillance Center

## MEDICAL SURVEILLANCE MONTHLY REPORT

### ANNUAL SUMMARY ISSUE:

Absolute and relative morbidity burdens attributable to various illnesses and injuries,  
U.S. Armed Forces, 2010 \_\_\_\_\_ 2

Hospitalizations among members of the active component, U.S. Armed Forces, 2010 \_\_\_\_\_ 8

Ambulatory visits among members of the active component, U.S. Armed Forces, 2010 \_\_\_\_\_ 16

Surveillance Snapshot: Illness and injury burdens among U.S. military recruits, 2010 \_\_\_\_\_ 22

Surveillance Snapshot: Hospitalizations for suicidal ideation, active component, 2005-2010 \_\_\_\_\_ 23

### *Summary tables and figures*

Deployment-related conditions of special surveillance interest \_\_\_\_\_ 24

| Report Documentation Page                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                    |                                     |                                                           | Form Approved<br>OMB No. 0704-0188                  |                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-------------------------------------|-----------------------------------------------------------|-----------------------------------------------------|---------------------------------|
| Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. |                                    |                                     |                                                           |                                                     |                                 |
| 1. REPORT DATE<br><b>APR 2011</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                    | 2. REPORT TYPE                      |                                                           | 3. DATES COVERED<br><b>00-00-2011 to 00-00-2011</b> |                                 |
| 4. TITLE AND SUBTITLE<br><b>Medical Surveillance Monthly Report (MSMR). Volume 18, Number 04, April 2011</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                    |                                     |                                                           | 5a. CONTRACT NUMBER                                 |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                                           | 5b. GRANT NUMBER                                    |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                                           | 5c. PROGRAM ELEMENT NUMBER                          |                                 |
| 6. AUTHOR(S)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                    |                                     |                                                           | 5d. PROJECT NUMBER                                  |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                                           | 5e. TASK NUMBER                                     |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                                           | 5f. WORK UNIT NUMBER                                |                                 |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)<br><b>Armed Forces Health Surveillance Center (AFHSC),11800 Tech Road, Suite 220,Silver Spring,MD,20910</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                    |                                     |                                                           | 8. PERFORMING ORGANIZATION REPORT NUMBER            |                                 |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                                     |                                                           | 10. SPONSOR/MONITOR'S ACRONYM(S)                    |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                                           | 11. SPONSOR/MONITOR'S REPORT NUMBER(S)              |                                 |
| 12. DISTRIBUTION/AVAILABILITY STATEMENT<br><b>Approved for public release; distribution unlimited</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                    |                                     |                                                           |                                                     |                                 |
| 13. SUPPLEMENTARY NOTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                                     |                                                           |                                                     |                                 |
| 14. ABSTRACT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                    |                                     |                                                           |                                                     |                                 |
| 15. SUBJECT TERMS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                    |                                     |                                                           |                                                     |                                 |
| 16. SECURITY CLASSIFICATION OF:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     | 17. LIMITATION OF ABSTRACT<br><b>Same as Report (SAR)</b> | 18. NUMBER OF PAGES<br><b>28</b>                    | 19a. NAME OF RESPONSIBLE PERSON |
| a. REPORT<br><b>unclassified</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | b. ABSTRACT<br><b>unclassified</b> | c. THIS PAGE<br><b>unclassified</b> |                                                           |                                                     |                                 |

## Absolute and Relative Morbidity Burdens Attributable to Various Illnesses and Injuries, U.S. Armed Forces, 2010

Illnesses and injuries are “burdens” to the U.S. Armed Forces to the extent that they degrade the health, fitness, morale, sense of well-being, and military operational effectiveness of service members and their units. They also burden the U.S. Military Health System because they consume scarce resources for diagnosis, treatment, rehabilitation, and disability compensation. Perceptions of the “military importance” of various conditions help determine the natures of and priorities for research and prevention activities. Decisions regarding prevention and research priorities should consider the morbidity and health care burdens that are attributable to various conditions.

Several disease classification systems and morbidity measures have been used to estimate the absolute and relative public health burdens that are attributable to various conditions.<sup>1</sup> Of course, different systems of classifying illnesses and injuries and different morbidity metrics lead to different rankings of illnesses and injuries by their attributable public health burdens.<sup>2</sup> For example, in a given population or setting, the illnesses and injuries that account for the most hospitalizations are likely different from those that account for the most outpatient medical encounters; and the illnesses and injuries that account for the most medical encounters overall likely differ from those that affect the most individuals, have the most debilitating or long-lasting effects, and so on.<sup>2</sup> Clearly, the system used to lump and split related diagnoses into unique “conditions” and the metrics used to quantify condition-specific morbidity burdens can significantly affect estimates of the relative importance of various conditions.

This annual summary uses a standard disease classification system (slightly modified for use among U.S. military members) and several health care burden measures to quantify the impacts of various illnesses and injuries among members of the U.S. Armed Forces in 2010.

### Methods:

The surveillance period was 1 January to 31 December 2010. The surveillance population included all individuals who served in the active component of the U.S. Army, Navy, Air Force, Marine Corps, or Coast Guard any time during the surveillance period. For this analysis, all inpatient and outpatient medical encounters of all active component members during 2010 were summarized according to the primary (first-listed) diagnosis (if reported with an ICD-9-CM code between 001 and 999).

For summary purposes, all illness and injury-specific diagnoses (as defined by the ICD-9-CM at the 3-digit

level) were grouped into 129 burden of disease-related conditions and 23 categories based on a modified version of the classification system developed for the Global Burden of Disease (GBD) Study.<sup>1</sup> In general, the GBD system groups diagnoses with common pathophysiologic or etiologic bases and/or significant international health policymaking importance. For our purposes, we disaggregated some diagnoses that are grouped into single categories in the GBD system (e.g., mental disorders) to increase the military relevance of the results. We also categorized injuries by the affected anatomic sites rather than the causes because external causes of injuries are not completely reported in military outpatient records.

The “morbidity burdens” attributable to various “conditions” were estimated based on the total number of medical encounters attributable to each condition (with a limit of one encounter per individual per condition per day); total service members affected by each condition (i.e., individuals with at least one medical encounter for the condition during the year); and total bed-days during hospitalizations for each condition.

### Results:

#### Morbidity burden, by category:

In 2010, more service members (n=668,127) received medical care for injuries than any other morbidity-related category. In addition, injuries accounted for more medical encounters than any other morbidity category (n=2,704,053) and more than one-fourth (26.3%) of all medical encounters overall (**Figure 1**).


Mental disorders accounted for more hospital bed days than any other morbidity category (n=227,281) and more than two-fifths (42.7%) of all hospital bed days (**Figure 1**). Together, injuries and mental disorders accounted for more than 60 percent of all hospital bed days and more than 40 percent of all medical encounters (**Figure 1**).

Of note, maternal conditions (including pregnancy complications and childbirth) accounted for a relatively large proportion of all hospital bed days (n=67,213; 12.6%) but relatively few (n=176,660; 1.7%) medical encounters overall (**Figure 1**).

#### Medical encounters, by condition:

In 2010, the three burden of disease-related conditions that accounted for the most medical encounters each – “all other signs and symptoms”; injury to the back/abdomen; upper respiratory infections – accounted for nearly one-fourth

**Figure 1.** Medical encounters, individuals affected and hospital bed days, by burden of disease category, active component, U.S. Armed Forces, 2010



(24.4%) of all illness and injury-related medical encounters overall. Moreover, the ten conditions that accounted for the most medical encounters each accounted for more than one-half (52.3%) of all illness and injury-related medical encounters overall (Figure 2). In general, the conditions that accounted for the most medical encounters were predominately injuries (e.g., back and abdomen; knee; arm and shoulder, foot and ankle), upper respiratory infections, and substance abuse and other mental disorders (e.g., mood, anxiety, adjustment disorders) (Table 1, Figure 2).

#### Individuals affected, by condition:

In 2010, as in previous years, more service members received medical care for upper respiratory infections and injuries of the back/abdomen than any other specific condition (Table 1). Of the 10 conditions that affected the most service members, five were injuries (back and abdomen, foot and ankle, knee, arm and shoulder, and "unspecified"). Of note, slightly more individuals were affected by unspecified ("all other") musculoskeletal disorders (e.g., disorders of "other" joints, muscles, tendons, soft tissues) than any injury-specific condition (Table 1).

#### Hospital bed-days, by condition:

In 2010, substance abuse and mood disorders accounted for 28 percent of all hospital days (Table 1, Figure 3). Together, four mental disorders (substance abuse, mood, anxiety, adjustment reaction) and two pregnancy and childbirth-related conditions (delivery, pregnancy complications) accounted for more than one half (51.5%) of all hospital bed-days (Table 1, Figure 3). Of note, since 2001, the bed days attributable to the four mental disorders that currently account for the most hospital bed days have increased more than 3-fold; over the same period, the bed days attributable to the two pregnancy-related conditions that account for the most hospital bed days have remained relatively stable (Figure 4).

#### Relationships between health care burden indicators:

There was a strong correlation between the number of medical encounters attributable to various conditions and the number of individuals affected by the conditions ( $r=0.94$ ). For example, the four conditions that affected the most individuals were the same as the four leading causes of

**Table 1.** Health care burdens attributable to various diseases and injuries, U.S. Armed Forces, 2010

| Major category<br>Condition <sup>a</sup> | Medical encounters <sup>b</sup> |       | Individuals affected <sup>c</sup> |      | Bed days |       |
|------------------------------------------|---------------------------------|-------|-----------------------------------|------|----------|-------|
|                                          | No.                             | Rank  | No.                               | Rank | No.      | Rank  |
| <b>Injury and poisoning</b>              |                                 |       |                                   |      |          |       |
| Back and abdomen                         | 628,107                         | (2)   | 192,993                           | (4)  | 14,096   | (10)  |
| Knee                                     | 444,032                         | (5)   | 143,118                           | (8)  | 3,041    | (31)  |
| Arm and shoulder                         | 433,539                         | (6)   | 136,810                           | (9)  | 7,831    | (15)  |
| Foot and ankle                           | 370,820                         | (9)   | 153,507                           | (6)  | 6,552    | (20)  |
| Head and neck                            | 223,980                         | (14)  | 97,521                            | (14) | 16,981   | (7)   |
| Unspecified injury                       | 221,497                         | (15)  | 130,833                           | (10) | 3,840    | (29)  |
| Leg                                      | 138,938                         | (23)  | 50,863                            | (26) | 13,140   | (11)  |
| Hand and wrist                           | 135,926                         | (24)  | 71,986                            | (19) | 3,025    | (32)  |
| Other complications NOS                  | 37,779                          | (46)  | 20,503                            | (48) | 15,569   | (9)   |
| Environmental                            | 30,370                          | (49)  | 23,794                            | (46) | 1,614    | (40)  |
| All other injury                         | 16,907                          | (64)  | 11,514                            | (60) | 3,245    | (30)  |
| Other injury from external causes        | 12,446                          | (71)  | 9,100                             | (63) | 366      | (78)  |
| Poisoning, drugs                         | 5,164                           | (84)  | 3,302                             | (75) | 4,584    | (26)  |
| Poisoning, nondrug                       | 4,548                           | (85)  | 3,250                             | (77) | 713      | (64)  |
| <b>Mental disorders</b>                  |                                 |       |                                   |      |          |       |
| Substance abuse disorders                | 399,864                         | (7)   | 39,117                            | (33) | 74,803   | (1)   |
| Anxiety                                  | 381,837                         | (8)   | 60,729                            | (22) | 34,508   | (4)   |
| Mood                                     | 330,325                         | (10)  | 58,653                            | (24) | 74,091   | (2)   |
| Adjustment                               | 319,957                         | (11)  | 79,500                            | (16) | 25,774   | (5)   |
| All other mental disorders               | 146,886                         | (22)  | 57,231                            | (25) | 6,266    | (21)  |
| Tobacco dependence                       | 29,153                          | (51)  | 18,291                            | (51) |          | (130) |
| Psychotic                                | 18,541                          | (62)  | 2,359                             | (80) | 9,828    | (13)  |
| Personality                              | 10,116                          | (72)  | 3,073                             | (78) | 1,231    | (49)  |
| Somatoform                               | 5,588                           | (83)  | 1,666                             | (88) | 780      | (61)  |
| <b>Signs and symptoms</b>                |                                 |       |                                   |      |          |       |
| All other signs and symptoms             | 1,342,850                       | (1)   | 483,892                           | (1)  | 7,286    | (18)  |
| Respiratory and chest                    | 174,673                         | (17)  | 103,151                           | (13) | 3,919    | (28)  |
| Abdomen and pelvis                       | 124,483                         | (25)  | 71,999                            | (18) | 2,317    | (34)  |
| <b>Musculoskeletal diseases</b>          |                                 |       |                                   |      |          |       |
| All other musculoskeletal diseases       | 501,766                         | (4)   | 200,545                           | (3)  | 9,286    | (14)  |
| Other back problems                      | 193,979                         | (16)  | 69,931                            | (20) | 5,184    | (23)  |
| Other knee disorders                     | 27,015                          | (52)  | 11,995                            | (59) | 1,458    | (45)  |
| Other shoulder disorders                 | 15,214                          | (65)  | 8,298                             | (66) | 264      | (86)  |
| Osteoarthritis                           | 14,167                          | (68)  | 8,074                             | (67) | 771      | (62)  |
| Rheumatoid arthritis                     | 3,690                           | (90)  | 1,202                             | (91) | 38       | (112) |
| <b>Respiratory infections</b>            |                                 |       |                                   |      |          |       |
| Upper respiratory infections             | 544,930                         | (3)   | 300,842                           | (2)  | 1,535    | (42)  |
| Lower respiratory infections             | 67,205                          | (33)  | 42,288                            | (30) | 4,746    | (24)  |
| Otitis media                             | 35,596                          | (47)  | 27,397                            | (41) | 68       | (105) |
| <b>Sense organ diseases</b>              |                                 |       |                                   |      |          |       |
| Refraction/accommodation                 | 224,745                         | (13)  | 175,188                           | (5)  | 2        | (128) |
| All other sense organ diseases           | 173,955                         | (18)  | 110,885                           | (11) | 1,128    | (54)  |
| Hearing disorders                        | 58,612                          | (36)  | 35,240                            | (35) | 9        | (121) |
| Glaucoma                                 | 14,289                          | (67)  | 8,596                             | (65) | 15       | (117) |
| Cataracts                                | 1,564                           | (106) | 845                               | (98) | 4        | (126) |
| <b>Skin diseases</b>                     |                                 |       |                                   |      |          |       |
| All other skin diseases                  | 277,644                         | (12)  | 151,492                           | (7)  | 10,054   | (12)  |
| Contact dermatitis                       | 58,182                          | (37)  | 42,710                            | (28) | 64       | (107) |
| Sebaceous gland diseases                 | 56,644                          | (38)  | 33,450                            | (37) | 43       | (110) |

| Major category<br>Condition <sup>a</sup> | Medical encounters <sup>b</sup> |       | Individuals affected <sup>c</sup> |       | Bed days |       |
|------------------------------------------|---------------------------------|-------|-----------------------------------|-------|----------|-------|
|                                          | No.                             | Rank  | No.                               | Rank  | No.      | Rank  |
| <b>Respiratory diseases</b>              |                                 |       |                                   |       |          |       |
| Allergic rhinitis                        | 100,743                         | (28)  | 49,645                            | (27)  | 12       | (118) |
| All other respiratory diseases           | 66,550                          | (34)  | 37,649                            | (34)  | 5,384    | (22)  |
| Chronic sinusitis                        | 43,897                          | (42)  | 33,720                            | (36)  | 167      | (93)  |
| Asthma                                   | 39,452                          | (44)  | 18,159                            | (51)  | 528      | (68)  |
| Chronic obstructive pulmonary            | 32,553                          | (48)  | 26,315                            | (43)  | 278      | (83)  |
| <b>Infectious and parasitic diseases</b> |                                 |       |                                   |       |          |       |
| All other infectious and parasitic       | 158,651                         | (20)  | 104,230                           | (12)  | 4,668    | (25)  |
| Unspecified viral infection              | 48,425                          | (40)  | 40,979                            | (32)  | 270      | (84)  |
| STDs                                     | 24,465                          | (55)  | 18,027                            | (52)  | 627      | (65)  |
| Diarrheal diseases                       | 19,941                          | (61)  | 17,294                            | (53)  | 1,227    | (50)  |
| Chlamydia                                | 9,073                           | (76)  | 7,840                             | (68)  | 9        | (120) |
| Hepatitis B and C                        | 2,948                           | (96)  | 1,033                             | (94)  | 66       | (106) |
| Tuberculosis                             | 1,197                           | (108) | 611                               | (103) | 223      | (91)  |
| Bacterial meningitis                     | 957                             | (110) | 350                               | (107) | 477      | (70)  |
| Malaria                                  | 364                             | (117) | 126                               | (116) | 242      | (89)  |
| Tropical cluster                         | 333                             | (119) | 82                                | (119) | 32       | (114) |
| Intestinal nematode infection            | 226                             | (125) | 199                               | (125) | 4        | (124) |
| <b>Genito-urinary diseases</b>           |                                 |       |                                   |       |          |       |
| All other genito-urinary diseases        | 159,469                         | (19)  | 89,251                            | (15)  | 3,984    | (27)  |
| Female genital pain                      | 26,657                          | (53)  | 15,336                            | (57)  | 463      | (72)  |
| Kidney stones                            | 23,216                          | (56)  | 8,639                             | (64)  | 1,521    | (43)  |
| Menstrual disorders                      | 22,381                          | (57)  | 14,126                            | (58)  | 624      | (66)  |
| Other breast disorders                   | 18,269                          | (63)  | 9,701                             | (61)  | 382      | (77)  |
| Nephritis and nephrosis                  | 7,513                           | (79)  | 2,140                             | (84)  | 1,304    | (48)  |
| Benign prostatic hypertrophy             | 3,587                           | (91)  | 2,336                             | (81)  | 75       | (104) |
| <b>Digestive diseases</b>                |                                 |       |                                   |       |          |       |
| All other digestive diseases             | 114,765                         | (26)  | 59,132                            | (23)  | 16,598   | (8)   |
| Other gastroenteritis and colitis        | 83,495                          | (29)  | 67,179                            | (21)  | 1,222    | (51)  |
| Esophagus disease                        | 39,426                          | (45)  | 25,677                            | (44)  | 1,197    | (53)  |
| Inguinal hernia                          | 13,708                          | (69)  | 6,099                             | (71)  | 735      | (63)  |
| Appendicitis                             | 5,787                           | (82)  | 3,275                             | (76)  | 7,171    | (19)  |
| Cirrhosis of the liver                   | 1,931                           | (103) | 1,372                             | (89)  | 77       | (103) |
| Peptic ulcer disease                     | 1,716                           | (104) | 1,077                             | (93)  | 528      | (67)  |
| <b>Cardiovascular diseases</b>           |                                 |       |                                   |       |          |       |
| All other cardiovascular diseases        | 80,947                          | (30)  | 41,230                            | (31)  | 7,633    | (16)  |
| Essential hypertension                   | 80,798                          | (31)  | 42,687                            | (29)  | 441      | (74)  |
| Ischemic heart disease                   | 9,319                           | (75)  | 3,623                             | (74)  | 2,101    | (37)  |
| Cerebrovascular disease                  | 6,757                           | (81)  | 2,141                             | (83)  | 2,278    | (35)  |
| Inflammatory                             | 2,486                           | (100) | 961                               | (96)  | 465      | (71)  |
| Rheumatic heart disease                  | 471                             | (114) | 371                               | (105) | 42       | (111) |
| <b>Maternal conditions</b>               |                                 |       |                                   |       |          |       |
| Pregnancy complications                  | 108,313                         | (27)  | 24,540                            | (45)  | 21,660   | (6)   |
| Delivery                                 | 55,860                          | (39)  | 18,605                            | (49)  | 43,506   | (3)   |
| Ectopic/miscarriage/abortion             | 9,579                           | (73)  | 4,265                             | (73)  | 986      | (56)  |
| Puerperium complications                 | 2,822                           | (97)  | 1,846                             | (87)  | 962      | (57)  |
| All other maternal disorders             | 86                              | (128) | 46                                | (123) | 99       | (97)  |
| <b>Headache</b>                          |                                 |       |                                   |       |          |       |
| Headache                                 | 152,519                         | (21)  | 74,615                            | (17)  | 1,394    | (46)  |

<sup>a</sup>Major categories and conditions defined in the Global Burden of Disease study<sup>b</sup>Medical encounters: total hospitalizations and ambulatory visits for the condition (with no more than one encounter per individual per day per condition)<sup>c</sup>Individuals with at least one hospitalization or ambulatory visit for the condition<sup>d</sup>Conditions affecting newborns erroneously coded on service member medical records

**Table 1 continued.** Health care burdens attributable to various diseases and injuries, U.S. Armed Forces, 2010

| Major category<br>Condition <sup>a</sup> | Medical encounters <sup>b</sup> |       | Individuals affected <sup>c</sup> |       | Bed days |       |
|------------------------------------------|---------------------------------|-------|-----------------------------------|-------|----------|-------|
|                                          | No.                             | Rank  | No.                               | Rank  | No.      | Rank  |
| <b>Endocrine disorders</b>               |                                 |       |                                   |       |          |       |
| All other endocrine disorders            | 61,315                          | (35)  | 27,327                            | (42)  | 2,088    | (38)  |
| Lipoid metabolism disorders              | 39,652                          | (43)  | 29,413                            | (40)  | 48       | (109) |
| Obesity                                  | 21,708                          | (59)  | 16,644                            | (54)  | 220      | (92)  |
| <b>Neurologic conditions</b>             |                                 |       |                                   |       |          |       |
| All other neurologic conditions          | 76,180                          | (32)  | 32,667                            | (38)  | 7,612    | (17)  |
| Other mononeuritis - limbs               | 12,824                          | (70)  | 6,206                             | (69)  | 248      | (88)  |
| Epilepsy                                 | 8,714                           | (77)  | 2,620                             | (79)  | 906      | (58)  |
| Multiple sclerosis                       | 3,332                           | (94)  | 683                               | (101) | 268      | (85)  |
| Parkinson disease                        | 227                             | (123) | 53                                | (122) | 4        | (125) |
| Alzheimer and other dementias            | 76                              | (129) | 8                                 | (130) | 53       | (108) |
| <b>Other neoplasms</b>                   |                                 |       |                                   |       |          |       |
| All other neoplasms                      | 46,110                          | (41)  | 30,167                            | (39)  | 2,390    | (33)  |
| Benign skin neoplasm                     | 20,654                          | (60)  | 16,410                            | (55)  | 2        | (127) |
| Lipoma                                   | 9,519                           | (74)  | 6,135                             | (70)  | 87       | (100) |
| Uterine leiomyoma                        | 4,295                           | (87)  | 2,113                             | (85)  | 1,580    | (41)  |
| <b>Malignant neoplasms</b>               |                                 |       |                                   |       |          |       |
| All other malignant neoplasms            | 7,579                           | (78)  | 1,179                             | (92)  | 1,936    | (39)  |
| Lymphoma and multiple myeloma            | 7,462                           | (80)  | 761                               | (99)  | 1,219    | (52)  |
| Melanoma and other skin                  | 4,548                           | (86)  | 2,212                             | (82)  | 78       | (102) |
| Leukemia                                 | 3,750                           | (89)  | 211                               | (112) | 1,386    | (47)  |
| Testicular cancer                        | 3,550                           | (92)  | 673                               | (102) | 410      | (76)  |
| Breast cancer                            | 3,334                           | (93)  | 355                               | (106) | 249      | (87)  |
| Colon and rectum cancers                 | 2,967                           | (95)  | 247                               | (110) | 1,099    | (55)  |
| Brain                                    | 2,805                           | (98)  | 238                               | (111) | 797      | (60)  |
| Thyroid                                  | 2,265                           | (101) | 515                               | (104) | 349      | (79)  |
| Mouth and oropharynx cancers             | 1,957                           | (102) | 178                               | (114) | 327      | (80)  |

<sup>a</sup>Major categories and conditions defined in the Global Burden of Disease study<sup>b</sup>Medical encounters: total hospitalizations and ambulatory visits for the condition (with no more than one encounter per individual per day per condition)<sup>c</sup>Individuals with at least one hospitalization or ambulatory visit for the condition<sup>d</sup>Conditions affecting newborns erroneously coded on service member medical records

| Major category<br>Condition <sup>a</sup>                          | Medical encounters <sup>b</sup> |       | Individuals affected <sup>c</sup> |       | Bed days |       |
|-------------------------------------------------------------------|---------------------------------|-------|-----------------------------------|-------|----------|-------|
|                                                                   | No.                             | Rank  | No.                               | Rank  | No.      | Rank  |
| Prostate cancer                                                   | 1,692                           | (105) | 326                               | (108) | 280      | (82)  |
| Trachea,bronchus,lung cancers                                     | 895                             | (111) | 82                                | (120) | 317      | (81)  |
| Pancreas cancer                                                   | 378                             | (115) | 32                                | (127) | 239      | (90)  |
| Stomach cancer                                                    | 366                             | (116) | 37                                | (125) | 448      | (73)  |
| Ovary cancer                                                      | 337                             | (118) | 74                                | (121) | 107      | (96)  |
| Bladder cancer                                                    | 294                             | (120) | 85                                | (118) | 35       | (113) |
| Cervix uteri cancer                                               | 230                             | (122) | 41                                | (124) | 89       | (99)  |
| Liver cancer                                                      | 192                             | (126) | 32                                | (126) | 93       | (98)  |
| Esophagus cancer                                                  | 149                             | (127) | 15                                | (129) | 83       | (101) |
| Corpus uteri cancer                                               | 37                              | (130) | 17                                | (128) | .        | (129) |
| <b>Oral conditions</b>                                            |                                 |       |                                   |       |          |       |
| All other oral conditions                                         | 30,200                          | (50)  | 21,641                            | (47)  | 2,103    | (36)  |
| Periodontal disease                                               | 1,025                           | (109) | 921                               | (97)  | 7        | (122) |
| Dental caries                                                     | 802                             | (113) | 715                               | (100) | 10       | (119) |
| <b>Congenital anomalies</b>                                       |                                 |       |                                   |       |          |       |
| All other congenital anomalies                                    | 25,316                          | (54)  | 16,152                            | (56)  | 1,509    | (44)  |
| Congenital heart disease                                          | 2,728                           | (99)  | 1,324                             | (90)  | 440      | (75)  |
| <b>Diabetes mellitus</b>                                          |                                 |       |                                   |       |          |       |
| Diabetes mellitus                                                 | 21,737                          | (58)  | 5,786                             | (72)  | 828      | (59)  |
| <b>Nutritional deficiencies</b>                                   |                                 |       |                                   |       |          |       |
| All other nutritional deficiencies                                | 15,113                          | (66)  | 9,103                             | (62)  | 491      | (69)  |
| Iron-deficiency anemia                                            | 3,994                           | (88)  | 2,041                             | (86)  | 158      | (94)  |
| Protein-energy malnutrition                                       | 234                             | (121) | 92                                | (117) | 122      | (95)  |
| <b>Conditions arising during the perinatal period<sup>d</sup></b> |                                 |       |                                   |       |          |       |
| All other perinatal anomalies                                     | 1,428                           | (107) | 991                               | (95)  | 23       | (115) |
| Low birth weight                                                  | 857                             | (112) | 287                               | (109) | 23       | (116) |
| Birth asphyxia and birth trauma                                   | 226                             | (124) | 142                               | (115) | 6        | (123) |

medical encounters (Table 1). In contrast, there were not strong relationships between the hospital bed-days attributable to conditions and either the numbers of individuals affected by ( $r=0.18$ ) or medical encounters attributable to ( $r=0.38$ ) the same conditions. For example, childbirth and substance abuse disorders were among the top three sources of hospital bed-days; however, these conditions affected relatively few service members. Also, "upper respiratory infections" was one of the three leading conditions in terms of medical encounters and individuals affected; however, the condition accounted for relatively few hospital bed-days (Table 1).



Finally, "injuries of the back/abdomen" was the only condition among the top 10 in relation to all burden measures. "Other back problems" and four mental disorders (mood, anxiety, adjustment, "all other" mental disorders) were the only other conditions within the top 25 in relation to all burden measures (Table 1).

#### Editorial comment:


This report reiterates the major findings of prior annual reports regarding morbidity and health care burdens among U.S. military members. In particular, the report documents that a majority of the morbidity and health care burden that affects U.S. military members is attributable to remarkably few (i.e., less than 8%) of the 129 burden of disease-defining conditions considered in the analysis.

In 2010 as in prior years, injuries in general (particularly of the back), mental disorders (particularly substance abuse, mood, anxiety, and adjustment disorders), and pregnancy/delivery-related conditions accounted for relatively large proportions of the morbidity and health care burdens that affected U.S. military members.

For example, in 2010, substance abuse, mood, anxiety, and adjustment disorders accounted for 573 person-years of

**Figure 2.** Percentage and cumulative % distributions, burden categories that accounted for the most medical encounters among U.S. service members, 2010**Figure 3.** Percentage and cumulative % distributions, burden categories that accounted for the most hospital bed days, U.S. service members, 2010

**Figure 4.** Annual numbers of hospital bed days attributable to the mental disorders (n=4) and maternal conditions (n=2) that are the six leading sources of hospital bed days overall, 2001-2010



lost duty due to hospitalization; complications of pregnancy and delivery accounted for an additional 178 lost years of operational effectiveness while hospitalized. Together, these four mental disorders and two pregnancy/delivery-related conditions accounted for more than one-half of all hospital bed days among active component members. Of note in this regard, since 2005, there has been a steep and still ongoing increase in hospital bed days due to mental disorders; in sharp contrast, bed days related to pregnancy and delivery have been remarkably stable since 2001.

Also, in 2010, ten burden of disease-defined conditions accounted for more than one-half of all illness and injury-related medical encounters of active component members. The ten conditions that accounted for the most medical encounters overall included three mental disorders (substance abuse, anxiety, and mood), three anatomic site-defined injuries (back/abdomen; arm/shoulder; foot/ankle), and upper respiratory infections.

Throughout military history, mental disorders (including substance abuse disorders) and injuries have been leading causes of morbidity and lost duty time among service members.<sup>3-7</sup> As noted many times in the past, the prevention, treatment, and rehabilitation of injuries of all types – particularly, back injuries – and the detection, characterization, and management of mental disorders – including substance abuse and deployment stress-related disorders, e.g., PTSD – should have the highest priorities for military medical research, public health, and force health protection programs.

In summary, this analysis, like those of recent years, documents that a relatively few illnesses and injuries account for most of the morbidity and health care burdens that affect U.S. military members. Illnesses and injuries that account for disproportionately large morbidity and health care burdens should be targeted to determine their susceptibilities to primary, secondary, and tertiary prevention efforts and given high priorities for prevention resources.

#### References:

1. The global burden of disease: A comprehensive assessment of mortality and disability from diseases, injuries, and risk factors in 1990 and projected to 2020. Murray, CJ and Lopez, AD, eds. Harvard School of Public Health (on behalf of the World Health Organization and The World Bank), 1996:120-2.
2. Brundage JF, Johnson KE, Lange JL, Rubertone MV. Comparing the population health impacts of medical conditions using routinely collected health care utilization data: nature and sources of variability. *Mil Med.* 2006 Oct;171(10):937-42.
3. Jones BH, Perrotta DM, Canham-Chervak ML, Nee MA, Brundage JF. Injuries in the military: a review and commentary focused on prevention. *Am J Prev Med.* 2000 Apr;18(3 Suppl):71-84.
4. Ritchie EC, Benedek D, Malone R, Carr-Malone R. Psychiatry and the military: an update. *Psychiatr Clin North Am.* 2006 Sep;29(3):695-707.
5. Cozza KL, Hales RE. Psychiatry in the Army: a brief historical perspective and current developments. *Hosp Community Psychiatry.* 1991 Apr;42(4):413-8.
6. Watanabe HK, Harig PT, Rock NL, Koshes RJ. Alcohol and drug abuse and dependence. In: *Textbook of Military Medicine series: Military psychiatry: preparing in peace for war.* Office of the Surgeon General, Department of the Army. Borden Institute. Washington DC. Viewed on 22 April 2008 at: [http://www.bordeninstitute.army.mil/published\\_volumes/military\\_psychiatry/MPch5.pdf](http://www.bordeninstitute.army.mil/published_volumes/military_psychiatry/MPch5.pdf)
7. Army Medical Surveillance Activity. Relative burdens of selected illnesses and injuries, US Armed Forces, 2001. *Medical Surveillance Monthly Report (MSMR).* 2002 Mar/Apr;8(2):24-8.

# Hospitalizations among Members of the Active Component, U.S. Armed Forces, 2010

This report documents the frequencies, rates, trends, and distributions of hospitalizations of active component members of the U.S. Armed Forces during calendar year 2010. Summaries are based on standardized records of hospitalizations at U.S. military and non-military (reimbursed care) medical facilities worldwide. For this report, primary (first-listed) discharge diagnoses are considered indicative of the primary reasons for hospitalizations; summaries are based on the first three digits of ICD-9-CM codes used to report primary discharge diagnoses. Hospitalizations not routinely documented with standardized, automated records (e.g., during deployments, field training exercises, shipboard) are not centrally available for health surveillance purposes and thus not included in this report.

## Frequencies, rates, and trends:

In 2010 there were 88,119 reports of hospitalizations of active component members of the U.S. Army, Navy, Air Force, Marine Corps, and Coast Guard; nearly one-third (32%) of the hospitalizations were in non-military facilities (**Table 1, Figure 1**). The hospitalization rate (all causes) was 60.4 per 1,000 service members per year. Annual hospitalization rates (all causes) were stable and slightly higher during the last four years compared to the earlier years of the decade (overall hospitalization rate, 2007-2010: 60.2 per 1,000 person-years [p-yrs]; 2001-2006: 55.3 per 1,000 p-yrs) (**Figure 1**).

## Hospitalizations, by illness and injury categories:

As in recent prior years, in 2010 three diagnostic categories accounted for more than one-half (53.7%) of all hospitalizations of active component members: mental disorders (20.7%), pregnancy-related conditions and childbirth (20.6%), and injuries and poisonings (12.4%) (**Table 1**). In contrast to recent prior years, in 2010 there were more hospitalizations for mental disorders than for any other major category of illnesses or injuries (per the ICD-9-CM). From 2006 to 2010, numbers of hospitalizations increased in ten and decreased in seven major categories of illnesses and injuries. The largest percentage increases between 2006 and 2010 were for "other" or V-coded hospitalizations (primarily orthopedic aftercare and rehabilitation following a previous illness or injury) (difference in hospitalizations, 2010 versus 2006 [hosp diff, 2010-2006]: +1,440; +71.3%) and mental disorders (hosp diff, 2010-2006: +6,560; +56.1%). The largest percentage decreases during the same period were for hematologic disorders (hosp diff, 2010-2006: -157; -29.9%) and "endocrine, nutrition, immunity" (hosp diff, 2010-2006: -116; -11.5%) (**Table 1**).

## Hospitalizations, by gender:

In 2010, the hospitalization rate (all causes) was more than three times higher among females than males (hospitalization rate, overall: females: 147.9 per 1,000 p-yrs; males: 45.7 per

**Table 1.** Hospitalizations, ICD-9-CM diagnostic categories, active component, U.S. Armed Forces, 2006, 2008, and 2010

| Major diagnostic category (ICD-9-CM)                                | 2006   |                   |      | 2008   |                   |      | 2010   |                   |      |
|---------------------------------------------------------------------|--------|-------------------|------|--------|-------------------|------|--------|-------------------|------|
|                                                                     | No.    | Rate <sup>a</sup> | Rank | No.    | Rate <sup>a</sup> | Rank | No.    | Rate <sup>a</sup> | Rank |
| Mental disorders (290 - 319)                                        | 11,690 | 8.34              | (2)  | 15,893 | 11.19             | (2)  | 18,250 | 12.51             | (1)  |
| Pregnancy and childbirth (630 - 679, relevant V codes) <sup>b</sup> | 17,456 | 12.45 (86.28)     | (1)  | 17,457 | 12.29 (86.66)     | (1)  | 18,125 | 12.42 (86.75)     | (2)  |
| Injury and poisoning (800 - 999)                                    | 11,510 | 8.21              | (3)  | 11,663 | 8.21              | (3)  | 10,950 | 7.51              | (3)  |
| Digestive system (520 - 579)                                        | 7,056  | 5.04              | (4)  | 7,562  | 5.33              | (5)  | 7,867  | 5.39              | (4)  |
| Musculoskeletal system (710 - 739)                                  | 6,859  | 4.90              | (5)  | 7,639  | 5.38              | (4)  | 7,449  | 5.11              | (5)  |
| Ill-defined conditions (780 - 799)                                  | 4,571  | 3.26              | (6)  | 4,400  | 3.10              | (6)  | 4,444  | 3.05              | (6)  |
| Other (E80-E99 and V01-V89, except pregnancy-related)               | 2,020  | 1.44              | (12) | 2,504  | 1.76              | (10) | 3,460  | 2.37              | (7)  |
| Circulatory system (390 - 459)                                      | 2,703  | 1.93              | (9)  | 2,750  | 1.94              | (8)  | 2,831  | 1.94              | (8)  |
| Respiratory system (460 - 519)                                      | 2,875  | 2.05              | (7)  | 3,043  | 2.14              | (7)  | 2,701  | 1.85              | (9)  |
| Genitourinary system (580 - 629)                                    | 2,711  | 1.93              | (8)  | 2,729  | 1.92              | (9)  | 2,654  | 1.82              | (10) |
| Neoplasms (140 - 239)                                               | 2,079  | 1.48              | (11) | 2,134  | 1.50              | (12) | 2,101  | 1.44              | (11) |
| Nervous system (320 - 389)                                          | 1,406  | 1.00              | (13) | 1,919  | 1.35              | (13) | 2,085  | 1.43              | (12) |
| Skin and subcutaneous tissue (680 - 709)                            | 2,248  | 1.60              | (10) | 2,362  | 1.66              | (11) | 2,073  | 1.42              | (13) |
| Infectious and parasitic diseases (001 - 139)                       | 1,276  | 0.91              | (14) | 1,274  | 0.90              | (14) | 1,396  | 0.96              | (14) |
| Endocrine, nutrition, immunity (240 - 279)                          | 1,011  | 0.72              | (15) | 854    | 0.60              | (15) | 895    | 0.61              | (15) |
| Congenital anomalies (740 - 759)                                    | 338    | 0.24              | (17) | 353    | 0.25              | (16) | 470    | 0.32              | (16) |
| Hematologic disorders (280 - 289)                                   | 525    | 0.37              | (16) | 338    | 0.24              | (17) | 368    | 0.25              | (17) |
| Total                                                               | 78,334 | 55.91             |      | 84,874 | 59.78             |      | 88,119 | 60.41             |      |

<sup>a</sup>Rates are expressed as hospitalizations per 1,000 person-years

<sup>b</sup>Rate of pregnancy and childbirth-related hospitalizations among females only (in parentheses)

1,000 p-yrs); however, pregnancy and childbirth accounted for 58.6 percent of all hospitalizations of females. The rate of hospitalizations for conditions not related to pregnancy and childbirth was one-third (33.9%) higher among females (61.2 per 1,000 per year) than males.

Hospitalization rates were higher among males than females for injuries and poisonings (male:female [m:f], rate ratio [RR]: 1.41; rate difference [RD]: 2.29 per 1,000 p-yrs), musculoskeletal/connective tissue disorders (m:f, RR: 1.17; RD: 0.75 per 1,000 p-yrs), and skin and subcutaneous tissue disorders (m:f, RR: 1.35; RD: 0.38 per 1,000 p-yrs). Hospitalization rates were similar among males and females for circulatory disorders (m:f, RR: 1.03; RD: 0.05 per 1,000 p-yrs) and respiratory diseases (m:f, RR: 1.03; RD: 0.06 per 1,000 p-yrs). Hospitalization rates were higher among females than males for the other 12 major disease-specific categories. Of these 12 categories, the largest absolute differences in hospitalization rates between females and males were for genitourinary disorders (RD: 5.85 per 1,000 p-yrs), mental disorders (RD: 3.48 per 1,000 p-yrs), and neoplasms (RD: 3.61 per 1,000 p-yrs).

Relationships between age and hospitalization rates significantly varied across illness and injury-specific categories (Figure 2). For example, among both males and females, hospitalization rates sharply increased with age for neoplasms, circulatory, genitourinary, and musculoskeletal/connective tissue disorders; rates decreased with age for mental disorders; and rates were generally stable across age groups for infectious and parasitic diseases, digestive disorders, and injuries (Figure 2).

#### Most frequent diagnoses:

In 2010, seven diagnoses (at the 3-digit level of the ICD-9-CM) accounted for more than 1,200 hospitalizations each

among males: adjustment reactions (n=4,524), episodic mood disorders (n=3,809), intervertebral disc disorders (n=2,269), alcohol dependence syndrome (1,850), acute appendicitis (n=1,844), symptoms involving the respiratory system (n=1,458), and other cellulitis and abscess (n=1,360). These seven diagnoses accounted for 30 percent of all hospitalizations of males in 2010 (Table 2).

In 2010, pregnancy and childbirth-related conditions accounted for nearly 60 percent of all hospitalizations of females (Table 3). Other than pregnancy and childbirth-related diagnoses, leading causes of hospitalizations of females were episodic mood disorders (n=1,142), adjustment reactions (n=965), uterine leiomyoma (n=507), intervertebral disc disorders (n=305), depressive disorder (n=285), and acute appendicitis (n=270). These six diagnoses accounted for 27 percent of all hospitalizations (not related to pregnancy/childbirth) of females (Table 3).


#### Mental health conditions:


In 2010 mental disorders accounted for more hospitalizations of U.S. service members than any other major category of diagnoses (Table 1). Adjustment reactions (including posttraumatic stress disorder) and episodic mood disorders caused more hospitalizations among active component members than any other specific conditions (at the 3-digit level); together, these two conditions accounted for 15 percent and 17 percent of all hospitalizations of males and females (excluding pregnancy and childbirth-related), respectively (Tables 2,3).

#### Injuries and poisonings:

As in the past, in 2010, injuries and poisonings were a leading cause of hospitalizations of U.S. military members (Table 1). Of all injuries and poisonings that resulted in

**Figure 1.** Rate of hospitalization (all causes), by calendar year, active component, U.S. Armed Forces, 2001-2010



**Figure 2.** Rate<sup>a</sup> of hospitalizations, by major diagnostic categories, by age and gender, active component, U.S. Armed Forces, 2010<sup>a</sup>Rate expressed as hospitalizations per 1,000 person-years

**Table 2.** Most frequent diagnoses during hospitalization, by major diagnostic category, males, active component, U.S. Armed Forces, 2010

| Diagnostic category (ICD-9-CM codes)                 |  | No.    | %    |
|------------------------------------------------------|-----------------------------------------------------------------------------------|--------|------|
| <b>Infectious and parasitic diseases (001-139)</b>   |                                                                                   | 1,118  |      |
| Meningitis due to enterovirus                        |                                                                                   | 196    | 17.5 |
| Septicemia                                           |                                                                                   | 169    | 15.1 |
| Intestinal infections due to other organisms         |                                                                                   | 163    | 14.6 |
| Ill-defined intestinal infections                    |                                                                                   | 99     | 8.9  |
| Viral and chlamydial infection                       |                                                                                   | 68     | 6.1  |
| <b>Neoplasms (140-239)</b>                           |                                                                                   | 1,154  |      |
| Malignant neoplasm of prostate                       |                                                                                   | 89     | 7.7  |
| Malignant neoplasm of brain                          |                                                                                   | 72     | 6.2  |
| Malignant neoplasm of thyroid gland                  |                                                                                   | 71     | 6.2  |
| Malignant neoplasm of testis                         |                                                                                   | 64     | 5.5  |
| Neoplasms of unspecified nature                      |                                                                                   | 46     | 4.0  |
| <b>Endocrine, nutrition, immunity (240-279)</b>      |                                                                                   | 666    |      |
| Disorders of fluid electrolyte and acid-base balance |                                                                                   | 225    | 33.8 |
| Diabetes mellitus                                    |                                                                                   | 192    | 28.8 |
| Nontoxic nodular goiter                              |                                                                                   | 38     | 5.7  |
| Thyrotoxicosis with or without goiter                |                                                                                   | 37     | 5.6  |
| Overweight, obesity and other hyperalimentation      |                                                                                   | 37     | 5.6  |
| <b>Hematologic disorders (280-289)</b>               |                                                                                   | 256    |      |
| Diseases of white blood cells                        |                                                                                   | 69     | 27.0 |
| Purpura and other hemorrhagic conditions             |                                                                                   | 50     | 19.5 |
| Other diseases of blood and blood-forming organs     |                                                                                   | 34     | 13.3 |
| Aplastic anemia                                      |                                                                                   | 29     | 11.3 |
| Other and unspecified anemias                        |                                                                                   | 21     | 8.2  |
| <b>Mental disorders (290-319)</b>                    |                                                                                   | 15,012 |      |
| Adjustment reaction                                  |                                                                                   | 4,524  | 30.1 |
| Episodic mood disorders                              |                                                                                   | 3,809  | 25.4 |
| Alcohol dependence syndrome                          |                                                                                   | 1,850  | 12.3 |
| Depressive disorder not elsewhere classified         |                                                                                   | 1,123  | 7.5  |
| Nondependent abuse of drugs                          |                                                                                   | 744    | 5.0  |
| <b>Nervous system (320-389)</b>                      |                                                                                   | 1,656  |      |
| Pain, not elsewhere classified                       |                                                                                   | 293    | 17.7 |
| Organic sleep disorders                              |                                                                                   | 259    | 15.6 |
| Epilepsy                                             |                                                                                   | 205    | 12.4 |
| Migraine                                             |                                                                                   | 133    | 8.0  |
| Other conditions of brain                            |                                                                                   | 69     | 4.2  |
| <b>Circulatory system (390-459)</b>                  |                                                                                   | 2,435  |      |
| Cardiac dysrhythmias                                 |                                                                                   | 531    | 21.8 |
| Acute pulmonary heart disease                        |                                                                                   | 251    | 10.3 |
| Other forms of chronic ischemic heart disease        |                                                                                   | 192    | 7.9  |
| Acute myocardial infarction                          |                                                                                   | 178    | 7.3  |
| Other venous embolism and thrombosis                 |                                                                                   | 156    | 6.4  |
| <b>Respiratory system (460-519)</b>                  |                                                                                   | 2,324  |      |
| Pneumonia organism unspecified                       |                                                                                   | 705    | 30.3 |
| Pneumothorax                                         |                                                                                   | 167    | 7.2  |
| Deviated nasal septum                                |                                                                                   | 165    | 7.1  |
| Other diseases of lung                               |                                                                                   | 150    | 6.5  |
| Peritonsillar abscess                                |                                                                                   | 134    | 5.8  |


| Diagnostic category (ICD-9-CM codes)                         |  | No.   | %    |
|--------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|------|
| <b>Digestive system (520-579)</b>                            |                                                                                     | 6,417 |      |
| Acute appendicitis                                           |                                                                                     | 1,844 | 28.7 |
| Dentofacial anomalies including malocclusion                 |                                                                                     | 444   | 6.9  |
| Cholelithiasis                                               |                                                                                     | 418   | 6.5  |
| Diseases of pancreas                                         |                                                                                     | 377   | 5.9  |
| Diseases of esophagus                                        |                                                                                     | 366   | 5.7  |
| <b>Genitourinary system (580-629)</b>                        |                                                                                     | 1,226 |      |
| Calculus of kidney and ureter                                |                                                                                     | 435   | 35.5 |
| Acute renal failure                                          |                                                                                     | 215   | 17.5 |
| Other disorders of male genital organs                       |                                                                                     | 101   | 8.2  |
| Other disorders of kidney and ureter                         |                                                                                     | 81    | 6.6  |
| Urethral stricture                                           |                                                                                     | 70    | 5.7  |
| <b>Skin and subcutaneous tissue (680-709)</b>                |                                                                                     | 1,844 |      |
| Other cellulitis and abscess                                 |                                                                                     | 1,360 | 73.8 |
| Pilonidal cyst                                               |                                                                                     | 146   | 7.9  |
| Cellulitis and abscess of finger and toe                     |                                                                                     | 100   | 5.4  |
| Other disorders of skin and subcutaneous tissue              |                                                                                     | 35    | 1.9  |
| Other hypertrophic and atrophic conditions of skin           |                                                                                     | 26    | 1.4  |
| <b>Musculoskeletal system (710-739)</b>                      |                                                                                     | 6,516 |      |
| Intervertebral disc disorders                                |                                                                                     | 2,269 | 34.8 |
| Spondylosis and allied disorders                             |                                                                                     | 505   | 7.8  |
| Internal derangement of knee                                 |                                                                                     | 468   | 7.2  |
| Disorders of muscle ligament and fascia                      |                                                                                     | 436   | 6.7  |
| Osteoarthritis and allied disorders                          |                                                                                     | 392   | 6.0  |
| <b>Congenital anomalies (740-759)</b>                        |                                                                                     | 391   |      |
| Other congenital musculoskeletal anomalies                   |                                                                                     | 108   | 27.6 |
| Bulbus cordis anomalies & anomalies of cardiac septal        |                                                                                     | 41    | 10.5 |
| Congenital anomalies of urinary system                       |                                                                                     | 35    | 9.0  |
| Certain congenital musculoskeletal deformities               |                                                                                     | 33    | 8.4  |
| Other congenital anomalies of heart                          |                                                                                     | 30    | 7.7  |
| <b>Signs, symptoms, and ill-defined conditions (780-799)</b> |                                                                                     | 3,533 |      |
| Symptoms involving respiratory system                        |                                                                                     | 1,458 | 41.3 |
| General symptoms                                             |                                                                                     | 1,061 | 30.0 |
| Other symptoms involving abdomen and pelvis                  |                                                                                     | 448   | 12.7 |
| Symptoms involving head and neck                             |                                                                                     | 132   | 3.7  |
| Symptoms involving digestive system                          |                                                                                     | 121   | 3.4  |
| <b>Injury and poisoning (800-999)</b>                        |                                                                                     | 9,791 |      |
| Other complications, procedures not elsewhere classified     |                                                                                     | 845   | 8.6  |
| Fracture of ankle                                            |                                                                                     | 514   | 5.2  |
| Fracture of face bones                                       |                                                                                     | 471   | 4.8  |
| Complications peculiar to certain specified procedures       |                                                                                     | 429   | 4.4  |
| Fracture of tibia and fibula                                 |                                                                                     | 424   | 4.3  |
| <b>Other (E81-E99 and V01-V82, except pregnancy-related)</b> |                                                                                     | 2,854 |      |
| Encounter for other and unspecified procedures               |                                                                                     | 1,055 | 37.0 |
| Care involving use of rehabilitation procedures              |                                                                                     | 457   | 16.0 |
| Other orthopedic aftercare                                   |                                                                                     | 389   | 13.6 |
| Observation & evaluation, suspected conditions not found     |                                                                                     | 332   | 11.6 |
| Other psychosocial circumstances                             |                                                                                     | 291   | 10.2 |

**Table 3.** Most frequent diagnoses during hospitalization, by major diagnostic category, females, active component, U.S. Armed Forces, 2010

| Diagnostic category (ICD-9-CM codes)                 | ♀ | No.   | %    |
|------------------------------------------------------|---|-------|------|
| <b>Infectious and parasitic diseases (001-139)</b>   |   | 278   |      |
| Meningitis due to enterovirus                        |   | 52    | 18.7 |
| Septicemia                                           |   | 44    | 15.8 |
| Intestinal infections due to other organisms         |   | 43    | 15.5 |
| Viral and chlamydial infection                       |   | 21    | 7.6  |
| Ill-defined intestinal infections                    |   | 20    | 7.2  |
| <b>Neoplasms (140-239)</b>                           |   | 947   |      |
| Uterine leiomyoma                                    |   | 507   | 53.5 |
| Benign neoplasm of ovary                             |   | 62    | 6.5  |
| Malignant neoplasm of thyroid gland                  |   | 47    | 5.0  |
| Malignant neoplasm of female breast                  |   | 44    | 4.6  |
| Benign neoplasm of other endocrine glands            |   | 19    | 2.0  |
| <b>Endocrine, nutrition, immunity (240-279)</b>      |   | 229   |      |
| Disorders of fluid electrolyte and acid-base balance |   | 56    | 24.5 |
| Nontoxic nodular goiter                              |   | 50    | 21.8 |
| Overweight, obesity and other hyperalimentation      |   | 31    | 13.5 |
| Thyrotoxicosis with or without goiter                |   | 27    | 11.8 |
| Diabetes mellitus                                    |   | 16    | 7.0  |
| <b>Hematologic disorders (280-289)</b>               |   | 112   |      |
| Iron deficiency anemias                              |   | 38    | 33.9 |
| Other and unspecified anemias                        |   | 19    | 17.0 |
| Purpura and other hemorrhagic conditions             |   | 14    | 12.5 |
| Diseases of white blood cells                        |   | 14    | 12.5 |
| Other diseases of blood and blood-forming organs     |   | 13    | 11.6 |
| <b>Mental disorders (290-319)</b>                    |   | 3,238 |      |
| Episodic mood disorders                              |   | 1,142 | 35.3 |
| Adjustment reaction                                  |   | 965   | 29.8 |
| Depressive disorder not elsewhere classified         |   | 285   | 8.8  |
| Alcohol dependence syndrome                          |   | 203   | 6.3  |
| Anxiety, dissociative and somatoform disorders       |   | 188   | 5.8  |
| <b>Nervous system (320-389)</b>                      |   | 429   |      |
| Migraine                                             |   | 94    | 21.9 |
| Pain, not elsewhere classified                       |   | 84    | 19.6 |
| Epilepsy                                             |   | 42    | 9.8  |
| Other conditions of brain                            |   | 29    | 6.8  |
| Multiple sclerosis                                   |   | 17    | 4.0  |
| <b>Circulatory system (390-459)</b>                  |   | 396   |      |
| Cardiac dysrhythmias                                 |   | 84    | 21.2 |
| Acute pulmonary heart disease                        |   | 62    | 15.7 |
| Other venous embolism and thrombosis                 |   | 30    | 7.6  |
| Essential hypertension                               |   | 27    | 6.8  |
| Hemorrhoids                                          |   | 19    | 4.8  |
| <b>Respiratory system (460-519)</b>                  |   | 377   |      |
| Pneumonia organism unspecified                       |   | 81    | 21.5 |
| Asthma                                               |   | 46    | 12.2 |
| Chronic disease of tonsils and adenoids              |   | 36    | 9.5  |
| Acute tonsillitis                                    |   | 29    | 7.7  |
| Deviated nasal septum                                |   | 19    | 5.0  |

| Diagnostic category (ICD-9-CM codes)                         | ♀ | No.    | %    |
|--------------------------------------------------------------|---|--------|------|
| <b>Digestive system (520-579)</b>                            |   | 1,450  |      |
| Acute appendicitis                                           |   | 270    | 18.6 |
| Cholelithiasis                                               |   | 223    | 15.4 |
| Dentofacial anomalies including malocclusion                 |   | 165    | 11.4 |
| Diseases of pancreas                                         |   | 112    | 7.7  |
| Intestinal obstruction without mention of hernia             |   | 71     | 4.9  |
| <b>Genitourinary system (580-629)</b>                        |   | 1,428  |      |
| Disorders of menstruation and other abnormal bleeding        |   | 241    | 16.9 |
| Infections of kidney                                         |   | 176    | 12.3 |
| Pain & other symptoms, female genital organs                 |   | 171    | 12.0 |
| Noninflammatory disorders of ovary fallopian tube            |   | 155    | 10.9 |
| Inflammatory disease of ovary fallopian tube                 |   | 119    | 8.3  |
| <b>Pregnancy and childbirth (630-679, relevant V codes)</b>  |   | 18,125 |      |
| Trauma to perineum and vulva during delivery                 |   | 4,640  | 25.6 |
| Other indications for care, intervention related to labor    |   | 1,484  | 8.2  |
| Other current conditions complicating pregnancy              |   | 1,398  | 7.7  |
| Abnormality of organs and soft tissues of pelvis             |   | 1,219  | 6.7  |
| Hypertension complicating pregnancy, childbirth              |   | 1,101  | 6.1  |
| <b>Skin and subcutaneous tissue (680-709)</b>                |   | 229    |      |
| Other cellulitis and abscess                                 |   | 140    | 61.1 |
| Cellulitis and abscess of finger and toe                     |   | 15     | 6.6  |
| Pilonidal cyst                                               |   | 14     | 6.1  |
| Other hypertrophic and atrophic conditions of skin           |   | 12     | 5.2  |
| Disorders of sweat glands                                    |   | 10     | 4.4  |
| <b>Musculoskeletal system (710-739)</b>                      |   | 933    |      |
| Intervertebral disc disorders                                |   | 305    | 32.7 |
| Other derangement of joint                                   |   | 75     | 8.0  |
| Other disorders of bone and cartilage                        |   | 74     | 7.9  |
| Other and unspecified disorders of back                      |   | 65     | 7.0  |
| Internal derangement of knee                                 |   | 56     | 6.0  |
| <b>Signs, symptoms, and ill-defined conditions (780-799)</b> |   | 911    |      |
| Other symptoms involving abdomen and pelvis                  |   | 244    | 26.8 |
| General symptoms                                             |   | 237    | 26.0 |
| Symptoms involving respiratory system                        |   | 234    | 25.7 |
| Symptoms involving head and neck                             |   | 59     | 6.5  |
| Symptoms involving digestive system                          |   | 44     | 4.8  |
| <b>Injury and poisoning (800-999)</b>                        |   | 1,159  |      |
| Other complications of procedures not elsewhere classified   |   | 224    | 19.3 |
| Poisoning by analgesics antipyretics & antirheumatics        |   | 86     | 7.4  |
| Complications peculiar to certain specified procedures       |   | 68     | 5.9  |
| Fracture of ankle                                            |   | 63     | 5.4  |
| Poisoning by psychotropic agents                             |   | 61     | 5.3  |
| <b>Other (E81-E99 and V01-V82, except pregnancy-related)</b> |   | 606    |      |
| Encounter for other and unspecified procedures               |   | 183    | 30.2 |
| Observation & evaluation for suspected conditions            |   | 145    | 23.9 |
| Other psychosocial circumstances                             |   | 62     | 10.2 |
| Other orthopedic aftercare                                   |   | 48     | 7.9  |
| Care involving use of rehabilitation procedures              |   | 48     | 7.9  |

**Figure 3.** Length of hospital stay, by year, active component, U.S. Armed Forces, 2010




hospitalizations in U.S. military medical facilities ( $n=7,423$ ), approximately one in six ( $n=1,212$ ; 16.3%) were reported as “intentionally inflicted” (e.g., enemy weapons; suicide gestures/attempts; fights, assaults, legal interventions) of which nearly 70 percent ( $n=845$ ; 69.7%) were reported as “battle casualties” (Table 4). Of all “unintentional” injuries and poisonings that resulted in hospitalizations in U.S. military facilities ( $n=6,185$ ), approximately two-thirds (62.5%) were considered caused by “falls and miscellaneous” ( $n=1,764$ ), complications of medical or surgical care ( $n=1,250$ ), or “guns and explosives” ( $n=854$ ) (Table 4).

Among males, injury and poisoning-related hospitalizations were most often related to complications of medical and surgical procedures and fractures of face, ankle, or leg bones (Table 2). Among females, injury and poisoning-related hospitalizations were most often related to complications of medical and surgical procedures, poisonings (analgesics, antipyretics, antirheumatics, psychotropic agents), and ankle fractures (Table 3).

#### Durations of hospitalizations:

Since 2001, the median durations of hospitalizations (all causes) have been stable (3 days), but the durations of the longest hospitalizations have sharply increased (Figure 3). In

**Figure 4.** Length of hospital stay, by major diagnostic category, active component, U.S. Armed Forces, 2010



2010 as in previous years, medians and ranges of durations of hospitalizations significantly varied across major diagnostic categories. For example, median lengths of hospitalizations varied from two days (musculoskeletal disorders; signs, symptoms, and ill-defined conditions) to seven days (mental disorders); and for most diagnostic categories, fewer than 5 percent of hospitalizations exceeded 15 days, but approximately 5 percent of mental disorder-related hospitalizations exceeded 36 days (Figure 4).

#### Hospitalizations by service:

Among members of the Navy, Air Force, and Coast Guard, pregnancy and childbirth-related conditions accounted for more hospitalizations than any other category of illnesses or injuries; however, among members of the Army and Marine Corps, mental disorders were the leading cause of hospitalizations. The crude hospitalization rate for mental disorders in the Army was approximately three-times higher than in the Coast Guard, twice as high as in the Navy and Air Force, and 67 percent higher than in the Marine Corps (Table 5).

Injuries and poisonings were the second leading cause of hospitalizations in the Marine Corps and the third leading cause in the Army, Navy and Coast Guard. The

**Table 5.** Hospitalizations, by service and ICD-9-CM diagnostic category, active component, U.S. Armed Forces, 2010

| Major diagnostic category (ICD-9-CM)                                | Army   |                   | Navy   |                   | Air Force |                   | Marine Corps |                   | Coast Guard |                   |
|---------------------------------------------------------------------|--------|-------------------|--------|-------------------|-----------|-------------------|--------------|-------------------|-------------|-------------------|
|                                                                     | No.    | Rate <sup>a</sup> | No.    | Rate <sup>a</sup> | No.       | Rate <sup>a</sup> | No.          | Rate <sup>a</sup> | No.         | Rate <sup>a</sup> |
| Mental disorders (290 - 319)                                        | 10,100 | 18.0              | 2,932  | 9.1               | 2,767     | 8.4               | 2,192        | 10.8              | 259         | 6.2               |
| Pregnancy and childbirth (630 - 679, relevant V codes) <sup>b</sup> | 6,472  | 11.6              | 4,652  | 14.4              | 5,129     | 15.5              | 1,481        | 7.3               | 391         | 9.3               |
| Injury and poisoning (800 - 999)                                    | 5,746  | 10.3              | 1,647  | 5.1               | 1,388     | 4.2               | 2,001        | 9.9               | 168         | 4.0               |
| Musculoskeletal system (710 - 739)                                  | 3,709  | 6.6               | 1,121  | 3.5               | 1,599     | 4.8               | 860          | 4.2               | 160         | 3.8               |
| Digestive system (520 - 579)                                        | 3,398  | 6.1               | 1,587  | 4.9               | 1,757     | 5.3               | 935          | 4.6               | 190         | 4.5               |
| Ill-defined conditions (780 - 799)                                  | 2,442  | 4.4               | 678    | 2.1               | 887       | 2.7               | 370          | 1.8               | 67          | 1.6               |
| Other (E81-E99 and V01-V82, except pregnancy-related)               | 1,804  | 3.2               | 622    | 1.9               | 453       | 1.4               | 524          | 2.6               | 57          | 1.4               |
| Respiratory system (460 - 519)                                      | 1,421  | 2.5               | 367    | 1.1               | 453       | 1.4               | 404          | 2.0               | 56          | 1.3               |
| Circulatory system (390 - 459)                                      | 1,412  | 2.5               | 531    | 1.6               | 622       | 1.9               | 198          | 1.0               | 68          | 1.6               |
| Genitourinary system (580 - 629)                                    | 1,204  | 2.2               | 485    | 1.5               | 694       | 2.1               | 216          | 1.1               | 55          | 1.3               |
| Nervous system (320 - 389)                                          | 1,075  | 1.9               | 337    | 1.0               | 417       | 1.3               | 222          | 1.1               | 34          | 0.8               |
| Skin and subcutaneous tissue (680 - 709)                            | 956    | 1.7               | 383    | 1.2               | 315       | 1.0               | 381          | 1.9               | 38          | 0.9               |
| Neoplasms (140 - 239)                                               | 914    | 1.6               | 464    | 1.4               | 518       | 1.6               | 168          | 0.8               | 37          | 0.9               |
| Infectious and parasitic diseases (001 - 139)                       | 600    | 1.1               | 286    | 0.9               | 273       | 0.8               | 200          | 1.0               | 37          | 0.9               |
| Endocrine, nutrition, immunity (240 - 279)                          | 438    | 0.8               | 164    | 0.5               | 179       | 0.5               | 105          | 0.5               | 9           | 0.2               |
| Congenital anomalies (740 - 759)                                    | 212    | 0.4               | 72     | 0.2               | 101       | 0.3               | 76           | 0.4               | 9           | 0.2               |
| Hematologic disorders (280 - 289)                                   | 166    | 0.3               | 84     | 0.3               | 68        | 0.2               | 38           | 0.2               | 12          | 0.3               |
| Total                                                               | 42,069 | 75.1              | 16,412 | 50.7              | 17,620    | 49.62             | 10,371       | 51.22             | 1,647       | 39.32             |

<sup>a</sup>Rate expressed as hospitalizations per 1,000 person-years of service

<sup>b</sup>Rates of pregnancy and childbirth-related hospitalizations among females in the Army, Navy, Air Force, Marine Corps and Coast Guard were 85.9, 91.2, 80.5, 111.6, and 70.0, respectively.

hospitalization rate for injuries/poisonings was slightly higher among soldiers (10.3 per 1,000 p-yrs) than Marines (9.9 per 1,000 p-yrs) and approximately two times higher among soldiers than members of the other Services (Table 5).

#### Editorial comment:

In 2010, on average, one of every 16 active component members was hospitalized for any cause; and one of every 20 members was hospitalized for a condition not related to pregnancy or childbirth. Hospitalization rates for all causes among active component members have not significantly changed in the past decade. As in the past, in 2010, mental disorders, pregnancy/childbirth-related conditions, and injuries/poisonings accounted for more than one-half of all hospitalizations of active component members. Since 2006, hospitalizations for mental disorders increased by more than 50 percent; during the same period, hospitalizations for injuries and poisonings slightly decreased.

The recent sharp increase in hospitalizations for mental disorders likely reflects the effects of many factors including repeated deployments and prolonged exposures to combat stresses; increased awareness and concern regarding threats to mental health among unit commanders and other front line supervisors, service members and their families, and medical care providers; increased screening for and detection of mental disorders after combat-related service and other traumatizing experiences; and decreasing stigmas and

removal of barriers to seeking and receiving mental disorder diagnoses and care.

There are limitations to this summary that should be considered when interpreting the results. For example, the scope of this report is limited to members of the active components of the Services. Many reserve component

**Table 4.** Injury hospitalizations<sup>a</sup> by casual agent,<sup>b</sup> active component, U.S. Armed Forces, 2010

| Cause                                            | No.          | %           |
|--------------------------------------------------|--------------|-------------|
| <b>Unintentional</b>                             | <b>6,185</b> | <b>83.3</b> |
| Falls and miscellaneous                          | 1,764        | 23.8        |
| Complications of medical/surgical procedures     | 1,250        | 16.8        |
| Land transport                                   | 854          | 11.5        |
| Guns, explosives (includes accidents during war) | 798          | 10.8        |
| Poisons and fire                                 | 522          | 7.0         |
| Athletics                                        | 352          | 4.7         |
| Environmental                                    | 231          | 3.1         |
| Machinery, tools                                 | 200          | 2.7         |
| Air transport                                    | 183          | 2.5         |
| Water transport                                  | 31           | 0.4         |
| <b>Intentional</b>                               | <b>1,212</b> | <b>16.3</b> |
| Battle casualty                                  | 845          | 11.4        |
| Self-inflicted                                   | 304          | 4.1         |
| Non-battle, inflicted by other (e.g., assault)   | 63           | 0.8         |
| <b>Missing/invalid code</b>                      | <b>26</b>    | <b>0.4</b>  |

<sup>a</sup>Hospitalizations in U.S. military medical facilities only

<sup>b</sup>Causes determined by codes specified in NATO Standardization Agreement (STANAG) No.2050

members were hospitalized for illnesses and injuries while serving on active duty in 2010; these hospitalizations are not accounted for in this report. Also, many injury and poisoning-related hospitalizations occur in non-military hospitals; in most cases, the “external causes” of such injuries and poisonings are not reported on standardized records. If there are significant differences in the causes of injuries and poisonings that resulted in hospitalizations in U.S. military and non-military hospitals, the summary of external causes of injuries requiring hospital treatment reported here (**Table 4**) could be misleading. Also, this summary is based on primary (first-listed) discharge diagnoses only; in many hospitalized cases, there are multiple underlying conditions. For example, military members who are wounded in combat or injured in motor vehicle accidents may have multiple injuries and complex medical and psychological complications. In such cases, only the first-listed discharge diagnosis would be

accounted for in this report. Even with these and other limitations, this report provides useful and informative insights regarding the natures, rates, and distributions of the most serious illnesses and injuries that affect active component military members.

In 2010, adjustment reactions (including posttraumatic stress disorder), mood disorders, and intervertebral disc disorders were among the leading causes of hospitalizations of both male and female service members. In recent years, attention at the highest levels of the U.S. military and significant resources have been focused on detecting, diagnosing, and treating mental disorders — especially those related to long and repeated deployments and combat stresses. In addition, the findings of this and other surveillance reports suggest that military medical research, force health protection, and clinical practice efforts should focus on improving the prevention, treatment, and rehabilitation of back disorders among U.S. military members.

### **Reportable medical events, active and reserve components, U.S. Armed Forces, 2010**

Annual summaries of reportable medical events in CY 2010 will be published in a future *MSMR* issue.

## Ambulatory Visits among Members of the Active Component, U.S. Armed Forces, 2010

This report documents frequencies, rates, trends, and characteristics of ambulatory visits of active component members of the U.S. Armed Forces during calendar year 2010. Ambulatory visits of U.S. service members in fixed military and non-military (reimbursed through the Military Health System) medical treatment facilities are documented with standardized, automated records. These records are routinely archived for health surveillance purposes in the Defense Medical Surveillance System which is the source of data for this report. Ambulatory visits that are not routinely and completely documented with standardized electronic records (e.g., during deployments, field training exercises, at sea) are not included.

For this report, all records of ambulatory visits of active component members of the Army, Navy, Air Force, Marine Corps and Coast Guard in 2010 were categorized according to the first three digits of the primary (first-listed) diagnosis code (per International Classification of Diseases, 9<sup>th</sup> revision, clinical modifications [ICD-9-CM]).

### Frequencies, rates, and trends:

During 2010, there were 19,227,110 reported ambulatory visits of active component service members (Table 1). The crude annual rate (all causes) was 13,181 visits per 1,000 service members; thus, on average, each service member had 13 ambulatory encounters during the year (Figure 1). The rate of documented ambulatory visits in 2010 was 9.4 percent higher than in 2009 and 64.1 percent higher than in 2001 (Figure 1).

In 2010, four of every nine (44.3%) ambulatory visits were for “other contact with health services.” This category (indicated by “V codes” of the ICD-9-CM) includes health care not related to a current illness or injury; such care includes counseling, immunizations, deployment-related

health assessments, routine and special medical examinations (e.g., periodic, occupational, retirement) and therapeutic and rehabilitative treatments for previously diagnosed illnesses or injuries (e.g., physical therapy) (Tables 2,3). Three “V-coded” diagnoses accounted for the majority of the visits in this category: general medical examination (including deployment health assessments) (32.5%), care involving use of rehabilitation procedures (15.8%), and special investigations and examinations (including vision, dental and gynecological exams) (7.5%).


In 2010, there were 10,703,649 documented ambulatory visits for illnesses and injuries (ICD-9-CM: 001-999). The crude annual rate of illness and injury-related visits was 7.3 visits per person per year (p-yr). The rate of ambulatory visits for illnesses and injuries in 2010 was 20.6 percent higher than in 2008 and 40.0 percent higher than in 2006 (Table 1).

### Ambulatory visits, by diagnostic categories:

In 2010, three major diagnostic categories accounted for the majority (55.8%) of all illness and injury-related ambulatory visits among active component service members: musculoskeletal and connective tissue disorders (23.7%), “signs, symptoms and ill-defined conditions” (16.5%), and mental disorders (15.6%) (Table 1).

From 2006 to 2010, there were increases in numbers of visits in all major diagnostic categories except infectious and parasitic diseases (Table 1). The largest percentage increases from 2006 to 2010 were for “signs, symptoms and ill-defined conditions” (change in ambulatory visits, 2006-10: +1,019,354; +136.5%), mental disorders (change in ambulatory visits, 2006-10: +889,061; +113.7%), and musculoskeletal and connective tissue disorders (change in ambulatory visits, 2006-10: +878,918; +53.0% (Table 1).

**Figure 1.** Rate of ambulatory visits by calendar year, active component, U.S. Armed Forces, 1999-2010



Over the past five years, the relative distributions of ambulatory visits by diagnostic categories of the ICD-9-CM remained fairly stable. Between 2006 and 2010, other (V-coded) encounters and musculoskeletal and connective tissue disorders consistently accounted for the most ambulatory visits. During the period, one category increased and one decreased by at least two in rank order based on numbers of attributable visits: “signs, symptoms, and ill-defined conditions” (change in rank order, 2006-10: 5<sup>th</sup> to 3<sup>rd</sup>) and injury and poisoning (3<sup>rd</sup> to 5<sup>th</sup>) (Table 1).

#### Ambulatory visits, by gender:

In 2010, males accounted for three-fourths (75.3%) of all illness and injury-related visits; however, the annual crude rate was approximately twice as high among females (12.7 visits/p-yr) than males (6.4 visits/p-yr). Excluding pregnancy-related visits (which accounted for 13.1% of all non-V coded ambulatory visits among females), the ambulatory visit rate among females was 11.0 visits/p-yr. As in the past, rates were higher among females than males for every illness and injury-related category (Figure 2).

The same three illness and injury-specific diagnoses (at the 3-digit level of the ICD-9-CM) accounted for the most ambulatory visits among males and females (Tables 2, 3). For each of the most frequently reported illness or injury-specific diagnoses, the crude rate was approximately 50 percent higher among females than males: other/unspecified disorders of joints (rates [per 1,000 p-yrs], female: 728.6; male: 465.8;

female:male rate ratio [RR]: 1.56); adjustment reaction (rates, female: 537.8; male: 362.8; RR: 1.48); and other/unspecified disorders of the back (rates, female: 534.3; male: 350.2; RR: 1.53). Other specific diagnoses that were among the ten most frequently reported among both males and females were disorders of refraction and accommodation, anxiety disorders, and respiratory symptoms. Four mental disorders among males (adjustment reaction, alcohol dependence syndrome, anxiety disorders, nondependent abuse of drugs) and three among females (adjustment reaction, episodic mood disorders, anxiety disorders) were among the ten most frequently reported illness or injury-specific diagnoses during ambulatory encounters (Tables 2, 3). Of note, “organic sleep disorders” was the eighth most frequent illness or injury-specific primary diagnosis during ambulatory visits of males (Table 2).

Across diagnostic categories, relationships between age and ambulatory visit rates were generally similar among males and females (Figure 2). For example, among both males and females, ambulatory visit rates for neoplasms and circulatory disorders were more than 10 times higher among those 40 or older than those younger than 20 years old; in contrast, clinic visit rates for injuries and poisonings and infectious and parasitic diseases were generally lower among the oldest compared to younger service members. As in the past, clinic visit rates for genitourinary disorders were fairly stable across all age groups among females, but sharply increased with age among males (Figure 2).

**Table 1.** Ambulatory visits, ICD-9-CM diagnostic categories, active component, U.S. Armed Forces, 2006, 2008 and 2010

| Major diagnostic category (ICD-9-CM)                        | 2006              |                |      | 2008              |                |      | 2010              |                |      |
|-------------------------------------------------------------|-------------------|----------------|------|-------------------|----------------|------|-------------------|----------------|------|
|                                                             | No.               | No. per person | Rank | No.               | No. per person | Rank | No.               | No. per person | Rank |
| Other (V01-V89, except pregnancy-related)                   | 6,088,454         | 4.35           | (1)  | 7,087,697         | 4.99           | (1)  | 8,523,461         | 5.84           | (1)  |
| Musculoskeletal system (710-739)                            | 1,658,996         | 1.18           | (2)  | 2,074,770         | 1.46           | (2)  | 2,537,914         | 1.74           | (2)  |
| Ill-defined conditions (780-799)                            | 746,854           | 0.53           | (5)  | 899,525           | 0.63           | (5)  | 1,766,208         | 1.21           | (3)  |
| Mental disorders (290 - 319)                                | 781,916           | 0.56           | (4)  | 1,217,155         | 0.86           | (3)  | 1,670,977         | 1.15           | (4)  |
| Injury and poisoning (800-999)                              | 888,146           | 0.63           | (3)  | 973,762           | 0.69           | (4)  | 977,607           | 0.67           | (5)  |
| Nervous system (320-389)                                    | 707,770           | 0.51           | (6)  | 753,304           | 0.53           | (6)  | 928,563           | 0.64           | (6)  |
| Respiratory system (460-519)                                | 679,421           | 0.48           | (7)  | 745,260           | 0.52           | (7)  | 723,437           | 0.50           | (7)  |
| Skin, subcutaneous tissue (680-709)                         | 369,394           | 0.26           | (8)  | 390,424           | 0.27           | (8)  | 399,001           | 0.27           | (8)  |
| Pregnancy complications or care (630-679, relevant V codes) | 302,123           | 0.22           | (9)  | 319,170           | 0.22           | (9)  | 345,704           | 0.24           | (9)  |
| Digestive system (520-579)                                  | 271,007           | 0.19           | (10) | 282,456           | 0.20           | (10) | 301,715           | 0.21           | (10) |
| Genitourinary system (580-629)                              | 246,896           | 0.18           | (12) | 263,266           | 0.19           | (11) | 289,032           | 0.20           | (11) |
| Infectious and parasitic diseases (001-139)                 | 255,344           | 0.18           | (11) | 245,405           | 0.17           | (12) | 245,586           | 0.17           | (12) |
| Circulatory system (390 -459)                               | 163,539           | 0.12           | (13) | 174,667           | 0.12           | (13) | 185,590           | 0.13           | (13) |
| Endocrine, nutrition, immunity (240-279)                    | 126,676           | 0.09           | (14) | 133,762           | 0.09           | (14) | 149,567           | 0.10           | (14) |
| Neoplasms (140-239)                                         | 100,586           | 0.07           | (15) | 117,724           | 0.08           | (15) | 128,938           | 0.09           | (15) |
| Congenital anomalies (740-759)                              | 25,360            | 0.02           | (16) | 27,691            | 0.02           | (16) | 28,051            | 0.02           | (16) |
| Hematologic disorders (280-289)                             | 18,173            | 0.01           | (17) | 21,010            | 0.01           | (17) | 25,759            | 0.02           | (17) |
| <i>Total</i>                                                | <i>13,430,655</i> | <i>9.59</i>    |      | <i>15,727,048</i> | <i>11.08</i>   |      | <i>19,227,110</i> | <i>13.18</i>   |      |

**Table 2.** Most frequent diagnoses during ambulatory visits by major diagnostic category, males, U.S. Armed Forces, 2010


| Diagnostic category (ICD-9-CM codes)  | No.       | %    |
|------------------------------------------------------------------------------------------------------------------------|-----------|------|
| <b>Infectious and parasitic diseases (001 - 139)</b>                                                                   | 187,770   |      |
| Other diseases due to viruses and chlamydiae                                                                           | 40,167    | 21.4 |
| Viral & chlamydial infection                                                                                           | 39,254    | 20.9 |
| Dermatophytosis                                                                                                        | 28,917    | 15.4 |
| Intestinal infections due to other organisms                                                                           | 13,295    | 7.1  |
| Streptococcal sore throat and scarlet fever                                                                            | 10,580    | 5.6  |
| <b>Neoplasms (140 - 239)</b>                                                                                           | 97,203    |      |
| Benign neoplasm of skin                                                                                                | 16,089    | 16.6 |
| Neoplasm of uncertain behavior, oth & unspec site                                                                      | 13,452    | 13.8 |
| Neoplasms of unspecified nature                                                                                        | 9,349     | 9.6  |
| Lipoma                                                                                                                 | 8,890     | 9.1  |
| Malignant neoplasm of testis                                                                                           | 3,536     | 3.6  |
| <b>Endocrine, nutrition, immunity (240 - 279)</b>                                                                      | 115,312   |      |
| Disorders of lipid metabolism                                                                                          | 37,231    | 32.3 |
| Diabetes mellitus                                                                                                      | 19,866    | 17.2 |
| Overweight, obesity and other hyperalimentation                                                                        | 15,339    | 13.3 |
| Disorders of fluid electrolyte and acid-base balance                                                                   | 7,400     | 6.4  |
| Acquired hypothyroidism                                                                                                | 7,206     | 6.2  |
| <b>Hematologic disorders (280 - 289)</b>                                                                               | 16,179    |      |
| Other and unspecified anemias                                                                                          | 3,734     | 23.1 |
| Hereditary hemolytic anemias                                                                                           | 2,757     | 17.0 |
| Diseases of white blood cells                                                                                          | 2,731     | 16.9 |
| Purpura and other hemorrhagic conditions                                                                               | 2,259     | 14.0 |
| Other diseases of blood and blood-forming organs                                                                       | 1,662     | 10.3 |
| <b>Mental disorders (290 - 319)</b>                                                                                    | 1,343,888 |      |
| Adjustment reaction                                                                                                    | 453,454   | 33.7 |
| Alcohol dependence syndrome                                                                                            | 192,012   | 14.3 |
| Anxiety, dissociative and somatoform disorders                                                                         | 156,077   | 11.6 |
| Nondependent abuse of drugs                                                                                            | 150,755   | 11.2 |
| Episodic mood disorders                                                                                                | 129,093   | 9.6  |
| <b>Nervous system (320 - 389)</b>                                                                                      | 754,027   |      |
| Disorders of refraction and accommodation                                                                              | 178,837   | 23.7 |
| Organic sleep disorders                                                                                                | 177,559   | 23.5 |
| Hearing loss                                                                                                           | 41,581    | 5.5  |
| Disorders of conjunctiva                                                                                               | 36,868    | 4.9  |
| Pain, not elsewhere classified                                                                                         | 33,700    | 4.5  |
| <b>Circulatory system (390 - 459)</b>                                                                                  | 156,981   |      |
| Essential hypertension                                                                                                 | 71,610    | 45.6 |
| Hemorrhoids                                                                                                            | 17,354    | 11.1 |
| Cardiac dysrhythmias                                                                                                   | 13,793    | 8.8  |
| Varicose veins of other sites                                                                                          | 5,543     | 3.5  |
| Other forms of chronic ischemic heart disease                                                                          | 4,719     | 3.0  |
| <b>Respiratory system (460 - 519)</b>                                                                                  | 551,339   |      |
| Acute upper respiratory infections, unspecified site                                                                   | 127,640   | 23.2 |
| Allergic rhinitis                                                                                                      | 75,096    | 13.6 |
| Acute pharyngitis                                                                                                      | 65,933    | 12.0 |
| Acute nasopharyngitis (common cold)                                                                                    | 46,832    | 8.5  |
| Pneumonia organism unspecified                                                                                         | 32,033    | 5.8  |


| Diagnostic category (ICD-9-CM codes)  | No.       | %    |
|--------------------------------------------------------------------------------------------------------------------------|-----------|------|
| <b>Digestive system (520 - 579)</b>                                                                                      | 235,535   |      |
| Other noninfectious gastroenteritis and colitis                                                                          | 62,822    | 26.7 |
| Diseases of esophagus                                                                                                    | 34,210    | 14.5 |
| Gastrointestinal hemorrhage                                                                                              | 14,393    | 6.1  |
| Inguinal hernia                                                                                                          | 13,706    | 5.8  |
| Gastritis and duodenitis                                                                                                 | 12,633    | 5.4  |
| <b>Genitourinary system (580 - 629)</b>                                                                                  | 126,178   |      |
| Other disorders of male genital organs                                                                                   | 24,164    | 19.2 |
| Calculus of kidney and ureter                                                                                            | 21,208    | 16.8 |
| Other disorders of urethra and urinary tract                                                                             | 13,919    | 11.0 |
| Orchitis and epididymitis                                                                                                | 10,370    | 8.2  |
| Male infertility                                                                                                         | 8,821     | 7.0  |
| <b>Skin and subcutaneous tissue (680 - 709)</b>                                                                          | 312,380   |      |
| Other cellulitis and abscess                                                                                             | 54,047    | 17.3 |
| Contact dermatitis and other eczema                                                                                      | 46,063    | 14.7 |
| Diseases of hair and hair follicles                                                                                      | 44,808    | 14.3 |
| Diseases of sebaceous glands                                                                                             | 38,121    | 12.2 |
| Diseases of nail                                                                                                         | 16,274    | 5.2  |
| <b>Musculoskeletal system (710 - 739)</b>                                                                                | 1,996,654 |      |
| Other and unspecified disorders of joint                                                                                 | 582,071   | 29.2 |
| Other and unspecified disorders of back                                                                                  | 437,613   | 21.9 |
| Intervertebral disc disorders                                                                                            | 138,431   | 6.9  |
| Peripheral enthesopathies and allied syndromes                                                                           | 132,351   | 6.6  |
| Other disorders of soft tissues                                                                                          | 120,710   | 6.0  |
| <b>Congenital anomalies (740 - 759)</b>                                                                                  | 21,536    |      |
| Certain congenital musculoskeletal deformities                                                                           | 6,159     | 28.6 |
| Other congenital musculoskeletal anomalies                                                                               | 3,170     | 14.7 |
| Congenital anomalies of the integument                                                                                   | 3,009     | 14.0 |
| Other congenital anomalies of limbs                                                                                      | 2,466     | 11.5 |
| Congenital anomalies of urinary system                                                                                   | 1,064     | 4.9  |
| <b>Signs, symptoms, and ill-defined conditions (780-799)</b>                                                             | 1,317,566 |      |
| Other ill-defined, unknown causes of morbidity                                                                           | 591,732   | 44.9 |
| General symptoms                                                                                                         | 183,855   | 14.0 |
| Symptoms involving respiratory system                                                                                    | 150,323   | 11.4 |
| Other symptoms involving abdomen and pelvis                                                                              | 87,680    | 6.7  |
| Symptoms involving digestive system                                                                                      | 74,305    | 5.6  |
| <b>Injury and poisoning (800 - 999)</b>                                                                                  | 823,538   |      |
| Sprains and strains of ankle and foot                                                                                    | 82,839    | 10.1 |
| Sprains and strains of knee and leg                                                                                      | 82,586    | 10.0 |
| Sprains and strains of shoulder and upper arm                                                                            | 58,218    | 7.1  |
| Sprains and strains, other/unspec back                                                                                   | 55,017    | 6.7  |
| Injury other and unspecified                                                                                             | 50,988    | 6.2  |
| <b>Other (V01-V82, except pregnancy-related)</b>                                                                         | 6,856,800 |      |
| General medical examination                                                                                              | 2,353,814 | 34.3 |
| Care involving use of rehabilitation procedures                                                                          | 1,085,820 | 15.8 |
| Encounters for administrative purposes                                                                                   | 461,820   | 6.7  |
| Special investigations and examinations                                                                                  | 438,702   | 6.4  |
| Prophylactic vaccination and inoculation                                                                                 | 437,847   | 6.0  |

**Table 3.** Most frequent diagnoses during ambulatory visits by major diagnostic category, females, U.S. Armed Forces, 2010

| Diagnostic category (ICD-9-CM codes)                 | ♀ | No.     | %    |
|------------------------------------------------------|---|---------|------|
| <b>Infectious and parasitic diseases (001 - 139)</b> |   | 57,816  |      |
| Viral & chlamydial infection                         |   | 15,373  | 26.6 |
| Candidiasis                                          |   | 7,423   | 12.8 |
| Other diseases due to viruses and chlamydiae         |   | 6,370   | 11.0 |
| Dermatophytosis                                      |   | 4,822   | 8.3  |
| Intestinal infections due to other organisms         |   | 4,172   | 7.2  |
| <b>Neoplasms (140 - 239)</b>                         |   | 31,735  |      |
| Benign neoplasm of skin                              |   | 4,914   | 15.5 |
| Uterine leiomyoma                                    |   | 4,270   | 13.5 |
| Malignant neoplasm of female breast                  |   | 3,387   | 10.7 |
| Neoplasm of uncertain behavior, other & unspec site  |   | 3,295   | 10.4 |
| Neoplasms of unspecified nature                      |   | 2,532   | 8.0  |
| <b>Endocrine, nutrition, immunity (240 - 279)</b>    |   | 34,255  |      |
| Overweight, obesity and other hyperalimentation      |   | 6,427   | 18.8 |
| Acquired hypothyroidism                              |   | 6,352   | 18.5 |
| Ovarian dysfunction                                  |   | 3,009   | 8.8  |
| Thyrotoxicosis with or without goiter                |   | 2,527   | 7.4  |
| Disorders of fluid electrolyte and acid-base balance |   | 2,488   | 7.3  |
| <b>Hematologic disorders (280 - 289)</b>             |   | 9,580   |      |
| Other and unspecified anemias                        |   | 3,485   | 36.4 |
| Iron deficiency anemias                              |   | 2,638   | 27.5 |
| Purpura and other hemorrhagic conditions             |   | 816     | 8.5  |
| Diseases of white blood cells                        |   | 784     | 8.2  |
| Hereditary hemolytic anemias                         |   | 746     | 7.8  |
| <b>Mental disorders (290 - 319)</b>                  |   | 327,089 |      |
| Adjustment reaction                                  |   | 112,359 | 34.4 |
| Episodic mood disorders                              |   | 54,652  | 16.7 |
| Anxiety, dissociative and somatoform disorders       |   | 49,104  | 15.0 |
| Depressive disorder not elsewhere classified         |   | 34,417  | 10.5 |
| Alcohol dependence syndrome                          |   | 22,156  | 6.8  |
| <b>Nervous system (320 - 389)</b>                    |   | 174,536 |      |
| Disorders of refraction and accommodation            |   | 46,577  | 26.7 |
| Migraine                                             |   | 25,852  | 14.8 |
| Organic sleep disorders                              |   | 10,564  | 6.1  |
| Disorders of conjunctiva                             |   | 10,430  | 6.0  |
| Other headache syndromes                             |   | 8,498   | 4.9  |
| <b>Circulatory system (390 - 459)</b>                |   | 28,609  |      |
| Essential hypertension                               |   | 9,514   | 33.3 |
| Hemorrhoids                                          |   | 3,651   | 12.8 |
| Cardiac dysrhythmias                                 |   | 3,095   | 10.8 |
| Varicose veins of lower extremities                  |   | 2,118   | 7.4  |
| Disease of capillaries                               |   | 965     | 3.4  |
| <b>Respiratory system (460 - 519)</b>                |   | 172,098 |      |
| Acute upper respiratory infections, unspecified site |   | 40,463  | 23.5 |
| Allergic rhinitis                                    |   | 26,840  | 15.6 |
| Acute pharyngitis                                    |   | 22,271  | 12.9 |
| Acute nasopharyngitis (common cold)                  |   | 13,234  | 7.7  |
| Chronic sinusitis                                    |   | 12,412  | 7.2  |

| Diagnostic category (ICD-9-CM codes)                               | ♀ | No.       | %    |
|--------------------------------------------------------------------|---|-----------|------|
| <b>Digestive system (520 - 579)</b>                                |   | 66,180    |      |
| Other noninfectious gastroenteritis and colitis                    |   | 20,586    | 31.1 |
| Functional digestive disorders                                     |   | 8,769     | 13.3 |
| Diseases of esophagus                                              |   | 6,722     | 10.2 |
| Gastritis and duodenitis                                           |   | 4,659     | 7.0  |
| Gastrointestinal hemorrhage                                        |   | 2,637     | 4.0  |
| <b>Genitourinary system (580 - 629)</b>                            |   | 162,854   |      |
| Pain & other symptoms, female genital organs                       |   | 26,772    | 16.4 |
| Menstrual disorders, other abnormal bleeding                       |   | 22,570    | 13.9 |
| Other disorders of urethra and urinary tract                       |   | 20,847    | 12.8 |
| Inflammatory disease of cervix vagina and vulva                    |   | 17,934    | 11.0 |
| Other disorders of breast                                          |   | 12,587    | 7.7  |
| <b>Pregnancy complications or care (630-679, relevant V codes)</b> |   | 345,704   |      |
| Normal pregnancy                                                   |   | 113,759   | 32.9 |
| Other current conditions in the mother                             |   | 34,044    | 9.8  |
| Other complications of pregnancy                                   |   | 28,448    | 8.2  |
| Postpartum care and examination                                    |   | 26,794    | 7.8  |
| Early or threatened labor                                          |   | 11,932    | 3.5  |
| <b>Skin and subcutaneous tissue (680 - 709)</b>                    |   | 86,621    |      |
| Diseases of sebaceous glands                                       |   | 18,606    | 21.5 |
| Contact dermatitis and other eczema                                |   | 13,989    | 16.1 |
| Other cellulitis and abscess                                       |   | 8,915     | 10.3 |
| Diseases of hair and hair follicles                                |   | 7,649     | 8.8  |
| Other disorders of skin and subcutaneous tissue                    |   | 6,039     | 7.0  |
| <b>Musculoskeletal system (710 - 739)</b>                          |   | 541,260   |      |
| Other and unspecified disorders of joint                           |   | 152,235   | 28.1 |
| Other and unspecified disorders of back                            |   | 111,630   | 20.6 |
| Other disorders of soft tissues                                    |   | 43,255    | 8.0  |
| Nonallopathic lesions not elsewhere classified                     |   | 35,640    | 6.6  |
| Peripheral enthesopathies and allied syndromes                     |   | 30,602    | 5.7  |
| <b>Signs, symptoms, and ill-defined conditions (780-799)</b>       |   | 448,642   |      |
| Other unknown causes of morbidity                                  |   | 187,873   | 41.9 |
| Other symptoms involving abdomen and pelvis                        |   | 48,369    | 10.8 |
| General symptoms                                                   |   | 42,741    | 9.5  |
| Symptoms involving respiratory system                              |   | 38,123    | 8.5  |
| Symptoms involving digestive system                                |   | 30,772    | 6.9  |
| <b>Injury and poisoning (800 - 999)</b>                            |   | 154,069   |      |
| Sprains and strains of knee and leg                                |   | 18,239    | 11.8 |
| Sprains and strains of ankle and foot                              |   | 18,218    | 11.8 |
| Sprains and strains of other, unspec parts of back                 |   | 13,659    | 8.9  |
| Injury other and unspecified                                       |   | 8,449     | 5.5  |
| Sprains and strains of shoulder and upper arm                      |   | 8,207     | 5.3  |
| <b>Other (V01-V82, except pregnancy-related)</b>                   |   | 1,666,661 |      |
| General medical examination                                        |   | 415,869   | 25.0 |
| Care involving use of rehabilitation procedures                    |   | 261,635   | 15.7 |
| Special investigations and examinations                            |   | 204,196   | 12.3 |
| Encounters for administrative purposes                             |   | 115,518   | 6.9  |
| Other persons seeking consultation                                 |   | 109,406   | 7.0  |

**Figure 2.** Rate<sup>a</sup> of ambulatory visits, by major diagnostic categories, by age and gender, U.S. Armed Forces, 2010<sup>a</sup>Rate expressed as ambulatory visits per 1,000 person-years

**Figure 3.** Ambulatory visits in relation to reported dispositions, by diagnostic category, active component, U.S. Armed Forces, 2010

### Dispositions after ambulatory visits:

Approximately 54.5 percent of all illness and injury-related visits resulted in “duty without limitations” dispositions (**Figure 3**). Only one in 30 (3.3%) illness and injury-related visits resulted in “convalescence in quarters” dispositions. The illness and injury-related diagnostic categories with the highest proportions of “convalescence in quarters” or “limited duty” dispositions were diseases of the respiratory system (24.1%), injuries and poisonings (23.3%), diseases of the digestive system (22.0%), infectious and parasitic diseases (20.9%) and musculoskeletal and connective tissue disorders (18.7%). Musculoskeletal and connective tissue disorders and injuries and poisonings accounted for almost two-thirds (64.7%) of all “limited duty” dispositions; diseases of the respiratory system accounted for nearly one-third (31.3%) of all “convalescence in quarters” dispositions – more than twice as many ( $n = 110,068$ ) as any other disease category (**Figure 3**).

### Editorial comment:

In the past five years, the distribution of illness and injury-related ambulatory visits in relation to their reported primary causes has remained fairly stable. Of note, however, from 2006 to 2010, the numbers of visits that were documented with diagnostic codes indicating “ill-defined conditions” or mental disorders more than doubled. Thus, in 2010, ill-defined conditions and mental disorders accounted for nearly one-third (32.1%) of all illness and injury-related diagnoses reported on standardized records of ambulatory encounters.


Between 2006 and 2010, the relative importance of injuries/poisonings as primary causes of ambulatory visits declined. However, the military operational impacts of various conditions cannot be assessed by numbers of attributable ambulatory visits alone. For example, in 2010,

injuries and poisonings accounted for approximately one of every 20 ambulatory visits overall but nearly one-fourth of all ambulatory visits with duty-limiting dispositions. Of particular note in relation to injuries and musculoskeletal conditions, in 2010 as in the past, joint and back injuries/back pain accounted for extraordinarily large numbers of ambulatory visits and lost duty time; resources should be focused on preventing, treating, and rehabilitating back pain/injuries among active component members.

The findings of this report should be interpreted with consideration of several limitations. For example, ambulatory care that is delivered by unit medics and at deployed (including in Afghanistan, Iraq, and at sea) medical treatment facilities may not be documented on standardized, automated records and thus not archived in the Defense Medical Surveillance System (the source of data for this report). In turn, this summary does not reflect the experience of active component military members overall to the extent that the natures and rates of illnesses and injuries vary among those who are deployed and not deployed. Also, this summary is based on first-listed (primary) diagnosis codes reported on ambulatory visit records. As a result, the summary discounts morbidity related to comorbid and complicating conditions. Also, the accuracy of reported diagnoses likely varies across conditions, care providers, treatment facilities, and clinical settings. While specific diagnoses during specific encounters may not be reliable, summaries of the frequencies, natures, and trends of ambulatory encounters among active component members overall are informative and potentially useful. For example, the relatively large and sharply increasing numbers of ambulatory visits for mental disorders in general and organic sleep disorders among men in particular are interesting and perhaps revealing, e.g., responses of the Military Health System to the effects of combat and deployment-related stresses on active force members.

# Surveillance Snapshot: Illness and Injury Burdens among U.S. Military Recruits


Medical encounters, individuals affected and hospital bed days, by burden of disease category<sup>a</sup>, among basic combat-trainees/recruits<sup>b</sup>, active component, U.S. Armed Forces, 2010



<sup>a</sup>Burden of disease categories are the same as those used for analyses of morbidity burdens in the active components overall (see pages 2-7 of this issue)  
<sup>b</sup>Basic combat trainees/recruits are defined as active component members of the Army, Navy, Air Force or Marine Corps with a rank of E1 to E4 who served at one of nine training locations (inset). Medical encounters were included if they occurred during a service-specific training period following service members' first-ever personnel records.

## Surveillance Snapshot: Hospitalizations for Suicidal Ideation

Hospitalizations with primary (first-listed) or non-primary diagnoses of “suicidal ideation” (ICD-9-CM: V62.84), active component, U.S. Armed Forces, 2005-2010.




In October 2005, a diagnostic code for “suicidal ideation” was added to the International Classification of Diseases (ICD-9-CM). Since then, annual numbers of hospitalizations with primary (first-listed) diagnoses of suicidal ideation at discharge have steadily and sharply increased (from 5 in 2006 to 355 in 2010). Numbers of hospitalizations with non-primary diagnoses of suicidal ideation also have increased during this period.

In 2010, 90 percent of hospitalizations with a primary diagnosis of suicidal ideation were reported with a mental health disorder-specific diagnosis (ICD-9-CM: 290-319) in a non-primary diagnostic position.

The results should be interpreted with consideration of several factors that may affect the completeness of reporting of “suicidal ideation” among active component members. For example, the results may reflect at least in part increased awareness of and concern regarding suicide prevention among unit commanders, other front line supervisors, and primary care providers; increased awareness and use of the relatively new ICD-9-CM diagnostic code that specifies “suicidal ideation”; decreased barriers to and perceived stigmas associated with care seeking for mental health concerns; and so on.


## Deployment-related conditions of special surveillance interest, U.S. Armed Forces, by month and service, January 2003 - March 2011 (data as of 22 April 2011)

Motor vehicle accident-related hospitalizations (outside of the operational theater) (ICD-9-CM: E810-E825; NATO Standard Agreement 2050 (STANAG): 100-106, 107-109, 120-126, 127-129)



Note: Hospitalization (one per individual) while deployed to/within 90 days of returning from OEF/OIF/OND. Excludes accidents involving military-owned/special use motor vehicles. Excludes individuals medically evacuated from CENTCOM and/or hospitalized in Landstuhl, Germany within 10 days of a motor vehicle accident-related hospitalization.


Motor vehicle accident-related deaths (outside of the operational theater) (per the DoD Medical Mortality Registry)



Reference: Armed Forces Health Surveillance Center. Motor vehicle-related deaths, U.S. Armed Forces, 2010. *Medical Surveillance Monthly Report (MSMR)*. Mar 11;17(3):2-6.  
Note: Death while deployed to/within 90 days of returning from OEF/OIF/OND. Excludes accidents involving military-owned/special use motor vehicles. Excludes individuals medically evacuated from CENTCOM and/or hospitalized in Landstuhl, Germany within 10 days prior to death.

## Deployment-related conditions of special surveillance interest, U.S. Armed Forces, by month and service, January 2003 - March 2011 (data as of 25 April 2011)


Traumatic brain injury (ICD-9: 310.2, 800-801, 803-804, 850-854, 907.0, 950.1-950.3, 959.01, V15.5\_1-9, V15.5\_A-F, V15.59\_1-9, V15.59\_A-F)<sup>a</sup>



Reference: Armed Forces Health Surveillance Center. Deriving case counts from medical encounter data: considerations when interpreting health surveillance reports. *MSMR*. Dec 2009; 16(12):2-8.

<sup>a</sup>Indicator diagnosis (one per individual) during a hospitalization or ambulatory visit while deployed to/within 30 days of returning from OEF/OIF. (Includes in-theater medical encounters from the Theater Medical Data Store [TMDS] and excludes 2,858 deployers who had at least one TBI-related medical encounter any time prior to OEF/OIF).

Deep vein thrombophlebitis/pulmonary embolus (ICD-9: 415.1, 451.1, 451.81, 451.83, 451.89, 453.2, 453.40 - 453.42 and 453.8)<sup>b</sup>




Reference: Isenbarger DW, Atwood JE, Scott PT, et al. Venous thromboembolism among United States soldiers deployed to Southwest Asia. *Thromb Res*. 2006;117(4):379-83.

<sup>b</sup>One diagnosis during a hospitalization or two or more ambulatory visits at least 7 days apart (one case per individual) while deployed to/within 90 days of returning from OEF/OIF.

## Deployment-related conditions of special surveillance interest, U.S. Armed Forces, by month and service, January 2003 - March 2011 (data as of 25 April 2011)


Amputations (ICD-9: 887, 896, 897, V49.6 except V49.61-V49.62, V49.7 except V49.71-V49.72, PR 84.0-PR 84.1, except PR 84.01-PR 84.02 and PR 84.11)<sup>a</sup>



Reference: Army Medical Surveillance Activity. Deployment-related condition of special surveillance interest: amputations. Amputations of lower and upper extremities, U.S. Armed Forces, 1990-2004. *MSMR*. Jan 2005;11(1):2-6.

<sup>a</sup>Indicator diagnosis (one per individual) during a hospitalization while deployed to/within 365 days of returning from OEF/OIF.

Heterotopic ossification (ICD-9: 728.12, 728.13, 728.19)<sup>b</sup>




Reference: Army Medical Surveillance Activity. Heterotopic ossification, active components, U.S. Armed Forces, 2002-2007. *MSMR*. Aug 2007; 14(5):7-9.

<sup>b</sup>One diagnosis during a hospitalization or two or more ambulatory visits at least 7 days apart (one case per individual) while deployed to/within 365 days of returning from OEF/OIF.

## Deployment-related conditions of special surveillance interest, U.S. Armed Forces, by month and service, January 2003 - March 2011 (data as of 25 April 2011)


Severe acute pneumonia (ICD-9: 518.81, 518.82, 480-487, 786.09)<sup>a</sup>



Reference: Army Medical Surveillance Activity. Deployment-related condition of special surveillance interest: severe acute pneumonia. Hospitalizations for acute respiratory failure (ARF)/acute respiratory distress syndrome (ARDS) among participants in Operation Enduring Freedom/Operation Iraqi Freedom, active components, U.S. Armed Forces, January 2003-November 2004. *MSMR*. Nov/Dec 2004;10(6):6-7.

<sup>a</sup>Indicator diagnosis (one per individual) during a hospitalization while deployed to/within 30 days of returning from OEF/OIF.

Leishmaniasis (ICD-9: 085.0 to 085.9)<sup>b</sup>



Reference: Army Medical Surveillance Activity. Deployment-related condition of special surveillance interest: leishmaniasis. Leishmaniasis among U.S. Armed Forces, January 2003-November 2004. *MSMR*. Nov/Dec 2004;10(6):2-4.

<sup>b</sup>Indicator diagnosis (one per individual) during a hospitalization, ambulatory visit, and/or from a notifiable medical event during/after service in OEF/OIF.

Commander  
U.S. Army Public Health Command (Provisional)  
MCHB-IP-EDM  
5158 Blackhawk Road  
Aberdeen Proving Ground, MD 21010-5403

STANDARD  
U.S. POSTAGE  
PAID  
APG, MD  
PERMIT NO. 1

OFFICIAL BUSINESS

Director, Armed Forces Health Surveillance Center  
COL Robert F. DeFraites, MD, MPH (USA)

Editor  
John F. Brundage, MD, MPH

Writer-Editor  
Ellen R. Wertheimer, MHS  
Denise S. Olive, MS

Contributing Editor  
Leslie L. Clark, PhD, MS

Visual Information Specialist  
Jennifer L. Bondarenko

Data Analysis  
Jeffrey Sussman  
Stephen Taubman, PhD  
Vicki N. Jeffries

Editorial Oversight  
COL Robert J. Lipnick, ScD (USA)  
Francis L. O'Donnell, MD, MPH  
Mark V. Rubertone, MD, MPH  
Maj Cecili K. Sessions, MD, MPH (USAF)  
Joel C. Gaydos, MD, MPH

Service Liaisons  
MAJ Christopher L. Perdue, MD, MPH (USA)  
Maj Cecili K. Sessions, MD, MPH (USAF)  
CDR Annette M. Von Thun, MD, PhD (USN)

The *Medical Surveillance Monthly Report (MSMR)*, in continuous publication since 1995, is produced by the Armed Forces Health Surveillance Center (AFHSC). The *MSMR* provides evidence-based estimates of the incidence, distribution, impact and trends of illness and injuries among United States military members and associated populations. Most reports in the *MSMR* are based on summaries of medical administrative data that are routinely provided to the AFHSC and integrated into the Defense Medical Surveillance System for health surveillance purposes.

All previous issues of the *MSMR* are available online at [www.afhsc.mil](http://www.afhsc.mil). Subscriptions (electronic and hard copy) may be requested online at [www.afhsc.mil/msmr](http://www.afhsc.mil/msmr) or by contacting the Armed Forces Health Surveillance Center at (301) 319-3240. E-mail: [msmr.afhsc@amedd.army.mil](mailto:msmr.afhsc@amedd.army.mil)

Submissions: Suitable reports include surveillance summaries, outbreak reports and cases series. Prospective authors should contact the Editor at [msmr.afhsc@amedd.army.mil](mailto:msmr.afhsc@amedd.army.mil)

All material in the *MSMR* is in the public domain and may be used and reprinted without permission. When citing *MSMR* articles from April 2007 to current please use the following format: Armed Forces Health Surveillance Center. Title. *Medical Surveillance Monthly Report (MSMR)*. Year Month; Volume(No): pages. For citations before April 2007: Army Medical Surveillance Activity. Title. *Medical Surveillance Monthly Report (MSMR)*. Year Month; Volume(No): pages.

Opinions and assertions expressed in the *MSMR* should not be construed as reflecting official views, policies, or positions of the Department of Defense or the United States Government.

ISSN 2158-0111 (print)  
ISSN 2152-8217 (online)  
Printed on acid-free paper