

Automated Sound Speed Classification for Optimized Search Tactics

Don Delbalzo

Naval Research Laboratory, Code 7183

Stennis Space Center, MS 39529


Phone: (228) 688-5458 Fax: (228) 688-5763 Email: delbalzo@nrlssc.navy.mil

Contract: N0001498WX30413



LONG-TERM GOAL

My long-term goal is to provide an enhanced acoustic performance prediction capability for Navy sensors and operations. A second goal is to fully address the local sound speed profile (SSP) field by developing efficient methods to incorporate Modular Ocean Data Assimilation (MODAS) information.

My working hypothesis is as follows. For a given local area, the current acoustic environment defines areas where target detection is probable and areas where it is not. Rather than having a valuable Navy platform conduct a potentially inefficient, equally-spaced, rectangular search pattern for detecting targets, the local environment and existing acoustic models can be used to derive an expedient and optimized pattern that is specific to the area. This capability is particularly relevant in shallow water areas where oceanographic, and therefore acoustic, characteristics can exhibit extreme temporal and spatial variability.



MODAS sound speed profiles used to create provinced sound speed field



Provinced sound speed profiles without and with a duct

OBJECTIVES

The objective of my FY98 effort is to develop a software tool that employs easily obtained environmental parameters to optimize the Navy's acoustic search capabilities. The software program

Report Documentation Page

Form Approved
OMB No. 0704-0188


Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 1998		2. REPORT TYPE		3. DATES COVERED 00-00-1998 to 00-00-1998	
4. TITLE AND SUBTITLE Automated Sound Speed Classification for Optimized Search Tactics				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Research Laboratory, Code 7183, Stennis Space Center, MS, 39529				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES See also ADM002252.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

incorporates a feature analysis algorithm for classifying individual SSPs and another algorithm for provincing the SSP field based on the individual classifications.

APPROACH

During 1998, I focused on algorithm development and validation. Specifically, the software tool developed uses both historical SSP information and actual MODAS profiles extracted from the area of interest. By using real, and easily obtained, environmental data to supplement and/or replace precalculated model SSP predictions, the search optimization tool will be especially useful for performance assessment and mission planning in regions characterized by anomalous environmental conditions.



Flow chart of the sound speed classification software. Red circles denote user-input choices.

The feature analysis algorithm examines gradients for classifying individual profiles but can also incorporate ducts if present in the area. Importantly, the SSP categorization approach is to define key (canonical) profile types using real data.

WORK COMPLETED

This year's major accomplishments include: (1) completion and validation of the classification and categorization algorithms; and (2) initial field testing of the software during the SHAREM 126 exercise, held in September 1998, in the Sea of Japan.

RESULTS

Laboratory testing and field application of the software program during SHAREM 126 was very successful. A library of 18 SSPs was developed for feature recognition. Three main water mass categories were identified in the SHAREM area: "hot", "cold" and "transitional". For each of these, mean, maximum, and minimum SSPs were derived, resulting in 9 SSPs. Although a strong surface duct was not expected during the exercise, nine additional SSPs were created by superimposing a 25-m mixed layer to the top of each SSP, thus completing the SSP library. The resulting categorization of the SHAREM SSP field adequately mirrored the three major water masses.

IMPACT / APPLICATIONS

Development of a tactical search optimization tool that maximizes use of MODAS information will provide valuable guidance in performance assessment and mission planning for antisubmarine and mine warfare activities.

TRANSITIONS

Although transition of the present effort is pending, I envision the product to be integrated with other acoustic search track algorithms to create a larger, seamless package.

RELATED PROJECTS

The present effort is related to other Tactical Decision Aids (TDAs) such as the Sonar In-Situ Mode Assessment System (SIMAS), Tactical Control Program (TCP), and the Integrated Carrier ASW Prediction System (ICAPS).