

.....

15400 Calhoun Drive, Suite 400
Rockville, Maryland, 20855
(301) 294-5241
<http://www.i-a-i.com>

Intelligent Automation Incorporated

Coherent distributed radar for high-resolution through-wall imaging

Progress Report 19

Contract No. N00014-10-C-0277

Sponsored by

Office of Naval Research

COTR/TPOC: Martin Kruger



Prepared by

Eric van Doorn, Ph.D. (PI)

Satya Ponnaluri, Ph.D.

Distribution Statement A: Approved for public release; distribution unlimited.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE NOV 2011		2. REPORT TYPE		3. DATES COVERED 00-00-2011 to 00-00-2011	
4. TITLE AND SUBTITLE Coherent Distributed Radar For High-Resolution Through-Wall Imaging				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Intelligent Automation Incorporated,15400 Calhoun Drive, Suite 400,Rockville,MD,20855				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 6	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Summary

In this period of performance, we are continuing to develop the hardware, and software for the final demonstration.

1.0 INTRODUCTION

In this report we discuss progress in radar design, software design, and simulations

1.1 Hardware build up

All hardware has been received, and we are now integrating two Synchronization transceivers.

1.2 Simulations

In this period we are studying ranging using blind beamforming. Blind beamforming is where the receiver moves to different positions during ranging to increase the aperture, but the relative displacement is unknown to the receiver. Here we assume constant spacing between measurements which is smaller than half the carrier wavelength. For instance, if the carrier frequency is 900MHz, and the speed is 1m/s, we assume 6 or more range measurements per second. We simulate two cases.

Case 1: spacing $\lambda/2$; direction 12 o'clock, Case 2: spacing $\lambda/4$; direction 11 o'clock




Figure 1. Simulated scenarios.




Figure 2. raw signal original vs. Beamformed. Left: Case 1. Right: Case 2.

We show the results for direction finding below.




Figure 3. Direction Finding results.




Figure 4. Results for ranging error. Top: Case 1, bottom: case2.

We show the results for ranging with beamforming in the figure above. We conclude that improvement of ranging can be achieved in both cases. This means that ranging accuracy with our synchronization transceiver, under the assumptions of mild acceleration, could be significantly improved by using digital beamforming techniques.