


Sea-level Rise Science and Decision Making in an Uncertain Future



Rob Thieler
U.S. Geological Survey
Woods Hole, MA

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE NOV 2010		2. REPORT TYPE		3. DATES COVERED 00-00-2010 to 00-00-2010	
4. TITLE AND SUBTITLE Sea-level Rise Science and Decision Making in an Uncertain Future			5a. CONTRACT NUMBER		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Geological Survey, Coastal and Marine Geology Program, 384 Woods Hole Road, Woods Hole, MA, 02543			8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Presented at the 15th Annual Partners in Environmental Technology Technical Symposium & Workshop, 30 Nov ? 2 Dec 2010, Washington, DC. Sponsored by SERDP and ESTCP. U.S. Government or Federal Rights License					
14. ABSTRACT Assessing the potential vulnerability of the coastal zone to sea-level rise (SLR) requires integrating a variety of physical, biological, and social factors. These include landscape habitat, and resource changes, as well as the ability of society and its institutions to adapt. The range of physical and biological responses associated with SLR is poorly understood at some of the critical time and space scales required for decision making. Although the general nature of the coastal changes that can occur in response to SLR is widely recognized, predicting what changes may occur in response to a specific rise in sea level at a particular point in time is difficult. Similarly, the cumulative impacts of physical and biological change on infrastructure natural resources, and the quantity and quality of coastal habitats are not well understood. Limitations in the ability to quantitatively predict outcomes at local, regional, and national scales affect whether, when, and how some decisions will be made. Thus, decision makers require tools to understand and anticipate the magnitude and likelihood of future SLR impacts, as well as evaluate the consequences of different actions (or inaction). Engaging both scientists and decision makers in the development of decision tools informs science activities that will result in more useful predictions and products for management.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 30	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

KEYNOTE ADDRESS
**SEA-LEVEL RISE SCIENCE AND DECISION MAKING IN
AN UNCERTAIN FUTURE**

E. ROBERT THIELER
U.S. Geological Survey
Coastal and Marine Geology Program
384 Woods Hole Road
Woods Hole, MA 02543
(508) 457-2350
rthieler@usgs.gov

Assessing the potential vulnerability of the coastal zone to sea-level rise (SLR) requires integrating a variety of physical, biological, and social factors. These include landscape, habitat, and resource changes, as well as the ability of society and its institutions to adapt. The range of physical and biological responses associated with SLR is poorly understood at some of the critical time and space scales required for decision making. Although the general nature of the coastal changes that can occur in response to SLR is widely recognized, predicting what changes may occur in response to a specific rise in sea level at a particular point in time is difficult. Similarly, the cumulative impacts of physical and biological change on infrastructure, natural resources, and the quantity and quality of coastal habitats are not well understood. Limitations in the ability to quantitatively predict outcomes at local, regional, and national scales affect whether, when, and how some decisions will be made. Thus, decision makers require tools to understand and anticipate the magnitude and likelihood of future SLR impacts, as well as evaluate the consequences of different actions (or inaction). Engaging both scientists and decision makers in the development of decision tools informs science activities that will result in more useful predictions and products for management.

Outline


- Scientific and management dimensions of sea-level change
- Results and implications of a recent USGCRP sea-level rise assessment
- Providing science-based decision support in an uncertain future

We need better science* to prepare our local responses to climate change, especially in our coastal areas.
(David Carter, Delaware Coastal Management)




*science = better understanding of processes + better situation awareness

Past, Current and Projected Global Temperature




Source: Adapted from "Climate change and human health - risks and responses" published by WHO in collaboration with UNEP and WMO 2003 and more recent data from IPCC 2007.

Sea-level rise rates since the Last Glacial Maximum





(SLR rate based on Fairbanks, 1989)

Past, present, and potential future rates of sea-level rise




Historic and Projected Sea-level Rise



Issue: Global variability in SLR

Earth is still undergoing
isostatic adjustment
from deglaciation




(Horton et al., 2009)


Issue: Global variability in SLR

Loss of the West Antarctic Ice Sheet can cause up to 25% more SLR on the U.S. coast.


Not likely to happen during the 21st century.



Issue: Regional variability in SLR




(Yin et al.,
2009)




(Hu et al., 2009)

Regional changes in circulation and ocean warming can increase sea level by tens of centimeters, for example in the northeastern U.S. (north of Cape Hatteras).

Importance of Spatial Scale



Importance of Temporal Scale



Short-term Variance

(hours to decade)


Storm impact/recovery
Annual cycles
El Niño

Long-term Trend

(decades to centuries)

Sediment deficit or surplus
Sea-level rise

Coastal Sensitivity to Sea-Level Rise: A Focus on the Mid-Atlantic Region




U.S. Climate Change Science Program Synthesis and Assessment Product 4.1




Coastal Elevation Data


- Elevation is a critical factor in assessing potential impacts (specifically, inundation)
- Current elevation data do not provide the degree of confidence needed for quantitative assessments for local decision making
- Collection of high-quality elevation data (lidar) would be valuable




Eastern North Carolina



Elevation source: 30-m DEM



Elevation source: 3-m lidar data




Dark blue Land ≤ 1 meter elevation

Light blue Area of uncertainty associated with 1 meter elevation

- High quality elevation data reduce uncertainty of potentially inundated areas

Mid-Atlantic Assessment of Potential Dynamic Coastal Responses to Sea-level Rise



Bluff erosion



Overwash




Island Breaching




Threshold Crossing



Coastal Wetlands Respond Dynamically to Environmental Change



Mid-Atlantic Wetlands Assessment



Sea-Level Rise Impacts on Groundwater Systems


Water quality
reduction



Infrastructure
failure




Ecosystem
change




SAP 4.1 Societal Impacts and Implications

- Shore protection and retreat
- Population, land use, and infrastructure
- Public access
- Coastal flooding, floodplains and coastal zone management
- Feedback of actions on future decisions
- Ongoing adaptation
- Institutional barriers



Science strategy to address the challenge of climate change and sea-level rise




Informing Decisions in a Changing Climate


National Research Council (2009)

The end of “Climate Stationarity” requires that organizations and individuals alter their standard practices and decision routines to take climate change into account. **Scientific priorities and practices need to change** so that the scientific community can provide better support to decision makers in managing emerging climate risks.


- **Decision makers must expect to be surprised** because of the nature of climate change and the incompleteness of scientific understanding of its consequences.
- **An uncertainty management framework should be used** because of the inadequacies of predictive capability.



Sea-level rise impacts: A multivariate problem with uncertainties everywhere




A conceptual approach to the multivariate, uncertainty problem



Explicitly include uncertainties, as well as management application

Mapping Erosion Risk Using Bayesian Networks


Probability of shoreline erosion >2 m/yr



Mapping Prediction Uncertainty


Higher probability = higher certainty of outcome

- Uncertainty map can be used to identify where better information is needed
- Areas of low confidence require
 - better input data
 - better understanding of processes
- Can use this map to focus research resources






Application of a Bayesian network to an uncertain future: Probability of shoreline erosion >1 m/yr at Assateague Island National Seashore

Current conditions




SLR +1 mm/yr, Wave ht. +10%



Narrow probability
distributions

Relatively low uncertainty



Higher likelihood of
erosion

Broader distributions
Increased uncertainty

Decision Support for DOI Agencies

Piping plover, *C. melodus*



Bill Byrne, MA F&W

- Listed species
- DOI management responsibility
- Lifecycle includes substantial time on NPS lands for breeding, migrating, wintering
- Have interesting and specific habitat requirements that we can predict
 - Rangewide habitat availability
 - Attributes and distribution of breeding, foraging areas
 - Wave run-up and inundation sensitivity (morphologic and hydrodynamic detail)
- Can feed predictions back into population dynamics models

Summary

- Future sea-level rise is problematic
 - It is a certain impact (we have already made a commitment to several centuries of SLR)
 - It is an uncertain impact (rates and magnitudes poorly constrained; human response unknown)
 - Effective climate change decision support will require changes in how we do science and how decision makers assimilate and use scientific information
- Probabilistic approaches have many applications
 - Convey what we know and what we know we don't know
 - Synthesize data and models
 - Provide basis to focus research resources
 - Furnish information to support decision-making