

Incorporation of a Nearshore Hydrodynamic Model into the Unmanned Cooperative Cueing and Intervention Automated Planner

James M. Kaihatu
Zachry Department of Civil Engineering, Texas A&M University
3136 TAMU
College Station, TX 77843-3136
phone: (979) 862-3511 fax: (979) 862-8162 email: jkaihatu@civil.tamu.edu

Award Number: N00014-09-1-1036
<http://ceprofs.civil.tamu.edu/jkaihatu/research/proj.html>

LONG-TERM GOALS

The overall goal for this project is to incorporate the Delft3D hydrodynamic model suite into the Unmanned Cooperative Cueing and Intervention Automated Planner (UCCI). This would allow the UUV system to incorporate real-time information into its routing, and also allow for possible feedback between the modeling system and the UUV system.

OBJECTIVES

- 1) Set up Delft3D for an area of operational importance.
- 2) Develop connectivity between the model and the UCCI planning tool.
- 3) Develop methods for calculating bottom ripple properties from Delft3D output.
- 4) Automate the system

APPROACH

A set of run scripts for automated Delft3D operation had been developed previously by teams at both the Naval Research Laboratory and Texas A&M University. These scripts must be altered in order to accommodate the needs of this project. The Delft3D model must then be set up for an area of operational importance; during discussions with Metron (developer of the UCCI tool) both Coronado, CA and San Clemente Island, CA were mentioned as acceptable candidate locations. The output of Delft3D needs to be converted to an XML file for the UCCI planner to use the information. Finally, results of the Ripples DRI are to be used to help convert Delft3D bottom velocities to ripple properties.

WORK COMPLETED

We have attempted to fix the model blowup problems we have seen with Delft3D for San Clemente Island. What had at first appeared to be due to insufficiently resolved bathymetry was instead due to instability along the boundaries. While we have attempted to fix this in various ways, accurate information along the boundaries is the clearest path toward fixing these problems at this scale.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2011		2. REPORT TYPE		3. DATES COVERED 00-00-2011 to 00-00-2011	
4. TITLE AND SUBTITLE Incorporation of a Nearshore Hydrodynamic Model into the Unmanned Cooperative Cueing and Intervention Automated Planner				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Texas A&M University,Zachry Department of Civil Engineering,3136 TAMU,College Station,TX,77843-3136				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

RESULTS

Figure 1 shows the progression of information at a boundary becoming progressively unstable. Close inspection of the bathymetry in the area shows that there are no egregious irregularities, and that the instability is clearly a boundary issue.




Figure 1: Evolution of a boundary instability: vectors of depth averaged currents. Time progresses from a) to d), at which point the simulation becomes completely unstable.

As with last year, several concerns have become evident during the course of this work. First of all, the output of Delft3D is in a proprietary format; the QUICKPLOT software embedded within Delft3D is required to decode the output. This would make conversion of the output to XML problematic without the Delft3D software. Another concern was the connection between the model and the UCCI planner

in terms of where each system resides (secure environment vs. non-secure). We are moving on in the meantime to incorporate information on ripple orientations based on Delft3D simulations.

IMPACT/APPLICATIONS

Once these concerns have been worked through, the completed system will represent a major advance in coupling physically-realistic models with real-time data streams.