

AD_____

Award Number: W81XWH-11-1-0610

TITLE: Development of a Novel Microfluidic Platform for Multiple Sclerosis Study

PRINCIPAL INVESTIGATOR: In Hong Yang

CONTRACTING ORGANIZATION: Johns Hopkins University
Baltimore, MD, 21218

REPORT DATE: August 2012

TYPE OF REPORT: Final

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE 01-08-2012		2. REPORT TYPE Final		3. DATES COVERED 15 Jul 2011 - 14 Jul 2012	
4. TITLE AND SUBTITLE Development of a Novel Microfluidic Platform for Multiple Sclerosis Study				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER W81XWH-11-1-0610	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) In Hong Yang E-Mail: iyang3@jhmi.edu				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Johns Hopkins University, Baltimore, MD, 21205				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Neural stem cells (NSC) are multipotent cells isolated from striatal tissue and the subventricular zone, which is one of a few neurogenic areas in the adult brain. Evidence suggests that NSC proliferation and differentiation occur under physiological conditions and can be enhanced in certain pathological conditions following neural damage. However, the communication between soluble factors of inflammatory T cells and NSCs that affect the proliferation and differentiation of NSCs remain unknown. The goal of this project is to develop a novel NSC culture platform that is capable of both compartmentalizing and fluidically isolating microdomains of NSCs.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 6	19a. NAME OF RESPONSIBLE PERSON USAMRMC
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U			19b. TELEPHONE NUMBER (include area code)

Table of Contents

	Page
Introduction.....	4
Body.....	4
Key Research Accomplishments.....	4
Reportable Outcomes.....	4
Conclusion.....	5
References.....	6
Appendices.....	6

Introduction.

In certain autoimmune diseases of the central nervous system (CNS) in which regeneration does not occur, Neural Stem Cells (NSCs) fail to migrate to and proliferate at the site of damage. Migration and differentiation of NSCs have been studied *in vivo* as well as their response to factors released by activated T-cells. Recent progress in our understanding of the biology of NSCs has inspired interest in exploring the roles of neurogenesis capable NSC in the pathology and therapy of neurodegenerative disorders including multiple sclerosis (MS) [1-2]. Evidence suggests that NSC proliferation and differentiation occur under physiological conditions and can be enhanced in certain pathological conditions following neural damage [3-4]. This has largely been due to the inability to precisely control the fluidic microenvironment in standard *in vitro* preparations.

Body.

The goal of our proposal is the development of a novel microfluidic platform which can partially expose NSCs inflammatory T cell in a fluidically isolated manner. We have successfully developed a novel microfluidic compartmentalized NSC culture platform that enables culturing NSCs in multiple fluidic environments (Fig 1). NPCs migrated into and through the microchannel of the device and remained viable for 21 days, using visual inspection to determine if cells were alive. Microchannel length and well size in the lower layer were varied to determine any impact on cell survivability. Microchannels that were longer than 0.5 mm did not have high cell density due to lack of nutrients. The microchannels were limited to at least 0.5 mm due to physical difficulties fabricating smaller lengths. For well diameters less than 1.0 mm, NPCs entered the microchannel with higher probability (67%) than in the case of the 2 mm diameter (25%) by 14 days after seeding the neurosphere. Well size did not noticeably affect cell growth inside the microchannel. Fluidic isolation of fluorescent dye was achieved for 3 days using a flow of 10 microliters/hour for microchannels of cross sectional dimensions 50 microns x 50 microns. The method for examination was both visual examination by eye and examination under a fluorescence microscope.

Key research accomplishments

- **Development of microfluidic platform for NSCs culture.**
 - Optimization of compartmentalized wells.
 - Fluidic isolation of solution between compartmentalized wells.
 - Successful culture of NSCs in the microfluidic device.

Reportable Outcomes

None.

Conclusion.

The device creates a system in which NPCs migrate through the microchannel within 20 days and with good survivability for multiple weeks. It also can fluidically isolate one compartment by introducing a steady but very low flow through the microchannel. The ability of the system to perform both tasks makes it suitable for a system to conduct the migration and differentiation experiments described earlier, as well as for studying cell-cell signaling in many applications.

Figure 1.




Figure 1 (A). Diagram of the device in use. A ball of NSCs is first placed in the well then allowed to settle and attach to the bottom of the well. After a period of a few days, NSCs have migrated through the microchannel to produce the desired model. (B). Picture from above the device. A main well with the NSCs has a microchannel to another well with the desired soluble factor. (C). Neurosphere (NPCs) were placed in the well in the lower PDMS layer next to the microchannel. (D). NPCs spread from neurosphere into the microchannel and continue to migrate/proliferate until NPCs reach the second well (Red Circle). (E). The fluidic isolation picture included here was not a cell culture, and a fluorescent dye was used merely to demonstrate the concept.

References.

1. Ikeda, R., et al., *Transplantation of neural cells derived from retinoic acid-treated cynomolgus monkey embryonic stem cells successfully improved motor function of hemiplegic mice with experimental brain injury*. Neurobiol Dis, 2005. **20**(1): p. 38-48.
2. Hayashi, J., et al., *Primate embryonic stem cell-derived neuronal progenitors transplanted into ischemic brain*. J Cereb Blood Flow Metab, 2006. **26**(7): p. 906-14.
3. Magavi, S.S., B.R. Leavitt, and J.D. Macklis, *Induction of neurogenesis in the neocortex of adult mice*. Nature, 2000. **405**(6789): p. 951-5.
4. Arvidsson, A., et al., *Neuronal replacement from endogenous precursors in the adult brain after stroke*. Nat Med, 2002. **8**(9): p. 963-70.

Appendices

None.