

Final Report for AOARD Grant No.FA2386-11-1-4085 AOARD 114085

**Research title: “Bio-physicochemical interaction of engineered
Nanomaterials in *In Vitro* cell culture model”**

Date: 14.08.2012

Principal Investigator:

Dr.Ms.Paramjit Grover, Senior Principal Scientist, Biology Division,
Indian Institute of Chemical Technology, Hyderabad, India
Tel: +91-40-27193135, E.mail: paramgrover@gmail.com, grover@iict.res.in

Co-Investigators:

Dr.M.F.Rahman, Senior Technical Officer,
Indian Institute of Chemical Technology, Hyderabad, India

Dr.M.Mahboob, Senior Technical Officer,
Indian Institute of Chemical Technology, Hyderabad, India

Project Co-coordinator:

Dr.USN Murty, Chief Scientist and Head Biology Division,
Indian Institute of Chemical Technology, Hyderabad, India
Tel: +91-40-27193134, E.mail: murty_usn@yahoo.com

AFOSR/AOARD Program Manager: Lt Col Thomas Erstfeld

Collaborators: Dr. Saber Hussain, Senior Scientist, AFRL, WPAFB, OH

Period of Performance: August 2011 – August 2012

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 12 SEP 2012		2. REPORT TYPE Annual		3. DATES COVERED 15-08-2011 to 14-08-2012	
4. TITLE AND SUBTITLE Bio-Physicochemical Interactions of Engineered Nanomaterials in in Vitro Cell Culture Model				5a. CONTRACT NUMBER FA23861114085	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Paramjit Grover				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Indian Institute of Chemical Technology,Biology Division,Hyderabad 500 007,India,NA,NA				8. PERFORMING ORGANIZATION REPORT NUMBER N/A	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AOARD, UNIT 45002, APO, AP, 96338-5002				10. SPONSOR/MONITOR'S ACRONYM(S) AOARD	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) AOARD-114085	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT A study on the physicochemical properties and MTT cytotoxicity assay of cerium oxide (CeO2), cobalt oxide (Co3O4) and tungsten oxide (WO3) nanomaterials (NMs) on different cell lines was carried out during the last year. The physicochemical properties like size, size distribution, state of dispersion and zeta potential of these NMs are the important factors to study their toxicity.					
15. SUBJECT TERMS in Vitro Studies, nanomaterials, Toxicology					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT 1	18. NUMBER OF PAGES 23	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Abstract

A study on the physicochemical properties and MTT cytotoxicity assay of cerium oxide (CeO_2), cobalt oxide (Co_3O_4) and tungsten oxide (WO_3) nanomaterials (NMs) on different cell lines was carried out during the last one year. The physicochemical properties like size, size distribution, state of dispersion and zeta potential of these NMs are the important factors to study their toxicity. We developed a novel *in vitro* system to systematically assess the interaction of the NMs and their bulk within the cell. Bulk analogues were used to find out the size effect on the toxicity. The MTT cytotoxicity assay was performed in the four cell lines viz. human hepatocarcinoma cell line (Hep G2), human adenocarcinoma cell line (A549), human embryonic kidney cell line (HEK 293), human neuroblastoma cell line (IMR 32). The mean size of CeO_2 , Co_3O_4 , and WO_3 NMs was 25, 16 and 52 nm respectively. The DLS data revealed the aggregation of CeO_2 , Co_3O_4 , and WO_3 NMs in suspension. Zeta potential of CeO_2 , Co_3O_4 , and WO_3 NMs in DMEM was determined by LDV and found to be -7.74, -8.20, and -6.03 respectively. In the culture medium NMs showed a slight increase in the size with a concomitant decrease in zeta-potential. The MTT cytotoxicity assay with four cell lines exhibited dose dependent loss in the viability with CeO_2 , Co_3O_4 , and WO_3 NMs. There were variations in the sensitivity of cells to the different NMs. The cell lines exposed to CeO_2 -NM for 24 hours exhibited $\text{IC}_{50} < 300 \mu\text{g/ml}$ except IMR 32 ($> 300 \mu\text{g/ml}$). Similarly, among the cell lines exposed to Co_3O_4 -NM only IMR32 and Hep G2 showed $\text{IC}_{50} < 300 \mu\text{g/ml}$ whereas WO_3 -NM exposure did not show $\text{IC}_{50} < 300 \mu\text{g/ml}$ in any cell lines. Bulk compounds of these three metal oxides were less cytotoxic than their counter part NMs with all the four cell lines tested and the IC_{50} observed was $> 300 \mu\text{g/ml}$.

Introduction

Nanotechnologies are the design, characterization, production and application of structures, devices and systems by controlling shape and size at the nanoscale level. It is a rapidly advancing discipline with a wide range of applications, including those in medicine and industry. Nanoparticles have a specific capacity for drug loading, high superparamagnetism, efficient photoluminescence, in the targeted delivery of imaging agents and anti-cancer drugs. Potential targets include organs such as the brain, which are normally protected by specialized barriers (such as the blood–brain barrier). Nanomaterials (NMs) can be defined as materials which have

at least one dimension less than 100nm. NMs exhibit very different properties from their bulk materials due to their unique physico-chemical features such as small size and large surface area, high mechanical, thermal and electrical strengths, increased solubility in water as well as their amenability for chemical manipulation. The overwhelming applications of NMs due to their superior physicochemical features bestow enormous potential for human exposure and environmental release. Therefore, using NMs without fully understanding potential health risks would be dangerous (Nel et al., 2006). The current lack of knowledge in this regard has led to an urgent call for the establishment of principles and test procedures to ensure the safe manufacture and use of NMs in the marketplace. Little is known about the clinical risks of exposure or whether NMs exposure may pose a risk to a fetus during pregnancy. Inhalation of nanoparticles or nanotubes is thought to be a risk for cardio respiratory disease. Although the placenta, lung, gastrointestinal tract and skin have been cited as barriers to many NMs, there is some, albeit conflicting, evidence those NMs from external exposures could translocate to other systemic sites. In the current investigation, the toxicological interaction of cerium oxide (CeO_2), cobalt oxide (Co_3O_4) and tungsten oxide (WO_3) NMs with various cell lines was studied.

CeO_2 -NMs are used in solar cells, gas sensors & oxygen. They have been proved to be useful for treating glaucoma & catalyze reaction for cleaner fuel for future. Co_3O_4 NMs applications are in information storage, magnetic fluid, catalysts, pigments, coatings, catalysis, sensors, anode materials in rechargeable batteries, solar energy absorbers etc. WO_3 NMs are of great interest due to their potential use as electrochromic, gas sensing and photo catalyst materials. Therefore, there is urgent requirement for the toxicity study of these NMs at the cellular level in order to understand and conclude the real site of action of these NMs.

This research is intended to get the finer details regarding the physicochemical properties of NMs and to develop a novel *in vitro* system to systematically assess the NMs interaction within cells.

Experiment

1. Chemicals:

Cerium oxide bulk (CeO_2 , 99.9%, $<5\mu\text{m}$, CAS No.1306-38-3), Cerium oxide nanopowder (CeO_2 $<25\text{nm}$, CAS No.1306-38-3), Cobalt oxide nanopowder (Co_3O_4 99.8%, $<50\text{nm}$ CAS No. 138-06-1), Cobalt oxide bulk (Co_3O_4 99.8%, $<10\mu\text{m}$ CAS No. 138-06-1), Tungsten oxide nanopowder (WO_3 99.8%, $<100\text{nm}$ CAS No. 1314-35-8), Tungsten oxide bulk (WO_3 99%, $<20\mu\text{m}$ CAS No. 1314-35-8) were purchased from Sigma Chemical Co. Ltd. (St. Louis, MO, USA). Phosphate buffered saline (Ca_2^+ , Mg_2^+ free; PBS), Dulbecco's modified eagle medium (DMEM), trypsin-EDTA, fetal bovine serum (FBS), antibiotic solution (10,000 U/ml penicillin, 10 mg/ml streptomycin) were also purchased from Sigma Chemical Co. Ltd. (St. Louis, MO, USA). All other chemicals were obtained locally and were of analytical reagent grade. Cell culture plastic wares were obtained from Tarsons Products Pvt.Ltd. (Kolkata, India).

Cell culture:

- The human adinocarcinoma cell line (A549) was grown in DMEM supplemented with 10% FBS, 0.2% sodium bicarbonate, 2mM L-Glutamine, 1% Na-Pyruvate and 10 ml/L antibiotic solution at 37°C under a humidified atmosphere of 5% CO_2 /95% air.
- Human hepatocarcinoma cell line (Hep G2) was grown in DMEM supplemented with 20% FBS, 0.2% sodium bicarbonate, 1% non essential amino acids, 2mM L-Glutamine and 10 ml/L antibiotic solution at 37°C under a humidified atmosphere of 5% CO_2 /95% air.
- Human embryonic kidney cell line (HEK 293) was grown in DMEM supplemented with 10% FBS, 0.2% sodium bicarbonate and 10 ml/L antibiotic solution at 37°C under a humidified atmosphere of 5% CO_2 /95% air.
- Human neuroblastoma cell line (IMR 32) was obtained from American Type Culture Collection (ATCC) and cultured in DMEM supplemented with 10% FBS, 0.2% sodium bicarbonate and 10 ml/L antibiotic solution at 37°C under a humidified atmosphere of 5% CO_2 /95% air.

2. Characterization

Transmission Electron Microscopy:

Transmission Electron Microscope (TEM) characterization was performed to obtain nanoparticles size and morphology on a TEM (JEOL, Japan) at an accelerating voltage of 120 kV. CeO₂, Co₃O₄ and WO₃ nanoparticles were examined after suspension in Milli-Q water and subsequent deposition onto TEM grids. Information on mean size and standard error was calculated by measuring over 100 nanoparticles in random fields of view, in addition to images that show general morphology of the nanoparticles.

Dynamic light scattering (DLS) and Laser Doppler velocimetry (LDV):

Dynamic light scattering (DLS) and zeta potential measurements were performed with a Zetasizer Nano ZS (Malvern Instruments), provided with a He/Ne laser of 633 nm wavelength. DLS and Laser Doppler velocimetry (LDV) were used for the size and charge characterization of CeO₂, Co₃O₄ and WO₃ nanoparticles in solution, after suspension in DMEM with ultrasonication. The freshly prepared stock solutions were ultrasonicated using a probe sonicator for 10 min. Samples thus prepared were transferred to a 1.5 ml square cuvette for DLS measurements and 1 ml was transferred to a Malvern Clear Zeta Potential cell for LDV measurement. Average size was calculated by the software from the intensity, volume and number distributions measured.

Dispersion of test materials

Metal oxide nanoparticles (CeO₂, Co₃O₄ and WO₃) and their bulk were dispersed in PBS. Homogenous dispersion was obtained by physical mixing and sonication for 5-10 minutes. Different stock solutions of metal oxide nanoparticles were obtained by diluting with DMEM with 5% FBS to obtain finale concentration of 10, 20, 30, 40, 50, 100, 150, 200, 250 and 300µg/ml. 10ul of nanoparticles suspension was added to 100ul of exposure media in 96 well plate. Constant mixing was done before exposure to prevent the settle down of nanoparticles in the solution.

3. Cell viability (*MTT Cytotoxicity Assay*)

Metal oxide nanoparticles (CeO_2 , Co_3O_4 and WO_3) cytotoxicity was assessed using MTT assay following the method described by Hansen et al., (1989) for this A549, Hep G2, HEK 293 and IMR 32 were used.

The assay is dependent on the reduction of the tetrazolium salt MTT (3-(4,5-dimethylthazol-2-yl)-2,5-diphenyl tetrazolium bromide) by the mitochondrial dehydrogenase of viable cells to form a blue formazan product dissolved in DMSO and read at 570 nm. Briefly 100 μl of mammalian cell lines were suspended in 96 wells plate after 50-60% confluency cells were treated to different concentrations of nanomaterials suspended in DMEM media with 5% serum for a time period of 24hr. Then, medium in each well was discarded and fresh supplemented medium (100 μl) followed by 10 μl of MTT solution (5 mg/ml in PBS, filtered sterile) was added. Medium blank was put up with only medium (100 μl) and MTT (10 μl). Plates were incubated at 37 °C for 2 h. The formazan crystals formed by the action of mitochondrial dehydrogenase on MTT was dissolved in 100 μl of DMSO, Absorbance was measured at 570 nm using Spectra Max plus 384 UV-Visible plate reader.

Statistical analysis:

The statistical significant change in MTT assay between treated and control groups were analyzed by one-way ANOVA. Results were expressed as mean $\pm$ standard deviation (S.D.). Multiple comparisons were performed by Dunnett test. All calculations were performed using Graph Pad Prism 4 Software package for windows. The statistical significance for all tests was set at $p < 0.05$.

Results and Discussion

Characterization of CeO_2 , Co_3O_4 and WO_3 nanoparticles:

TEM was used to characterize size and morphology of CeO_2 , Co_3O_4 and WO_3 nanoparticles. Mean size was calculated by measuring over 100 nanoparticles in random field. The mean of CeO_2 nanoparticle was 25 (Fig.1), for Co_3O_4 nanoparticle was 16 (Fig.2) and for WO_3 nanoparticle was 52 nm (Fig.3), respectively. The DLS data revealed the aggregation of CeO_2 ,

Co₃O₄ and WO₃ nanoparticles in suspension, which could be possibly due to physico-chemical interactions between the nanoparticles. Hence, in order to create homogenous solution, constant resuspension is necessary prior to use. Zeta potential (ζ) of CeO₂, Co₃O₄ and WO₃ NPs in DMEM was determined by LDV, and found to be -7.74, -8.20 and -6.03 respectively. The size and charge of CeO₂, Co₃O₄ and WO₃ NPs in DMEM using TEM, DLS and LDV respectively are presented in Table 1.

Our results on cell viability MTT assay with four cell lines i.e. IMR 32, A549, Hep G2 and HEK 293 have exhibited dose dependent loss in viability with CeO₂, Co₃O₄ and WO₃ NMs (Figures 13 to 24).

CeO₂-NMs significantly inhibited cell viability with IMR 32 cell lines at concentrations 40 - 300 μ g/ml. Further, CeO₂-Bulk also significantly inhibited cell viability but from 200 - 300 μ g/ml only (Fig.13). Similarly, CeO₂-NMs significantly inhibited percent viability in A549, Hep G2 and HEK 293 cell lines from 30 - 300 μ g/ml concentrations. However, CeO₂-Bulk was not significant at all the concentrations tested with A549 and Hep G2 cell lines (Fig. 14& 15) but it significantly inhibited viability from concentrations 150 to 300 μ g/ml (Fig. 16). In support to our result a study by Rosenkranz et al., 2012 revealed that CeO₂ NMs were more toxic than the micro CeO₂ as CeO₂ NMs significantly reduced the mitochondrial metabolism and hence cell viability by MTT assay in H4IIE rat hepatoma cell line when compared to the control.

Co₃O₄-NMs significantly inhibited cell viability in IMR 32 cell lines at the concentration range of 30 - 300 μ g/ml, whereas Co₃O₄-Bulk significantly inhibited cell viability from 150 - 300 μ g/ml concentrations (Fig.17). Similarly, Co₃O₄-NMs showed significant inhibition in A549 cell lines from 50 - 300 μ g/ml concentrations, whereas Co₃O₄-Bulk was significant only at 300 μ g/ml concentration (Fig. 18). In Hep G2 cell lines cell viability was significantly inhibited by Co₃O₄-NMs from 40 - 300 μ g/ml concentrations, whereas Co₃O₄-Bulk had significant inhibition from 150 to 300 μ g/ml concentrations (Fig. 19). Similarly, in HEK 293 cell lines Co₃O₄-NMs significantly inhibited cell viability from concentration range of 150 - 300 μ g/ml, whereas CO₃O₄-Bulk inhibited cell viability significantly from 200 - 300 μ g/ml concentrations (Fig. 20). In various studies Co₃O₄ nanoparticles were found cytotoxic and genotoxic. **Papis et al., 2009** demonstrated that the engineered Co₃O₄NMs readily entered the cell and caused loss in

cell viability when studied with Hep G2 and ECV-302 cell lines. Similarly, Colognato et al., 2008 showed the genotoxicity of cobalt nanoparticles in human peripheral leukocytes *in vitro*.

In IMR 32 cell lines WO₃-NMs significantly inhibited cell viability from 50 - 300 µg/ml concentrations, whereas WO₃-Bulk was not significant at any of concentrations tested (Fig. 21). Similarly, in A549 cell lines WO₃-NMs revealed significant inhibition at 300 µg/ml, whereas WO₃-Bulk was not at all significant at any concentration tested (Fig. 22). However, WO₃-NMs significantly inhibited viability of cells from 40 - 300 µg/ml in Hep G2 cell lines, whereas in HEK 293 cell lines the inhibitions were from 50 - 300 µg/ml concentrations. But, WO₃-Bulk was significantly inhibited from 150 - 300 µg/ml concentrations in Hep G2 cell lines, whereas in HEK 293 cell lines it was significant at 250 and 300 µg/ml concentrations only (Fig. 23 & 24). Studies on the toxicology of tungsten oxide NMs are not available.

The IC₅₀ observed for the Co₃O₄-NMs with IMR 32 cell lines was 248.94 µg/ml, whereas other two NMs CeO₂ and WO₃ showed IC₅₀ > 300 µg/ml. In case of A549 cell lines CeO₂-NMs exhibited IC₅₀ 180.80 µg/ml, whereas with Co₃O₄-NMs and WO₃-NMs the values were >300 µg/ml. Similarly, with Hep G2 cell lines the IC₅₀ observed was 202.47 and 132.37 with CeO₂-NMs and Co₃O₄-NMs respectively, whereas WO₃-NMs showed values which were >300 µg/ml. Further, with HEK 293 cell lines CeO₂-NMs exhibited IC₅₀ of 180.91, whereas other two NMs i.e. Co₃O₄ and WO₃ the IC₅₀ values were > 300 µg/ml (Table 2). These results have suggested that with all the four cell lines CeO₂-NMs were more potently cytotoxic followed by Co₃O₄-NMs. However, WO₃-NMs were least cytotoxic and the IC₅₀ observed was >300 µg/ml with all the four cell lines. However, Bulk compounds of these three metal oxides were less cytotoxic than their counter part NMs with all the four cell lines tested and the IC₅₀ observed was > 300 µg/ml (Table 2).

The further studies to be done in the future comprises,

- ✓ To evaluate the cell response to NMs following exposure using oxidative stress, apoptosis and gene expression and to correlate to NP characterization versus their interaction with cells.
- ✓ To understand cellular uptake mechanisms:
 - Do NMs enter the cells?
 - Which cellular organelles do they localize/located?

- Do they remain in NMs form in cells?
- What quantity of NM is taken up by the cells?

References:

1. Nel A, Xis T, Madler L, Li N. 2006. Toxic potential of materials at the nano-level. *Science* **311**: 622-627.
2. Hansen MB, Nielsen SE, Berg K. 1989. Re-examination and further development of a precise and rapid dye method for measuring cell growth / cell kill. *J. Immunol. Methods* **119**: 203-210.
3. Rosenkranz P, Fernandez-Cruz ML, Conde E, Ramirez-Fernandez MB, Flores JC, Fernandez M, Navas JM. 2012. Effects of cerium oxide nanoparticles to fish and mammalian cell lines: An assessment of cytotoxicity and methodology. *Toxicol. in vitro* **26**: 888-896.
4. Papis E, Rossi F, Raspanti M, Dalle-Donne I, Colombo G, Milzani A, Bernardini G, Gornati R. 2009. Engineered cobalt oxide nanoparticles readily enter cells. *Toxicol. letters* **189**: 253-259.
5. Colognato R, Binelli A, Ponti J, Farina M, Bergamaschi E, Sabbioni E, Migliore L. 2008. Comparative genotoxicity of cobalt nanoparticles and ions on human peripheral leukocytes *in vitro*. *Mutagenesis* **23**: 377-382.

Table: 1. The size and charge of CeO₂, Co₃O₄ and WO₃ nanoparticles in DMEM.

Nano-material	Size using TEM (nm)	DLS		LDV		
		Average diameter (nm)	PDI	Zeta potential ζ (mV)	Electrophoretic Mobility ($\mu\text{m}^2\text{cm/V/s}$)	pH
CeO ₂	25	269.7	0.436	-7.74	-1.25	7.4
Co ₃ O ₄	16	195.6	0.345	-8.20	-0.75	7.4
WO ₃	52	203.0	0.411	-6.03	-0.75	7.4

Nanomaterials were dispersed in DMEM medium, mixing was done via probe sonication for 10min PDI=polydispersity index, DLS= dynamic light scattering, LDV= laser Doppler velocimetry, DMEM= Dulbecco's Modified Eagle's Medium

Fig. 1 - TEM image of CeO₂ nanoparticles




Fig. 2 - TEM image of Co_3O_4 nanoparticles




Fig. 3 - TEM image of WO_3 nanoparticles




Fig. 4 - Size distribution of CeO₂ nanoparticles in DMEM




Fig. 5 - Zeta potential of CeO₂ nanoparticles in DMEM




Fig. 6 - Electrophoretic mobility of CeO2 nanoparticles in DMEM




Fig. 7 - Size distribution of Co₃O₄ nanoparticles in DMEM




Fig. 8 - Zeta potential of Co_3O_4 nanoparticles in DMEM




Fig. 9 - Electrophoretic mobility of Co_3O_4 nanoparticles in DMEM




Fig. 10 - Size distribution of WO₃ nanoparticles in DMEM




Fig. 11 – Zeta potential of WO₃ nanoparticles in DMEM




Fig. 12 - Electrophoretic mobility of WO₃ nanoparticles in DMEM






Fig. 13: Comparative effects of CeO₂ nano and bulk materials on viability of IMR 32 cell line




Data represented as mean $\pm$ S.D., of 3 replicates per dose, significantly different from control at $a=p<0.05$, $b=p<0.01$.

Fig. 14: Comparative effects of CeO₂ nano and bulk materials on viability of A549 cell line




Data represented as mean $\pm$ S.D., of 3 replicates per dose, significantly different from control at $a=p<0.05$, $b=p<0.01$.

Fig. 15: Comparative effects of CeO₂ nano and bulk materials on viability of Hep G2 cell line




Data represented as mean $\pm$ S.D., of 3 replicates per dose, significantly different from control at $a=p<0.05$, $b=p<0.01$.

Fig. 16: Comparative effects of CeO₂ nano and bulk on materials viability of HEK 293 cell line




Data represented as mean $\pm$ S.D., of 3 replicates per dose, significantly different from control at $a=p<0.05$, $b=p<0.01$

Fig. 17: Comparative effects of Co₃O₄ nano and bulk on viability of IMR 32 cell line




Data represented as mean $\pm$ S.D., of 3 replicates per dose, significantly different from control at $a=p<0.05$, $b=p<0.01$

Fig. 18: Comparative effects of Co_3O_4 nano and bulk materials on viability of A549 cell line




Data represented as mean $\pm$ S.D., of 3 replicates per dose, significantly different from control at $a=p<0.05$, $b=p<0.01$.

Fig. 19: Comparative effects of Co_3O_4 nano and bulk materials on viability of Hep G2 cell line




Data represented as mean $\pm$ S.D., of 3 replicates per dose, significantly different from control at $a=p<0.05$, $b=p<0.01$.

Fig. 20: Comparative effects of Co_3O_4 nano and bulk materials on viability of HEK 293 cell line




Data represented as mean $\pm$ S.D., of 3 replicates per dose, significantly different from control at $a=p<0.05$, $b=p<0.01$

Fig. 21: Comparative effects of WO_3 nano and bulk materials on viability of IMR32 cell line




Data represented as mean $\pm$ S.D., of 3 replicates per dose, significantly different from control at $a=p<0.05$, $b=p<0.01$

Fig. 22: Comparative effects of WO₃ nano and bulk materials on viability of A549 cell line




Data represented as mean $\pm$ S.D., of 3 replicates per dose, significantly different from control at $a=p<0.05$, $b=p<0.01$

Fig. 23: Comparative effects of WO₃ nano and bulk materials on viability of Hep G2 cell line



Data represented as mean $\pm$ S.D., of 3 replicates per dose, significantly different from control at $a=p<0.05$, $b=p<0.01$

Fig. 24: Comparative effects of WO₃ nano and bulk materials on viability of HEK 293 cell line



Data represented as mean $\pm$ S.D., of 3 replicates per dose, significantly different from control at $a=p<0.05$, $b=p<0.01$.

Table 2: Showing IC₅₀ of MTT assay by metal oxide Nanomaterials (CeO₂, Co₃O₄ and WO₃) in different cell lines

Cell lines	CeO ₂ (µg/ml)	Co ₃ O ₄ (µg/ml)	WO ₃ (µg/ml)
IMR 32	>300	248.94±89.98	>300
A549	180.80±53.71	>300	>300
HepG2	202.47±85.00	132.37 ±36.53	>300
HEK 293	180.91±80.80	>300	>300