

AD _____

Award Number: W81XWH-11-1-0633

TITLE: Ovarian Mouse Models with Targeted Fallopian Tubal Carcinogenesis

PRINCIPAL INVESTIGATOR: Jeremy Chien, PhD

CONTRACTING ORGANIZATION: Mayo Clinic, Rochester, Minnesota 55905

REPORT DATE: September 2012

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE 01-09-2012		2. REPORT TYPE Annual report		3. DATES COVERED 15 Aug 2011 - 14 Aug 2012	
4. TITLE AND SUBTITLE Ovarian Mouse Models with Targeted Fallopian Tubal Carcinogenesis				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER W81XWH-11-1-0633	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Jeremy Chien E-Mail: jchien@kumc.edu				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Mayo Clinic Rochester, Minnesota 55905				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT To test the idea that ovarian cancer arises from oviductal epithelium, spreads to the ovary, and presents as ovarian cancer, we generated a mouse model in which we can target genetic deletions to the oviductal epithelium. We are currently performing selective genetic deletion of ovarian cancer genes, such as TP53, Rb, and BRCA1 in oviductal epithelium in this mouse model.					
15. SUBJECT TERMS Mouse models, fallopian epithelium, oviductal epithelium, BRCA1, Rb, TP53					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			USAMRMC
U	U	U	UU	8	19b. TELEPHONE NUMBER (include area code)

Table of Contents

	<u>Page</u>
Introduction.....	5
Body.....	5
Key Research Accomplishments.....	8
Reportable Outcomes.....	9
Conclusion.....	9
References.....	
Appendices.....	

INTRODUCTION: In addition to previously accepted idea that epithelial ovarian cancer arises from surface epithelium of the ovary, recent evidence suggests that high-grade serous subtype of epithelial ovarian cancer may also arise from the fallopian epithelium. This shift in cell-of-origin for ovarian cancer has profound implication in the diagnosis, screen, and the pathobiology of ovarian cancer. However, appropriate mouse models to test a paradigm-shifting hypothesis that high-grade serous ovarian cancer may arise from fallopian tubal epithelium are lacking. Therefore, in this proposal we generated a mouse model to test the hypothesis that tubal epithelium could serve as an original site for ovarian cancer.

BODY: In the approved SOW for Year 1, we proposed to continue the development of mouse models for tubal carcinogenesis. There are two concurrent specific aims on Year 1 of Statement of Work.

Specific Aim 1 (1-24 months): To generate mouse models of tubal carcinogenesis

We have accomplished the following tasks:

- Generated a mouse model targeting expression of Cre-ERT2 to the fallopian tube using Ovgp1 promoter (Figure 1).
- Generated floxed p53/Rb and floxed p53/BRCA1 mice (Figure 2)
- Generating floxed p53/Rb; Ovgp1::Cre-ERT2 triple transgenic mice and floxed p53/BRCA1; Ovgp1::Cre-ERT2 triple transgenic mice
- Established immunohistochemical staining conditions for p53, Ki67, WT1, PAX2, PAX8, and cytokeratin (Figure 3 and Table 1)




Figure 1. Generation of *Ovgp1::Cre-ERT2* mice. After the mice are generated, tissue-specific expression of Cre is tested by crossing the mice with *ROSA26* reporter mice. Upon recombination induced by tamoxifen, oviductal tissues are positive for b-gal staining, and ovarian surface epithelium and the ovary is negative for b-gal staining. Endometrial epithelium showed positive staining for b-gal.




Figure 2. Generation of floxed transgenic mice. To generate the double and triple genetic mice (*TP53/BRCA1*; *Ovgp1::Cre-ERT2* and *TP53/Rb1*; *Ovgp1::Cre-ERT2*), we purchased these mice from the National Cancer Institute, and generated double transgenic mice by crossing *BRCA1* mice with *TP53* mice or *Rb1* mice with *TP53* mice. These mice carried floxed alleles, which can be distinguished from wild-type allele by presence of slower migrating PCR amplicons.

Oviduct IHC




Figure 3. Immunohistochemical analysis of WT1, Pax2, Ovgp1, Pax8, MCM7 and Ki67 markers in mouse tumor samples.

Summary of the staining

	oviduct		endometrium	
	control	Ogp1-SV40	control	Ogp1-SV40
SV40	-	+++	-	++
p53	-	+	-	+
Ogp1	++	+, patchy	-	-
WT1	++	-	+	++
Pax2	++	±	++	+
Pax8	++	+, patchy	-	-
Mcm7	-	+++	+	++
Ki67	-	+++	±	+

Table 1. Summary of immunohistochemical staining patterns of select proteins in the oviduct and endometrium of normal and transgenic mice.

Specific Aim 2 (1-24 months): To characterize tumor initiations and progression in conditional double knock-out of p53/Rb and p53/BRCA1 mice

- Concurrent with Specific Aim 1, we are generating triple transgenic mice to monitor tumor development at various time points. These experiments will continue with the approval by ACURO required as part of the institutional transfer.

KEY RESEARCH ACCOMPLISHMENTS:

- Generated a mouse model targeting expression of Cre-ERT2 to the fallopian tube using Ovgp1 promoter (Figure 1).
- Generated floxed p53/Rb and floxed p53/BRCA1 mice (Figure 2)
- Generating floxed p53/Rb; Ovgp1::Cre-ERT2 triple transgenic mice and floxed p53/BRCA1; Ovgp1::Cre-ERT2 triple transgenic mice (Figure 3)
- Established immunohistochemical staining conditions for p53, Ki67, WT1, PAX2, PAX8, and cytokeratin (Figure 4)

REPORTABLE OUTCOME: Studies are ongoing, and interim analysis of data indicates that we were able to generate triple transgenic mice. In addition, we established conditions optimal for induction of genetic recombination mediated by Cre under the control of tamoxifen. The interim results of the study were presented at the 2012 Annual Meeting of the American Association for Cancer Research. In addition, this funding has resulted in the employment of 0.5 FTE for a research fellow.

CONCLUSION: The study period starts from the August 2011 to August 2012. During that period, we started with planned studies by acquiring the transgenic mice needed for the study and by setting up mating cages for generating double and triple transgenic mice. In addition, we started establishing immunohistochemical staining procedures for expression of select proteins in mouse tissues and tumors. We established PCR conditions for genotyping of transgenic mice. In April of 2012, I moved from Mayo Clinic and transferred to current institution, University of Kansas Medical Center. As part of the move, the mouse research program was shut down as of April 13, 2012. We plan to restart the research studies as soon as new approved protocol is reviewed by ACURO. We have obtained approval from local IACUC for the resumption of studies. We have submitted the new protocol to be reviewed by ACURO.