

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Service, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY) 1 November 2012		2. REPORT TYPE Final		3. DATES COVERED (From - To) 15 Jan 2010 - 30 Jun 2012	
4. TITLE AND SUBTITLE Wideband Sonar Arrays for UUV and Weapon System Applications				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER N00014-10-1-0493	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Stephen C. Thompson				5d. PROJECT NUMBER 16422	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Applied Research Laboratory The Pennsylvania State University P.O. Box 30 State College, PA 16804				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Maria G. Medeiros Office of Naval Research 875 North Randolph Street Arlington, VA 22203-1995				10. SPONSOR/MONITOR'S ACRONYM(S) ONR	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT 20121107003					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Wideband sonar transducers find many applications in underwater vehicles. Two methods can be used to design wideband acoustic transducers. The multiply resonant transducer concept has found very limited operational application. Also, new piezoelectric materials have been developed that have very high electromechanical coupling coefficient and provide wider bandwidth. However, no study to date has compared these two design methods for performance and cost differences, and none has investigated the possible additional benefits of combining the two methods in a single transducer element for greater benefit than is available from either separately. That is the objective of the present study.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON Stephen C. Thompson
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U			19b. TELEPHONE NUMBER (Include area code) 814-865-0190



DTIC® has determined on 12/13/12 that this Technical Document has the Distribution Statement checked below. The current distribution for this document can be found in the DTIC® Technical Report Database.

☒ **DISTRIBUTION STATEMENT A.** Approved for public release; distribution is unlimited.
☐ **© COPYRIGHTED.** U.S. Government or Federal Rights License. All other rights and uses except those permitted by copyright law are reserved by the copyright owner.

☐ **DISTRIBUTION STATEMENT B.** Distribution authorized to U.S. Government agencies only (fill in reason) (date of determination). Other requests for this document shall be referred to (insert controlling DoD office).

☐ **DISTRIBUTION STATEMENT C.** Distribution authorized to U.S. Government Agencies and their contractors (fill in reason) (date determination). Other requests for this document shall be referred to (insert controlling DoD office).

☐ **DISTRIBUTION STATEMENT D.** Distribution authorized to the Department of Defense and U.S. DoD contractors only (fill in reason) (date of determination). Other requests shall be referred to (insert controlling DoD office).

☐ **DISTRIBUTION STATEMENT E.** Distribution authorized to DoD Components only (fill in reason) (date of determination). Other requests shall be referred to (insert controlling DoD office).

☐ **DISTRIBUTION STATEMENT F.** Further dissemination only as directed by (insert controlling DoD office) (date of determination) or higher DoD authority.

Distribution Statement F is also used when a document does not contain a distribution statement and no distribution statement can be determined.

☐ **DISTRIBUTION STATEMENT X.** Distribution authorized to U.S. Government Agencies and private individuals or enterprises eligible to obtain export-controlled technical data in accordance with DoDD 5230.25; (date of determination). DoD Controlling Office is (insert controlling DoD office).

Report Information

Name: STEPHEN THOMPSON

Organization: THE PENNSYLVANIA STATE UNIVERSITY APPLIED RESEARCH LABORATORY

Email: steve.thompson@psu.edu

Contract Information

Contract Number: N000141010493

Contract Title: Wideband Sonar Arrays for UUV and Weapon System Applications

Program Officer: Maria Medeiros

CO-PI Information:

- None

Abstract

Wideband sonar transducers find many applications in underwater vehicles. Two methods can be used to design wideband acoustic transducers. The multiply resonant transducer concept has found very limited operational application. Also, new piezoelectric materials have been developed that have very high electromechanical coupling coefficient and provide wider bandwidth. However, no study to date has compared these two design methods for performance and cost differences, and none has investigated the possible additional benefits of combining the two methods in a single transducer element for greater benefit than is available from either separately. That is the objective of the present study.

Technical Section

Technical Report File: [N0001410104931.doc](#) Cleared for Public Release

Slide File: [N0001410104931.ppt](#)

Progress Statement

Activity at the beginning of the Fiscal Year was delayed by the late delivery of the single crystal piezoelectric parts for the transducers. Delivery of the piezoelectric rings was promised in August 2011, but did not actually occur until late November. In the early months of 2012, Mr. Wilson built a single transducer element of his design to verify the assembly processes and procedures. Electrical bench tests of this element showed good performance throughout the frequency region of the two resonances and indicated that the modeled predictions should be obtained in water.

When a second element was built, its alumina (ceramic) headmass broke when the element was prestressed. Further element build was put on hold until the reason for this failure was identified. A more careful finite element analysis of the element under prestress identified that the static stress in the head near the stress bolt was high enough to cause concern in high power testing. It is likely that this relatively high stress in combination with a minor defect in the head caused the failure, as the first assembled transducer does not exhibit this failure.

Further assembly of the remaining elements, leading to acoustical testing in the ARL Acoustic Test Facility would have followed. At that time, however, Mr. Wilson encountered health problems that interfered with his ability to complete the work as scheduled. Project funds were exhausted in June 2012, and while Mr. Wilson did some work through the summer he has not been able to complete his degree. The Graduate Program in Acoustics and his thesis advisors would be happy to assist Mr. Wilson if he is able to return and complete his degree.

Refereed Journal Articles

• None																						
Books And Chapters • None																						
Technical Reports • None																						
Contributed Presentations • Description: Michael B. Wilson, Steophen C. Thompson and Thomas B. Gabrielson, "Design comparison of wideband tonpilz transducers using multiply resonant structures adn high coupling materials," presented at the International Workshop on Acoustic Transduction Materials and Devices, Penn State University, May 8-10 2012. Date: May, 2012																						
Patents • None																						
Honors • None																						
Related Sponsored Work • None																						
ONR Statistics <table> <tr> <td>Grad Students(total):</td> <td>1</td> </tr> <tr> <td>PI/Co-PI Women:</td> <td>0</td> </tr> <tr> <td>PI/Co-PI Minority:</td> <td>0</td> </tr> <tr> <td>Grad Students Women:</td> <td>0</td> </tr> <tr> <td>Grad Students Minority:</td> <td>0</td> </tr> <tr> <td>Post Docs Students:</td> <td>0</td> </tr> <tr> <td>Post Doc Women:</td> <td>0</td> </tr> <tr> <td>Post Doc Minority:</td> <td>0</td> </tr> <tr> <td>Under Grad Students(total):</td> <td>0</td> </tr> <tr> <td>Under Grad Students Women:</td> <td>0</td> </tr> <tr> <td>Under Grad Students Minority:</td> <td>0</td> </tr> </table>	Grad Students(total):	1	PI/Co-PI Women:	0	PI/Co-PI Minority:	0	Grad Students Women:	0	Grad Students Minority:	0	Post Docs Students:	0	Post Doc Women:	0	Post Doc Minority:	0	Under Grad Students(total):	0	Under Grad Students Women:	0	Under Grad Students Minority:	0
Grad Students(total):	1																					
PI/Co-PI Women:	0																					
PI/Co-PI Minority:	0																					
Grad Students Women:	0																					
Grad Students Minority:	0																					
Post Docs Students:	0																					
Post Doc Women:	0																					
Post Doc Minority:	0																					
Under Grad Students(total):	0																					
Under Grad Students Women:	0																					
Under Grad Students Minority:	0																					

Degrees Granted:	0
Invention disclosures citing ONR support:	0
Other funding sources:	1

Copyright (c) Strategic Analysis