

Prediction of Equatorial Spread F Based on Assimilation of Daytime GPS Data

Michael C. Kelley

School of Electrical and Computer Engineering

318 Rhodes Hall, Cornell University

Ithaca, NY 14853

phone: (607) 255-7425 fax: (607) 255-6236 email: mikek@ece.cornell.edu

Award Number: grant N00014-03-1-0243

LONG-TERM GOALS

Under ONR grant N00014-03-1-0243, we will explore the value of airglow imagers in the testing of assimilative models of the equatorial ionosphere. We have made data exchange agreements with both the Jet Propulsion Laboratory and the Air Force Research Laboratory in this regard. Our first goal is to verify conditions calculated by the models prior to the breakout of Equatorial Spread F (ESF), a severe ionospheric weather phenomenon. The second goal is to see if data assimilation can be used to predict these conditions and subsequently predict ESF itself. A third goal is to calibrate GPS occultation data using the Arecibo radar and then apply this method to determine the off-equatorial E-region conductivity.

OBJECTIVES

The objectives of the project are:

- (1) to compare COSMIC occultation measurements with Arecibo data;
- (2) to use the data assimilation techniques to predict the airglow characteristics and, eventually, ESF;
- (3) to use GPS occultations to determine the off-equatorial *E*-region conductivity.

APPROACH

We will work closely with the data assimilation modeling group at the Air Force Research Laboratory (AFRL). We have already used interplanetary electric field data to predict ESF. The airglow systems we are installing worldwide detect the depletion zones that are so disruptive to communications and navigation systems and hence can be used to check the predictions of severe weather. Concerning GPS, we will first calibrate the COSMIC system using incoherent scatter radar, then apply it to (3) above. We are working with the TIGRIST team to field a geostationary imager.

Report Documentation Page

*Form Approved
OMB No. 0704-0188*

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 30 SEP 2007	2. REPORT TYPE	3. DATES COVERED	
4. TITLE AND SUBTITLE Prediction Of Equatorial Spread F Based On Assimilation Of Daytime GPS Data		5a. CONTRACT NUMBER	
		5b. GRANT NUMBER	
		5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)		5d. PROJECT NUMBER	
		5e. TASK NUMBER	
		5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Cornell University, School of Electrical and Computer Engineering, 318 Rhodes Hall, Ithaca, NY, 14853		8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)	
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited.			
13. SUPPLEMENTARY NOTES The original document contains color images.			
14. ABSTRACT			
15. SUBJECT TERMS			
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	
			18. NUMBER OF PAGES 4
			19a. NAME OF RESPONSIBLE PERSON

WORK COMPLETED




Figure 1. First calibration from the COSMIC GPS occultation experiment.

Figure 1 shows one calibration of the COSMIC GPS occultation experiment, which is quite good. We are exploring the reasons for the discrepancy in other examples. Many more passes will be examined and a paper will be submitted this year.

RESULTS

We have published a *Geophysical Research Letters* article entitled “On measuring the off-equatorial conductivity before and during convective ionospheric storms” [Kelley *et al.*, 2004] under this grant and presented our calibration results twice at meetings in 2006. We hope to publish comparisons such as those above with as many as four models: IRI, AFRL, GAIM-JPL, and GAIM-USU.

IMPACT/APPLICATIONS

There is a great need for testing data assimilation methods in ionospheric space weather research. We will do this in one of the most important and severe space weather research areas. We feel that our testing methods will have an impact on the development of the AFRL assimilation model. The latter is a crucial component in a major DOD effort to predict communications and navigation outages in the C/NOFS Program. We also have some hope that by assimilating daytime TEC values and satellite electric field patterns we can predict ESF in the post-sunset period. GPS occultations are also to be used for assimilation models. Our calibration work is crucial in testing the validity of these data.

TRANSITIONS

We articulated an ESF prediction method, based on interplanetary data , that is capable of a 1-hour lead time and passed it on to the Air Force Research Laboratory.

RELATED PROJECTS

AFOSR funding of imagers in Hawaii for the C/NOFs project.

PUBLICATIONS

Kelley, M.C., V.K. Wong, G.A. Hajj, and A.J. Mannucci, On measuring the off-equatorial conductivity before and during convective ionospheric storms, *Geophys. Res. Lett.*, *31*, L17805, doi:10.1029/2004GL020423, 2004. [published, refereed]

Kelley, M.C., and M.J. Nicolls, Penetration of solar wind and magnetospheric electric fields to the inner magnetosphere, Fall AGU meeting, 2006. [accepted, refereed]

Kelley, M.C., V.K. Wong, M.J. Nicolls, A. Mannucci, and J. Chau, Calibration of COSMIC ionospheric profiles using incoherent scatter radars, Fall AGU meeting, 2006. [accepted, refereed]

Kelley, M.C., and J. Retterer, First successful prediction of a convective ionospheric storm using solar wind parameters, *Nature Geophys.*, submitted, 2007.