

Real-time HYCOM nowcast/forecast systems

*O. M. Smedstad
Planning Systems Inc.*

*J. A. Cummings, E. J. Metzger, P. J. Hogan, H. E. Hurlburt,
A. J. Wallcraft
Naval Research Laboratory*

*E. P. Chassignet
Florida State University*

<http://www.hycom.org>

*11th HYCOM Consortium Meeting
24-26 April 2007
Stennis Space Center*

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE APR 2007		2. REPORT TYPE		3. DATES COVERED 00-00-2007 to 00-00-2007	
4. TITLE AND SUBTITLE Real-time HYCOM nowcast/forecast systems				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Research Laboratory,Stennis Space Center,MS,39529				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 26	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Present nowcast/forecast systems

1/12° Atlantic near real-time system

- *Running once a week since July 2002*
- *Assimilation: gridded surface observations only*
- *10 day hindcast, 14 day forecast*

1/12° Global real time system

- *Running since December 2006*
- *Assimilation: NCODA*
- *5 day hindcast, 5 day forecast*



1/25° Gulf of Mexico real time system

- *Running since November 2006*
- *Assimilation: NCODA*
- *5 day hindcast, 7 day forecast*

1/12° Atlantic HYCOM


SSH in Gulf Stream and Gulf of Mexico region

9 March 2007



White/black line is the frontal analysis of MCSST observations performed at NAVOCEANO. Black line represents data more than four days old.

Navy Coupled Ocean Data Assimilation (NCODA)



MVOI - simultaneous analysis 5 ocean variables temperature, salinity, geopotential, layer pressure, velocity (u,v)

HYCOM/NCODA coupling

- HYCOM to 3D z-grid
- NCODA analysis on z-grid
- Use the NCODA analysis in an incremental updating of the HYCOM variables.
- Run with a daily NCODA analysis

1/12° Global HYCOM Configuration

- Horizontal grid: 1/12° equatorial resolution
 - 4500 x 3298 grid points, ~6.5 km spacing on average, ~3.5 km at pole
- Mercator 79°S to 47°N, then Arctic dipole patch
- Vertical coordinate surfaces: 32 for σ_2^*
- KPP mixed layer model
- Thermodynamic (energy loan) sea-ice model
- Surface forcing: wind stress, wind speed, thermal forcing, precipitation, relaxation to climatological SSS
- Monthly river runoff (986 rivers)
- Initialize from January climatology (GDEM3) T and S, then SSS relaxation from PHC 3.0
 - No subsurface relaxation to climatology

1/12° Global HYCOM


- Two hindcast experiments initialized in November 2003
- Both experiments cover 2004, continuing last experiment through 2005(2006)
- 30 day forecasts once a month from hindcast run
 - With analyzed quality atmospheric forcing
 - With forcing reverting to climatology after 5 days
- Real time experiment started 25 December 2006
 - Running 5 day hindcast and 3 day forecast since mid February

1/12° Global HYCOM

Hindcast started 2 November 2003



SSH 12 November 2003

sea surface height 30 November 2003 (60.4)




1/12° Global HYCOM

2004 Mean SSH



White lines are the mean position and +/- 1 stdv


Florida Current transport at 27°N



1/12° Global HYCOM

Offset by 4.2Sv

1 December 2003
to
31 December 2004




1/12° Atlantic HYCOM

Cable data: <http://www.aoml.noaa.gov/phod/floridacurrent/>


1/12° Global HYCOM

Real time run started 25 December 2006

SSH date: Mar 24, 2007 90.2



HYCOM/NCODA Runstream




- 1) Perform first NCODA analysis centered on tau = -120
- 2) Run HYCOM for 24 hours using incremental updating (■) over the first 6 hrs
- 3) Repeat steps 1) and 2) until the nowcast time
- 4) Run HYCOM in forecast mode out to tau = 96, eventually to tau = 120

Approximate run times* (using 379 IBM Power 5+ processors):

- 1) Six NCODA analyses: 0.9 hrs/analysis = 5.4 hrs
- 2) Five HYCOM hindcast days @ 150 sec Δt : 1.1 hrs/day = 5.5 hrs
- 3) Four HYCOM forecast days @ 150 sec Δt : 1.1 hrs/day = 4.4 hrs
- 4) Total: 15.3 hrs

* Timings do not include PIPS coupling; assimilation in the Mercator part of grid only

HYCOM/NCODA Runstream




- 1) Perform first NCODA analysis centered on tau = -126, i.e. 18Z
- 2) Run HYCOM for 24 hours using incremental updating (■) over the first 6 hrs starting at 18Z
- 3) Repeat steps 1) and 2) until the nowcast time
- 4) Run HYCOM in forecast mode out to tau = 96, eventually to tau = 120

Under this scheme the incremental updating ends at the nowcast time (00Z) whereas in the previous scheme incremental updating ended at 06Z and the 00Z nowcast actually represents an 18-hour forecast from the previous day. Most results shown in this presentation are from 18-hour forecasts.


1/12° Global HYCOM

NCODA observations 20 February to 21 March 2007


SSH




SST



In situ SST




Profiles




1/12° Global HYCOM

SSH and SST verification 20 February to 20 March 2007

SSH verification





SST verification



1/12° Global HYCOM

9 March 2007



White/black line is the frontal analysis of MCSST observations performed at NAVOCEANO. Black line represents data more than four days old.


1/25° Gulf of Mexico HYCOM CONFIGURATION

- Horizontal grid: 1/25° (517 x 349 grid points, 4 km spacing on average)
- 18°N to 31°N
- 20 vertical coordinates
- Bathymetry: real coastline (minimum depth 2m)
- Surface forcing from FNMOC/NOGAPS
- Monthly river runoff
- Nested Boundary:
relaxation to the 1/12° Atlantic HYCOM climatological T, S, U and V along open boundary


1/25° Gulf of Mexico HYCOM

NCODA observations 20 February to 21 March 2007


SSH



SST



In situ SST




Profiles

Profiles not available


1/25° Gulf of Mexico HYCOM

NCODA observations 20 February to 21 March 2007

SSH verification




SST verification



1/25° Gulf of Mexico HYCOM


9 March 2007



White/black line is the frontal analysis of MCSST observations performed at NAVOCEANO. Black line represents data more than four days old.

1/25° Gulf of Mexico HYCOM

1/25° HYCOM SSH nowcast (90.1) 20070309




White/black line is the frontal analysis of MCSST observations performed at NAVOCEANO. Black line represents data more than four days old.

9 March 2007


1/12° Global HYCOM

sea surf. height 20070309 [90.2]




1/12° Atlantic HYCOM

1/12° HYCOM SSH nowcast (9.1) 20070309




1/25° GULF OF MEXICO HYCOM

1/25 GOM (90.1) 2007022700





1/25° GULF OF MEXICO HYCOM

1/25 GOM (90.1) 2007022700



1/12° Global HYCOM


2007022700



1/12° Atlantic HYCOM


1/25° Gulf of Mexico HYCOM

Currents in Northern Gulf of Mexico



Coupling with SWAN


1/25° GOM HYCOM currents




13 March 15:00Z

From Erick Rogers

Wave prediction without accounting for currents



Wave prediction with accounting for currents



Future

- Assimilation in curvilinear part of domain
- Assimilation of ice concentration

<http://www.hycom.org>