



NAC Aftermarket Brake Components Project (Secondary Items)

SAE Paper #2006-01-3192

25 September 2006, Grapevine Version R4 (Final)



SUPERIOR TECHNOLOGY



FOR A



SUPERIOR ARMY



RDECOM

TACOM
The Soldier and Ground Systems
Life Cycle Management Command

TARDEC
U.S. ARMY TANK AUTOMOTIVE RESEARCH, DEVELOPMENT AND ENGINEERING CENTER

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 25 SEP 2006		2. REPORT TYPE N/A		3. DATES COVERED -	
4. TITLE AND SUBTITLE NAC Aftermarket Brake Components Project (Secondary Items)				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Leo P. Miller				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) US Army RDECOM-TARDEC 6501 E 11 Mile Rd Warren, MI 48397-5000, USA				8. PERFORMING ORGANIZATION REPORT NUMBER 16562	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) US Army RDECOM-TARDEC 6501 E 11 Mile Rd Warren, MI 48397-5000, USA				10. SPONSOR/MONITOR'S ACRONYM(S) TACOM/TARDEC	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) 16562	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES The original document contains color images.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT SAR	18. NUMBER OF PAGES 18	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			



NAC Aftermarket Brake Components Project

By: Leo Miller, USA National Automotive Center, and
Carlos Agudelo, LINK Testing Laboratories, Inc.

“Full-and-Open Competition”

- Eliminate major brake component spare parts issues resulting from “sole source” and establish alternatives to traditional on-vehicle brake system component testing without conflicting with FMVSS to qualify alternate sources of supply.



TACOM
The Soldier and Ground Systems
Life Cycle Management Command

SUPERIOR TECHNOLOGY FOR A SUPERIOR ARMY

TARDEC
U.S. ARMY TANK-AUTOMOTIVE RESEARCH DEVELOPMENT AND ENGINEERING CENTER



NAC Aftermarket Brake Components Project

WHY ?

- Because we (US Army) “can”!
- Because we (DOD) have to “by law”!
- Because there’s nothing out there already which is readily useable.
- Because an industry-wide off-vehicle “fix” wasn’t in the foreseeable future.



NAC Aftermarket Brake Components Project

FMVSS says:

"No manufacturer, distributor, dealer or motor vehicle repair business shall knowingly render inoperative, in whole or part, any device or element of design installed on or in a motor vehicle or item of motor vehicle equipment in compliance with an applicable FMVSS..."

(Federal Safety Act of 1966 (PL 95-599), Section 108, Paragraph 2[A])



NAC Aftermarket Brake Components Project

“While on routine patrol.....”

- Project initiated as a result of Congressional interest and supplier complaints (both from PA) of inability to qualify or bid on HMMWV-ECV model “sole-source” disk brake pads.
- Basically no US Federal requirements for aftermarket parts.
- No formal military processes to “qualify” alternatives and prohibitive costs to conduct on-vehicle vehicle testing.
- Army’s historical lack of in-house expertise.
- Fiscal constraints and political/managerial issues not unique to US Army, but major performance and logistical issues are.



NAC Aftermarket Brake Components Project

Program Objectives by Army Stakeholders and Other Customers.

- “Fix the problem”; “get it done as quickly as possible”; and “don’t expand the scope!” !
- Develop formalized methodology/processes to “fix” the sole-source problems on latest HMMWV disk brake pads – later expanded to all vehicle systems, “if practical and value-added!”
- Keep acceptability decision with assigned vehicle system engineer or designated equivalents only!
- Make sure both the Congressman and his constituent are happy, if possible!



NAC Aftermarket Brake Components Project

Unofficial Program Objectives from PMO/ESA Stakeholders.

- **“Jennerstown testing”** Meant that realistic TOP 2-2-608 inertia brake dynamometer simulations approximating vehicle tests.
- **“SAE approval”** Meant to require participation and technical input by SDO’s and commercial truck marketplaces.
- **“Aberdeen approval”** Meant to require participation and technical input by military technical managers and testers, but “approval” not officially required of these orgs on secondary items.
- **“HMMWV brake temps”** Meant we must approximate highest Aberdeen Product Verification Testing (PVT) temps.
- **“Affordability”** Meant “affordability” for potential offerors without increasing risks to military users, programs, or budgets.



NAC Aftermarket Brake Components Project

Enabling Technical Decisions.

- Vehicle system engineer (aka “ESA” in specs) retains full approval authority; keep acquisition, testers, and logisticians from making decisions for Army.
- To be useable, the ATPD/MIL-SPEC can't be “pass-or-fail” document and must be “apples-to-apples” comparison between originally OEM and alternate offerings.
- “Mandatory” shall be minimum tests, testing and observations acceptable for a reasoned decision to accept or reject.
- GVW and similar won't work for military due to all the different models and missions, so OEM “brake rating” and OEM hub hardware for fixturing used as much as possible.



NAC Aftermarket Brake Components Project

How'd We Do it: What's an ESA ? (Short version!)

- *The inclusive term “ESA” (Engineering Support Activity) shall be defined as the responsible Army vehicle system engineering authority, equivalent non-Army Governmental vehicle design authority, or non-US Governmental civilian engineering activity’s designated vehicle or brake program engineer when used solely as a commercial/civilian undertaking. This definition may also include civilian commercial fleet owners or their designated surrogates when subject specification is used as a decision support tool for the specific brake replacement items covered by subject specification.*
- *DOD procurement offices/activities, other Government and quasi-Government procurement offices/activities, civilian/commercial buying offices/activities, and other similar non-engineering functions are specifically excluded from this definition as they do not have the vehicle system engineering expertise and/or legal approval authority required for brake systems and their subcomponents.*



NAC Aftermarket Brake Components Project

Enabling Decisions (continued).

- Offeror shall pay for “mandatory” testing; “optional” testing directed by and paid for by the Government!
- Testing activity shall be ISO 17025 registered or certified prior to start of testing!
- Offerors or suppliers can not qualify their products as a result of the ATPD/MIL-SPEC validation testing by the Government!
- Maximum use of existing civilian industry standards and procedures to increase acceptance and reduce program risk!
- Initial testing structure was based on ISO CD 15484 by LINK!



NAC Aftermarket Brake Components Project

Challenges (New and Older Problems).

- HMMWV is our traditional “600-pound Gorilla”; all up-armored vehicles must be addressed.
- Common test processes must cover air and hydraulic across a broad spectrum, all presumed to be over 10K GCV.
- “Wet” brakes, odd or very low-density, and “E” brakes dropped or moved for now to reduce volume and complexity of ATPD-2354.
- The logistical and acquisition roles must be considered and common ground found between TACOM-Warren and DLA-Columbus NICPs (spares acquisitions).
- Who really has the power to say “yes” within the Government?



NAC Aftermarket Brake Components Project

Some good, some bad, and.....

1. GOOD:

- a. Availability of historical Government brake test data (“Aberdeen”).
- b. CRADA partners Link Testing Laboratories & TMC/ATA
- c. Support and funding has been based on significant cost savings, not the latest silver-bullet-fix technical fixes.

2. BAD:

- a. “Rice bowl” issues both inside and outside the Government.
- b. Lack of readily available SDO and/or commercial equivalent specs for off-vehicle/non-FMVSS performance, wear, crack/fatigue, etc.
- c. Nothing already in-place to fix/modify and most active vehicle stakeholders perceived as risk-adverse/reluctant to be first to adopt.



NAC Aftermarket Brake Components Project

Create, Innovate, and Exploit to Achieve Goals!

1. Four Test Methods give “apples-to-apples” data to cover legacy vehicles, over-loads, commercial/non-tactical, and pure R&D.
2. Fixturing is defined and limited by Test Method to reduce complexity, costs, and duplications; alternatives provided.
3. TARDEC-managed “ATPD” allows early implementation by TACOM and DLA to fill time gap before DODISS approvals.
4. Proposed test methodology must be practical and sellable to all potential users: PEO/PMO, TACOM, DLA, other Services, etc.



NAC Aftermarket Brake Components Project

What's it look like?

ITEM	ATPD 2354 (MIL-SPEC) Mandatory Test Plan TYPE OF TEST Test Plan No. 1: Disc pads and brake shoes	Hydraulic Air/Both	Standard/Test procedure	TEST PLAN	
				Baseline & One (1)	# of test
	PHYSICAL & DIMENSIONAL PROPERTIES				
1	Material Identification/Certifications - as required when identified by requirement, specification, drawing, or purchase order.	both	CoC/Lab Results	All & All	12
2	Visual inspection	both	ISO/PAS CD 22574 (FEMFM website)	12 & 12	24
3	Pre-test inspection and measurements	both	MIL-STD 810 paragraph 4.4.1.1	12 & 12	24
4	Shear strength adhesion/bonding (-40 °C)	hydraulic	SAE J840 (ISO 6312)	3 & 3	6
5	Shear strength adhesion/bonding (750 °F) (400 °C)	hydraulic	SAE J840 (ISO 6312)	3 & 3	6
6	Compressibility, ambient	both	SAE J2468 (ISO 6310)	3 & 3	6
7	Compressibility, elevated temperature	both	SAE J2468 (ISO 6310)	3 & 3	6
8	Hardness on metallic parts (rotor, drum, shoe, backing plate)	both	ASTM E 10	3 & 3	6
9	Thermal swell and growth	both	SAE J160	3 & 3	6
	INERTIA-DYNAMOMETER FRICTION BEHAVIOR and PERFORMANCE				
10	Friction Behavior and Performance Assessment Hydraulic Brakes single-ended; with front/rear balance assessment (up to V_{max})	hydraulic	SAE J2522 (ISO NWI 26867) (SAE J2784)	3 & 3	6
11	Hill hold ability evaluation (included in item 10)	hydraulic	ATPD 2354 paragraph 5.6		
12	Friction Behavior and Performance Assessment Air Brakes single-ended; with front/rear balance assessment	air	SAE J2115	3 & 3	6
13	Hill hold ability evaluation (included in item 12)	air	ATPD 2354 paragraph 5.6		
14	Friction Behavior and Performance Assessment Hydraulic Brakes dual-ended left/right (up to V_{max})	hydraulic	SAE J2522 (ISO NWI 26867) (SAE J2784)	Mixed	3
15	Friction Behavior and Performance Assessment Air Brakes dual-ended left/right	air	SAE J2115	Mixed	3
	INERTIA-DYNAMOMETER PERFORMANCE, WEAR, and NOISE (TOP 2-2-608)				
16	Jennerstown Fade Dyno test with noise	both	ATPD App. XX W05065LINKA-C1	3 & 3	6
17	Wear and durability (Laurel Mountain 4 Cross-Country cycles) with noise	both	ATPD App. XX W05065LINKA-C1	3 & 3	6
	Total number of test samples submitted by axle sets			20 & 20	



NAC Aftermarket Brake Components Project


What's it look like?

ITEM	ATPD 2354 (MIL-SPEC) Mandatory Test Plan TYPE OF TEST Brake rotors and drums	Hydraulic Air/Both	Standard/ Test procedure	TEST PLAN	
				Baseline & Candidate	# of tests
PHYSICAL & DIMENSIONAL PROPERTIES					
1	Material Identification/Certifications - as required when identified by requirement, specification, drawing, or purchase order.	both	CoC/Lab Results	All & All	12
3	Pre-test inspection and measurements	both	MIL-STD 810 paragraph 4.4.1.1 & W05036LINKB-DO "REV X"	All & All	12
4	Hardness	both	ASTM E 10	3 & 3	6
INERTIA-DYNAMOMETER ROTOR/DRUM PHYSICAL PERFORMANCE					
6	Disc and Drum crack and strength test	both	W05036LINKB-DO "REV X" (SAE J2686 drum)	1 & 3	4
INERTIA-DYNAMOMETER FRICTION COUPLE PERFORMANCE AND DURABILITY					
7	Friction Behavior and Performance Assessment Hydraulic Brakes single-ended; with front/rear balance assessment (up to V_{max})	hydraulic	SAE J2522 (ISO NWI 26867) (SAE J2784)	3 & 3	6
8	Hill hold ability evaluation (included in item 7)	hydraulic	ATPD 2354 paragraph 5.6		
9	Friction Behavior and Performance Assessment Air Brakes single-ended; with front/rear balance assessment	air	SAE J2115	3 & 3	6
10	Hill hold ability evaluation (included in item 9)	air	ATPD 2354 paragraph 5.6		
11	Jennerstown Fade Dyno test with noise	both	W05065LINKA-C1 "REV X"	3 & 3	6
12	Wear and durability (Laurel Mountain 4 Cross-Country cycles) with noise	both	W05065LINKA-C1 "REV X"	3 & 3	6
Total number of test samples submitted by axle sets				20 & 20	



NAC Aftermarket Brake Components Project

What's it look like?





NAC Aftermarket Brake Components Project

What's next?

1. Co-author SAE and TMC/ATA Draft Recommended Practices (RP) by LINK and TARDEC under existing agreements, 1CFY07.
2. Convert interim "ATPD" to MIL-STD-962 style Federal Test Standard during 2-3QCY07.
3. Potential follow-on development of ISO/ECE and/or Federal requirements effort with commercial industry partners.
4. High-potential proposal by DLA-Columbus (DSCC) to expand project to cover "all" ground vehicle brake system spare parts.



NAC Aftermarket Brake Components Project

Summary and Points of Contact.

“We took what was there, added some ISO, MIL-SPEC, and LINK stuff (with their permission) and created a workable and sellable output that will benefit the US Army and, by extension with appropriate changes, will form the basis for similar programs in the civilian sector.” (Leo, Jul ‘06)

CARLOS E. AGUDELO
Engineering Manager
Link Testing Laboratories, Inc.
13840 Elmira Ave.
Detroit, MI 48227
Comm. 313.933.4900
Fax: 313-933-0710
c.agudelo@linktestlab.com
c.agudelo@linkeng.com

LEO MILLER, TIPO
US Army RDECOM-TARDEC
USA National Automotive Center
AMSRD-TAR-N, MS289
Warren, MI 48397-5000
Comm. 586-574-6954
Fax: 586-574-7788
millerle@tacom.army.mil
leo.miller@us.army.mil