




Laboratory Accreditation Bureau (L-A-B)

Recognized by:



Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 28 MAR 2011		2. REPORT TYPE		3. DATES COVERED 00-00-2011 to 00-00-2011	
4. TITLE AND SUBTITLE Laboratory Accreditation Bureau (L-A-B)				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Laboratory Accreditation Bureau (L-A-B),11617 Coldwater Rd. Ste 101,Fort Wayne,IN,46845				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Presented at the 2011 DoD Environmental Monitoring & Data Quality Workshop (EMDQ 2011), 28 Mar ? 1 Apr, Arlington, VA. U.S. Government or Federal Rights License					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 15	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Introduction of L-A-B

- Improving Laboratories through Accreditation since 1999
- Located in Fort Wayne, Indiana
- Specializing in Testing and Calibration Lab Accreditation
- TAG and Assessor Motto: Confidence, Competence, Communication, and Consistency

L-A-B Organization

- Doug Leonard, President/COO
- Pat Douglass, Sales Manager*
- Jason Stine, Testing Program Manager
- Zaneta Popovska, Testing Program Manager*
- Ryan Fischer, Metrology
- Randy Long, Metrology
- Kelli Jennisch, Technical Coordinator
- Linda Mumma, Office Manager
- Jessica Balyeat, Receptionist
- Sara Geist, PT Coordinator*

L-A-B Organization

- 45 Active Assessors (8 for DoD ELAP)
- 61 TAG Members
- 11 TAG Members specifically for the DoD ELAP program with a variety of backgrounds
- TAG membership is open to all Technical Advisors. Must agree with code of conduct, confidentiality and our mission

DoD ELAP Program

- ISO/IEC 17025:2005 and DoD QSM along with L-A-B Policy requirements (ILAC/APLAC/NACLA recognition requirements)
- Program has been brought into current accreditation process
- Additional DoD QSM requirements fit well in current 17025 process ... just much, much more. Sector Specific.


Outcome (L-A-B case)

- 83 Applications (sites) – still coming in
- 21 Sites Accredited to date
- 4 labs still in the process
- Labs have improved. Labs have proven they can and do meet the requirements. They are competent to perform environmental testing. Many have moved from compliance to continuous improvement.

Common Non-Compliances

- 5.4.1.1 – Standard Operating Procedures
- Gray Box 31 – Equipment
- 5.9.2 d) – Quality Control Protocols
- 4.2.1 – Quality System
- 4.12.2.5.3 i) – Reagent Records
- 4.12.2.5.3 c) – Instrument Records


Common Non-Compliances



Program Trends

- Typically labs have reduced the number of N/Cs from 1st year to 2nd.
- Generally N/Cs have gone from traceability requirements and fundamental quality system issues to more record keeping and equipment related
- Compliance to Continuous Improvement starting

Program Trends



Complaints from the Laboratories

- Cost/Time of Assessment
- Duplicity with NELAC
- Time to Change A Scope
- Time to Get on DENIX
- Laboratory clients still not specifying current version of DoD QSM

Complaints from Assessors

- Documentation extensive to review
- Not enough time and money
- Should be able to combine with NELAC
- Need a better way of tracking PT and reporting

Complaint from a Laboratory's DoD Client

- Corrective Action sent to laboratory client from lab not adequate or appropriate for complaint
- Involved and complicated but basically;
- The root cause investigation at the laboratory did not dig deep enough

L-A-B Internal Improvements from Complaints

- Created new - streamlined internal documentation to assure efficiency in scope changes (20+) outside of normal cycle
- Created fully functioning automatic PT tracking database working with PT providers and TNI ... automatic uploading of data and tracking.

Feedback and Next Steps

- Great Feedback (“A to A+”) from labs.
- Work to further our consistency within our accreditations and over all accreditations (this meeting and this week)
- Improve Laboratories through Accreditation