



Engineer Research and
Development Center

Overview of GenCade in SMS 11.1

Ashley Frey

GenCade Webinar

16-18 October 2012



US Army Corps
of Engineers®



Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE OCT 2012		2. REPORT TYPE		3. DATES COVERED 00-00-2012 to 00-00-2012	
4. TITLE AND SUBTITLE Overview of GenCade in SMS 11.1				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Corps of Engineers,U.S. Army Engineer Research and Development Center,3909 Halls Ferry Road,Vicksburg,MS,39180-6199				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES GenCade Webinar, Coastal Inlets Research Program, 16-18 October 2012.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 33	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Overview of Presentation

- Introduction to GenCade in the SMS
 - Conceptual model
 - Set up shorelines, waves, and structures in real-world coordinates
 - GenCade model
 - All features are referenced to grid cell numbers
 - GenCade input files are created
 - Set up model control
 - Run GenCade
 - View results




BUILDING STRONG®



Innovative solutions for a safer, better world


Define as GenCade



BUILDING STRONG®

Innovative solutions for a safer, better world


Location of Executable



BUILDING STRONG®

Innovative solutions for a safer, better world


Define Projection



BUILDING STRONG®

Innovative solutions for a safer, better world

Define Initial Shoreline




BUILDING STRONG®

Innovative solutions for a safer, better world



Add New Coverage




BUILDING STRONG®

Innovative solutions for a safer, better world



Define Regional Contour




BUILDING STRONG®

Innovative solutions for a safer, better world



Merge Coverages




BUILDING STRONG®

Innovative solutions for a safer, better world



Merged Coverages




BUILDING STRONG®

Innovative solutions for a safer, better world




Convert to New Projection



BUILDING STRONG®

Innovative solutions for a safer, better world

Convert to New Projection



BUILDING STRONG®

Innovative solutions for a safer, better world

Inlets

GenCode Arc Attributes

Arc Options

Inlet

Attributes...

Help... OK Cancel

Inlet Shoal Volumes

	Initial	Equilibrium
Ebb	5000000.0	5000000.0
Flood	1000000.0	1000000.0
Left Bypass	1000000.0	1000000.0
Left Attachment	500000.0	500000.0
Right Bypass	1000000.0	1000000.0
Right Attachment	500000.0	500000.0

Help... OK Cancel

Inlets (Reservoir Model and Jetties)

	Name of Inlet	Cell	(yd³)	Control	Manage	Left Bypass Coef	Right Bypass Coef
1	Galveston	Position...	Volume...	Jetties...	Dredging...	1.0	1.0

Dredging Events

	Begin Date	End Date	Shoal to Be Mined	Volume (yd³)
1	01-Jan-1996	01-Mar-1996	Ebb	1000000.0
2	25-Sep-2012	25-Sep-2012		




BUILDING STRONG®

Innovative solutions for a safer, better world




Jetties



BUILDING STRONG®

Innovative solutions for a safer, better world

Seawall



BUILDING STRONG®

Innovative solutions for a safer, better world



Groins

The screenshot displays the SMS 11.1 Development software interface. The main window shows a map of a coastal area with a blue line representing a groin structure. Two dialog boxes are open:

- GenCode Arc Attributes**: This dialog box is titled "GenCode Arc Attributes" and contains a section for "Arc Options". A dropdown menu is set to "Groin", and there is an "Attributes..." button. At the bottom are "Help...", "OK", and "Cancel" buttons.
- Groins**: This dialog box is titled "Groins" and contains a table with the following data:

	Cell Index	Length (ft)	Permeability	Diffracting	Seaward Depth (ft)
1	0	0.0	0.1	☒	8.0

Arrows indicate the workflow: one arrow points from the "Attributes..." button in the "GenCode Arc Attributes" dialog to the "Groins" dialog, and another arrow points from the "Groins" dialog to the map area where the groin structure is being edited.



BUILDING STRONG®

Innovative solutions for a safer, better world



Beach Fill

SMS 11.1 Development - [untitled.sms]

Map Data
Merge coverage
Images
2008_Galveston

GenCode Arc Attributes

Arc Options
Beach Fill Event
Attributes...
Help... OK Cancel

Beach Fill

	Begin Date	End Date	Start Cell	End Cell	Added Berm Width (ft)
1	01-Jan-1995	01-Mar-1995	0	0	30.0
2	25-Sep-2012	25-Sep-2012	0	0	

(3290721.0, 13663961.0)



BUILDING STRONG®

Innovative solutions for a safer, better world

Detached Breakwater

The screenshot shows the SMS 11.1 Development software interface. The main window displays a map with a breakwater structure. A dialog box titled "GenCode Arc Attributes" is open, showing the "Arc Options" section with a dropdown menu set to "Breakwater" and an "Attributes..." button. Another dialog box titled "Detached Breakwaters" is open, displaying a table with the following data:

	Start Cell	Y1 (ft)	Depth 1 (ft)	End Cell	Y2 (ft)	Depth 2 (ft)	Transmission	Coeff/Perm/Atts
1	0	0.0	5.0	0	0.0	5.0	Ahren's	0.0

The "Transmission" dropdown menu is open, showing the following options: Constant, Ahren's, Seabrook & Hall, and d'Angremond.




BUILDING STRONG®

Innovative solutions for a safer, better world



Grid Setup



BUILDING STRONG®

Innovative solutions for a safer, better world



Wave Gauges

The screenshot displays the SMS 11.1 Development software interface. The 'Refine Point' dialog box is open, showing the 'Attributes' section with the 'Wave gage' checkbox checked. An arrow points from this checkbox to the 'Wave Gages' dialog box. The 'Wave Gages' dialog box shows a table with one row of data: Cell 258, Depth (ft) 50.0, and a 'Data...' button. Another arrow points from the 'Data...' button to the 'Wave Events' dialog box. The 'Wave Events' dialog box displays a table of wave data for January 1, 1995, from 0:00 to 19:00. The table has columns for Date, H0 (m), Period (sec), and Direction (deg). The 'Interpret Directions As' section shows a dropdown menu with 'Shore Normal' selected. A third arrow points from the 'Wave Events' dialog box to a small map in the bottom right corner of the main window.

Refine Point

Attributes

☐ Refine grid in I direction

Base cell size: 1.0

☒ Wave gage

Options...

Help... OK Cancel

Wave Gages

	Cell	Depth (ft)	
1	258	50.0	Data...

Wave Events

	Date	H0 (m)	Period (sec)	Direction (deg)
1	01-Jan-1995 0:00	1.0	5.0	10.0
2	01-Jan-1995 1:00	1.0	5.0	10.0208
3	01-Jan-1995 2:00	1.0	5.0	10.0417
4	01-Jan-1995 3:00	1.0	5.0	10.0625
5	01-Jan-1995 4:00	1.0	5.0	10.0833
6	01-Jan-1995 5:00	1.0	5.0	10.1042
7	01-Jan-1995 6:00	1.0	5.0	10.125
8	01-Jan-1995 7:00	1.0	5.0	10.1458
9	01-Jan-1995 8:00	1.0	5.0	10.1667
10	01-Jan-1995 9:00	1.0	5.0	10.1875
11	01-Jan-1995 10:00	1.0	5.0	10.2083
12	01-Jan-1995 11:00	1.0	5.0	10.2292
13	01-Jan-1995 12:00	1.0	5.0	10.25
14	01-Jan-1995 13:00	1.0	5.0	10.2708
15	01-Jan-1995 14:00	1.0	5.0	10.2916
16	01-Jan-1995 15:00	1.0	5.0	10.3125
17	01-Jan-1995 16:00	1.0	5.0	10.3333
18	01-Jan-1995 17:00	1.0	5.0	10.3541
19	01-Jan-1995 18:00	1.0	5.0	10.375
20	01-Jan-1995 19:00	1.0	5.0	10.3958

Interpret Directions As

Convention: Shore Normal

Shore Normal
Oceanographic
Meteorologic
Cartesian


Help... Import... OK Cancel



BUILDING STRONG®

ns for a safer, better world


Convert to 1D Grid



BUILDING STRONG®

Innovative solutions for a safer, better world

GenCade Model




BUILDING STRONG®

Innovative solutions for a safer, better world



GenCade Model




BUILDING STRONG®

Innovative solutions for a safer, better world



GenCade Model Control




BUILDING STRONG®

Innovative solutions for a safer, better world



GenCade Model Control




BUILDING STRONG®

Innovative solutions for a safer, better world



GenCade Model Control




BUILDING STRONG®

Innovative solutions for a safer, better world



GenCade Model Control




BUILDING STRONG®

Innovative solutions for a safer, better world



Run GenCade




BUILDING STRONG®

Innovative solutions for a safer, better world



GenCade Results




BUILDING STRONG®

Innovative solutions for a safer, better world



GenCade Results




BUILDING STRONG®

Innovative solutions for a safer, better world



GenCade Results




BUILDING STRONG®

Innovative solutions for a safer, better world



GenCade Results




BUILDING STRONG®

Innovative solutions for a safer, better world



GenCade Results



BUILDING STRONG®

Innovative solutions for a safer, better world