

Determination of Altitude Sickness Risk (DASR) User's Guide

by David P. Sauter and Yasmina Raby

ARL-TN-0585

November 2013

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

Army Research Laboratory

White Sands Missile Range, NM 88002-5501

ARL-TN-0585

November 2013

Determination of Altitude Sickness Risk (DASR) User's Guide

David P. Sauter

Computational and Information Sciences Directorate, ARL

Yasmina Raby

Oak Ridge Institute for Science and Education

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) November 2013		2. REPORT TYPE Final		3. DATES COVERED (From - To) 17 Jan 2013–9 Oct 2013	
4. TITLE AND SUBTITLE Determination of Altitude Sickness Risk (DASR) User's Guide				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) David Sauter and Yasmina Raby*				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory Computational and Information Sciences Directorate Battlefield Environment Division (ATTN: RDRL-CIE-D) White Sands Missile Range, NM 88002-5501				8. PERFORMING ORGANIZATION REPORT NUMBER ARL-TN-0585	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES *Oak Ridge Institute for Science and Education					
14. ABSTRACT: Working in high-altitude environments can adversely impact Soldier effectiveness and result in serious health effects or even death. This technical note describes an easy to use mobile application that can be used to provide guidance on these effects.					
15. SUBJECT TERMS: altitude sickness					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 18	19a. NAME OF RESPONSIBLE PERSON David P. Sauter
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (Include area code) (575) 678-2078

Standard Form 298 (Rev. 8/98)
Prescribed by ANSI Std. Z39.18

Contents

List of Figures	iv
Acknowledgments	v
1. Introduction	1
2. DASR Inputs	1
3. Summary	7
List of Symbols, Abbreviations, and Acronyms	8
Distribution List	9

List of Figures

Figure 1. Launch DASR.	2
Figure 2. Environmental Factors view.....	3
Figure 3. Mission Factors view.....	4
Figure 4. Individual Factors view.	5
Figure 5. Risk view.	6
Figure 6. Information view.	7

Acknowledgments

This research was supported in part by an appointment to the Postgraduate Research Participation Program at the U.S. Army Research Laboratory (ARL) administered by the Oak Ridge Institute for Science and Education through an interagency agreement between the U.S. Department of Energy and ARL.

INTENTIONALLY LEFT BLANK.

1. Introduction

The Determination of Altitude Sickness Risk (DASR) application (app) provides guidance regarding impacts to physical work performance and cognitive performance as well as the risk of altitude illness as a function of environmental, mission, and individual factors. Output is based directly on information found in Table 3-2 in the *Altitude Acclimatization and Illness Management* Technical Bulletin (TB).¹ DASR runs on Android based smart phones (referred to from here on as the “device”) and could be readily customized to run on Android tablets as well.

DASR was hosted on the device to address the issue of altitude illness in the military. Availability on a mobile device ensures that critical high-altitude illness guidance is readily available at lower echelons and/or remote locations where laptop or desktop computing platforms and/or network connections back to a higher echelon (from which altitude related information would likely be disseminated) are not available. For a more detailed discussion of mobile Android device relevance to the military see *Android Smartphone Relevance to Military Weather Applications*.²

2. DASR Inputs

To launch DASR, simply tap the DASR icon on the device (circled in red, figure 1). The initial input screen is then displayed for the user to enter the Environmental Factors (“ENV”) information (figure 2).


DASR is a multiview (a view refers to an individual graphical user interface [GUI] screen) application with a tab bar (see upper portion of figure 2). The user enters the required inputs (default or previously entered values are prefilled) by tabbing through the various views and selecting the fields that he or she wishes to modify. Numeric inputs are checked for appropriate values with a pop-up message displayed to the user in the event that a value is out of range or invalid (e.g., null). The invalid entry is also replaced with the last valid entry. Upon DASR exit, valid input values are saved (via data persistence) for auto-filling entry fields the next time the app is run. Text field inputs (altitude and temperature fields), labels (“Steep, Rugged Terrain?”, etc), check boxes (“Carbon Monoxide Heaters?” entry) and “Spinners” (a widget similar to a drop-down list used to select the “Work Rate:” field in figure 3) GUI elements are all used in the DASR app.

¹ Department of the Army, Headquarters. *Altitude Acclimatization and Illness Management*. Technical Bulletin Medical 505, 2010. <http://armypubs.army.mil/med/index.html> (accessed 10/29/13).

² Sauter, D. *Android Smartphone Relevance to Military Weather Application*; ARL-TR-5793; U.S. Army Research Laboratory: White Sands Missile Range, NM, 2011.



Figure 1. Launch DASR.



Environmental Factors	RISK IMPACT
Altitude: 2000 m	P/C/A
Temperature: 10 F	P/C/A
Steep, Rugged Terrain? ☒	P/C/A
Carbon Monoxide Heaters? ☒	P/C/A

Legend:
P - Physical Work Performance
C - Cognitive Performance
A - Altitude Illness

White - Not evaluated yet or no effect
Blue - Beneficial
Green - No risk
Amber - Slight to moderate risk
Red - Significant risk

Figure 2. Environmental Factors view.

If a Global Positioning System (GPS) capability is present with the device, the altitude value could be automatically retrieved and displayed as the default in the “ENV” view altitude text field box. The temperature value is currently automatically ingested and populated via a Bluetooth connection to a Kestrel handheld weather meter but can be manually entered if a compatible Bluetooth enabled device is not available.

Upon valid entry of the inputs in the “ENV” screen, Physical Work Performance (“P”), Cognitive Performance (“C”) and Altitude Illness (“A”) risk values will be determined and displayed accordingly as color-keyed indicators under the “RISK IMPACT” column on the right side of the view. The color coding key is displayed at the bottom of the “ENV” view and is valid for subsequent views as well. Thus, in the figure 2 example, for the “Altitude” environmental factor, there is a “Slight to moderate risk” for physical work performance and altitude illness while there is “No risk” for cognitive performance. Likewise, there is a “Significant risk” for physical work performance, cognitive performance, and altitude illness due to the presence of carbon monoxide heaters in the environment.

The next view in the sequence of tabs allows the user to enter the Mission Factors (“MSN”, figure 3) affecting the performance impacts and the altitude illness risk. Again, color coding is the same as for the environmental factors. Note, that in this example, there is a beneficial (blue) cognitive performance impact due to the “Duration Above 2400m” value being 3–5 days.

Mission Factors	RISK IMPACT
Ascent Rate Above 2400m: 300–600 m/day	P/C/A
Duration Above 2400m: 3–5 days	P/C/A
Work Rate: High-Intense	P/C/A

Figure 3. Mission Factors view.

Figure 4 is a screen capture of the Individual Factors (“IND”) view used to allow entry of those relevant inputs. The “RISK IMPACT” values are once again determined upon entry of the parameters. Risk and impact level determination for the various factors is relatively intuitive, e.g., there are increased performance impacts and a greater altitude illness risk due to sleep deprivation. TB Medical 505 should be consulted for additional details if necessary.³

³ See reference 1 on page 1.

3G
Signal
Battery
7:54 PM

DASR

ENV
MSN
IND
RISK
INFO

Individual Factors

RISK IMPACT

Acclimatized >2,000m?
☒
P/C/A

High Physical Fitness?
☒
P/C/A

Adequate hydration?
☒
P/C/A

Nutrition:

Increased Carbohydrates
▼

P/C/A

Preexisting illness?
☐
P/C/A

Sleep deprivation?
☒
P/C/A

Figure 4. Individual Factors view.

The Risk View (“RISK”, figure 5) tabulates and displays the cumulative physical work performance, cognitive performance and altitude illness results from the “ENV”, “MSN” and “IND” views. Thus, in figure 5, there are a total of four beneficial physical work performance impacts, seven no-risk cognitive performance impacts, etc.




Figure 5. Risk view.

The last view ("INFO") simply provides the Point Of Contact information for the app as well as the version and date of the app.




Figure 6. Information view.

3. Summary

DASR provides easy to use and readily understood guidance regarding physical performance and cognitive performance impacts as well as the risk of altitude illness to Soldiers. Hosting on a mobile device should make it accessible virtually anywhere in a tactical or training environment.

Final internal testing and evaluation of DASR is anticipated in 2014. It will then be transitioned to the Defense Information Systems Agency's (DISA) Mobile Application Store (MAS), which is slated for deployment in the summer of 2014. Via the MAS, Department of Defense (DOD) individuals will be allowed access to the DASR app for their use.

List of Symbols, Abbreviations, and Acronyms

“A”	Altitude Illness
“C”	Cognitive Performance
“ENV”	Environmental Factors
“IND”	Individual Factors
“INFO”	Information
“MSN”	Mission Factors
“P”	Physical Work Performance
“RISK”	Risk
app	application
ARL	U.S. Army Research Laboratory
DASR	Determination of Altitude Sickness Risk
DISA	Defense Information Systems Agency
DOD	Department of Defense
GPS	Global Positioning System
GUI	graphical user interface
MAS	Mobile Application Store
TB	Technical Bulletin

No. of Copies	<u>Organization</u>
1 (PDF)	DEFENSE TECHNICAL INFORMATION CTR DTIC OCA
2 (PDFs)	DIRECTOR US ARMY RSRCH LAB RDRL CIO LL RDRL IMAL HRA RECORDS MGMT
1 (PDF)	GOVT PRINTG OFC A MALHOTRA
2 (PDFs)	DIRECTOR US ARMY RSRCH LAB RDRL CIE M D P SAUTER Y RABY

INTENTIONALLY LEFT BLANK.