

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Service Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ORGANIZATION.					
1. REPORT DATE (DD-MM-YYYY) 28/02/2009		2. REPORT TYPE FINAL TECHNICAL REPORT		3. DATES COVERED (From - To) 26/07/06-31/10/2008	
4. TITLE AND SUBTITLE Informatics Aided Alloy Design				5a. CONTRACT NUMBER FA9550-06-1-0501	
				5b. GRANT NUMBER FA9550-06-1-0501	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Krishna Rajan				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Materials Science and Engineering Iowa State University Ames IA 50011				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Air Force Office of Scientific Research				10. SPONSOR/MONITOR'S ACRONYM(S) AFOSR	
				11. SPONSOR/MONITOR'S REPORT NUMBER AFRL-OSR-VA-TR-2013-0924	
12. DISTRIBUTION/AVAILABILITY STATEMENT Distribution A: Approved for public release					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT We have developed a methodology that combines computational materials science with statistical learning to rapidly, economically and yet robustly identify key parameters that govern structure-property relationships across length scales. Based on this approach, we have demonstrated, using specific alloy chemistry platforms, practical ways by which information based on designers' needs can be efficiently linked to fundamental materials characteristics. This can provide a strategy for accelerating the identification of promising materials chemistries that will meet the complexity of design parameters. In this manner, expensive and complex experiments and computations need be targeted to only those materials that show the best promise.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (Include area code)

INFORMATICS FOR ALLOY DESIGN

Krishna Rajan

*Department of Materials Science & Engineering
Iowa State University, Ames IA*

Abstract

We have developed a methodology that combines computational materials science with statistical learning to rapidly, economically and yet robustly identify key parameters that govern structure-property relationships across length scales. Based on this approach, we have demonstrated, using specific alloy chemistry platforms, practical ways by which information based on designers' needs can be efficiently linked to fundamental materials characteristics. This can provide a strategy for accelerating the identification of promising materials chemistries that will meet the complexity of design parameters. In this manner, expensive and complex experiments and computations need be targeted to only those materials that show the best promise.

Research Summary

The major accomplishments / findings from our research are the following:


- a) Discovery of the ability to detect defect structures and lattice distortions from large scale crystallographic data of AB_2 compounds and identify classifications between crystal stoichiometries using data mining techniques. This can provide the basis for new search strategies for designing Laves phases, the largest class of intermetallics and which hold much potential for high temperature structural applications.
- b) Discovery of new structure-property correlations in high temperature multicomponent oxides and nitrides that provide a guideline for selecting alloying elements
- c) Identification of a new alloy selection design strategy for high temperature alloys. Using this approach we have proposed new ternary alloy additions for binary cobalt based intermetallics. Through comparison with some recent experimental findings reported in the literature, it is suggested that our new findings could serve as a new generation of Co base high temperature alloys that are even better than nickel base superalloys. This strategy has also been extended to the development of new type of design maps that identify targets for Ti alloy chemistries in multicomponent/ multiphase alloys with tailored multifunctional properties.

20130919064

a) Informatics for binary intermetallic alloy design

This segment of the program explored new ways of classifying potential high temperature binary intermetallics using informatics. Using very large databases, (eg. Linus Pauling File), we have used a combination of Principal Component Analysis (PCA) technique, multiobjective genetic algorithms, and neural networks that evolved through genetic algorithms. The identification of various phases and phase-groups were very successfully done using a decision tree approach (Figure 1)

Figure 1: Cu₂Sb in Group 1 falls under the broader class of AB₂ compounds dominated by triangular prismatic arrangements, where A resides on 36 nets in paired layer stacking AA. Cu₂Sb is a distortion of a fcc lattice in which there is a displacement of a/2 or b/2 of the ordered atomic array after every two layers



along [001], or in which every fourth plane of atoms (Cu) along the [001] is omitted. CaIn₂ in Group 2 of the PCA classification is a distorted A1B₂ type structure and part of the class of AB₂ structures where the A atoms (e.g., Ca) on triangular nets in a paired layers stacking of AA atoms and the B atoms (In) at half spacings. CrSi₂ in Group 3 belongs to a family of polytypic structures AB₂ with close packed layers stacked in a bcc sequence (unlike the Group 1 and 2).

Close packed layers are stacked in the [110] bcc stacking sequence with the A (e.g., Cr) atoms of one net lying over the midpoints of the B-B (Si-Si) sides of the triangles of nets above and below. These three examples

suggest that the three groupings identified by our combined PCA/GA and neural network approach have effectively managed to classify compounds according to distorted packing sequences. This type of classification via data mining has never been shown before and shows the power of the technique as well as the value of the original set of descriptors used to conduct our data dimensionality reduction analysis. The value of our hybrid data mining approach has been demonstrated by its ability to extract subtle but very important structural classifications that otherwise would not be readily seen simply by examining basic space group information.

b) Informatics for discovering new chemistry-structure relationships of high temperature alloys

Covalently bonded ceramics such as spinel nitrides are an important class of high temperature materials. Using AB_2N_4 spinel nitrides as a template we have assessed the statistical interdependence of each of a multivariate array of electronic and crystallographic parameters that may influence chemistry-structure-property relationships of spinel nitrides. Based on this we have proposed new structure maps for spinel nitrides by identifying the appropriate parameters that have the sensitivity to classify compounds according to the chemistry of site occupancy (Fig. 3)




Figure 3 : New classification scheme for high temperature covalently bonded ceramics providing insight into the role of site chemistry and site occupancy on materials stability. This can be used as a guide for both experimental and computational studies in designing new high temperature alloy chemistries.

c) Informatics for compositional design of multicomponent & multiphase alloys

We have developed a new method of tracking complex and multidimensional information on the effect of alloy chemistry on the mechanical **properties** of high temperature intermetallic alloys. This has led to the prediction of new cobalt based ternary intermetallic compounds with enhanced high temperature properties compared to conventional nickel based superalloys; and is consistent with empirical observations reported in the literature. The approach involves the




Fig. 4: A new type of design map for high temperature alloys tracking the role of individual alloying elements on properties of binary alloys

use of data dimensionality techniques based on singular value decomposition methods. While such techniques are well established in the data mining and statistical learning community, their use in solving materials science problems is still limited and this project is one of the first to adapt and apply these tools to alloy design. The statistical learning method permits us to discover correlations between dozens of chemical attributes associated with known cobalt based intermetallic alloys based on electronic structure, thermodynamic and property information. From these correlations we have developed formulations that

capture the role of chemistry on compounds with targeted properties. This has permitted us to identify which new elements can help alter a known alloy towards a desired




Fig. 5 : Summary of alloying discoveries/ predictions of new ternary cobalt based alloys that can have improved properties from conventional nickel based superalloys.

property exhibited by another known alloy. By using high dimensional projection methods, we can now develop design “trajectories” that mathematically capture the inference that is normally done in a heuristic manner. We can now propose in an highly accelerated manner, new alloying additions that would not be obvious by just looking at the periodic table. We have

also extended this work on multicomponent cobalt alloys to *multicomponent-multiphase* Ti alloy design. This ongoing work aims at the prediction of the likely phase relationships and microstructures under different conditions. Figure 5 shows some preliminary results for developing new Ti alloys with desired phase transformation (martensitic transformation from β to α'') and properties (combination of shape memory effect SME and low elastic modulus LEM).




Figure 5 A search space for developing new Ti alloys of desired phases and properties. The plot integrates all possible structural information for Ti alloys, with the axes f_1 and f_2 representing the extracted factors from that information. The dark yellow circle suggests the range for martensitic transformation from β to α'' , which brings many interest properties, such as superelasticity and SME. The purple one defines the possible positions for low elastic Ti alloys. Therefore, the overlapping zone (shadow) indicates the coexistence of both properties.

Publications

1. *Materials Informatics parts I and II* : Guest editor: Krishna Rajan: Journal of Metals, Materials & Minerals (JOM) (March 2008 and January 2009)
2. *Materials Informatics*: Guest editors: K. Rajan and P. Mendez: Journal of Statistical Analysis and Data Mining (2009 –in press)
3. *Combinatorial Materials Sciences: Experimental Strategies for Accelerated Knowledge Discovery; Annual Reviews of Materials Research* **38** , 299-322 (August 2008)
4. *Scientific Data Analysis*: C. Kamath, N.Wade, G. Karypis, G. Pandey, V. Kumar, K. Rajan, N.F. Samatova,P. Breimyer, G. Kora, C. Pan and S. Yoginath in Scientific Data Management eds. A. Shoshani and D. Rotem, Taylor and Francis (2008)
5. *Combinatorial Materials Science and EBSD in Electron Backscatter Diffraction in Materials Science-2* eds: A.J.Schwartz, M. Kumar, B.L. Adams , Springer- (in press 2009)
6. *Data Mining and Inorganic Crystallography Structure and Bonding Series-* Springer-Verlag (in press-2009)
7. *Learning from Systems Biology: An “omics” approach to materials design* Journal of Metals JOM 53-55 (March 2008)
8. *Materials Informatics Part I: A diversity of issues*: JOM 50 (March 2008)
9. *Informatics for Combinatorial Materials Science* : S. Broderick, C.Suh, J. Nowers, B. Vogel, , S. Mallapragada, B. Narasimhan and K. Rajan; Journal of Metals (JOM), 56-59 (March 2008)
10. *Analyzing Sparse Data for Nitride Spinel Using Data Mining, Neural Nets and Multi-objective Genetic Algorithms*: F. Pettersson, C. Suh, H. Saxen, K. Rajan and N. Chakraborti J. Materials and Manufacturing Processes— (2009)
11. *Data Mining and Informatics for Crystal Chemistry: Establishing measurement techniques for mapping structure-property relationships*: - C. Suh and K. Rajan – J. Materials Science and Technology (in press- 2008)
12. *Data Mining Density of States Spectra for Crystal Structure Classification: an Inverse Problem Approach-* S. Broderick, H. Aourag and K. Rajan- J. Statistical Analysis and Data Mining (in press-2009)
13. *Data Mining and Informatics for Crystal Chemistry: : Establishing measurement techniques for mapping structure-property relationships* : C. Suh and K.Rajan ; Materials Science and Tech. (2009-in press)
14. *A new approach to describe elemental-property parameters* Pierre VILLARS, Jo DAAMS, Yoshihiro SHIKATA, Krishna RAJAN, Shuichi IWATA; Chem. Met. Alloys 1 (2008) 1-23
15. *Materials Genome Project: Data-Mining the Empirical Pseudopotential Method* H. Zenasni, H. Aourag*, S.R. Broderick1, and K. Rajan Physica B- in review
16. "Designing superlattices for ultra hard coatings: Data mining approach" by H. Aourag, F. Saidi, S. Broderick, and K. Rajan special issue Physics and Chemistry of Nanoparticles of the Journal of Computational and Theoretical Nanoscience
17. *Informatics for Chemical Crystallography*: C. Suh and K. Rajan Journal of Metals (JOM), 56-59 (March 2008)

18. *Identification and Optimization of AB₂ Phases Using Principal Component Analysis, Evolutionary Neural Nets, and Multiobjective Genetic Algorithms* Akash Agarwal a; Frank Pettersson b; Arunima Singh ; Chang Sun Kong ; Henrik Saxén ; Krishna Rajan ; Shuichi Iwata ; Nirupam Chakraborti : *Materials and Manufacturing Processes*, **24**:3,274 – 281 (2009)

- Manuscripts in preparation:

1. *Informatics based identification of new high temperature cobalt based alloys* : T. Wang and K. Rajan
2. *Informatics based alloy design maps for multiphase titanium alloys*: T. Wang and K. Rajan
3. *Assessment of electronic structure parameters for Ti-Al using data mining*: S. Broderick , H. Aourag and K. Rajan
4. *Information entropy scaled structure map for binary compounds*: C.S. Kong, C. Suh, P. Villars, S. Iwata and K. Rajan

AFOSR Annual Progress Statement Profile Report

Date Published: 09/04/2008

Page One

1. Principal Investigator Name:

KRISHNA RAJAN

2. Grant/Contract Title:

INFORMATICS AIDED ALLOY DESIGN

3. Grant/Contract Number:

FA9550-06-10501

4. Reporting Period Start (MM/DD/YYYY):

July/1/2007

5. End (MM/DD/YYYY):

Aug/31/1008

6. Program Manager

Joan Fuller

7. Annual Accomplishments (200 words maximum):

By combining the alloying theory with data-mining concepts, we have developed an informatics-base strategy for multi-component alloy design. We have developed a strategy for selecting alloying elements for stabilizing L12-structured Co₃Al. This strategy has been applied to designing high-temperature Co-base alloys. To find suitable L12-Co₃X compounds for Co-base alloy, the formation of various Co₃X compounds has been studied by singular value decomposition and similarity analysis techniques. A new type of alloy design map has been developed for identifying possible alloying elements and estimating the relative compositions. We have found Mo and W can be used to stabilize the unstable/metastable L12-Co₃Al, and Co can be replaced by Rh and Ir. A composition formula of Co_{0.8}Al_{0.1}W_{0.1} was suggested for W stabilized L12-Co₃Al, which is in a good agreement with experimental observations. To the best of our knowledge, this is the first time this informatics based approach has been demonstrated to successfully predict new alloy compositions. Work is in progress to expand our approach to other high temperature alloy systems including nickel based superalloys. A set of new hybrid statistical learning techniques have also been developed involved in being be able detect patterns associated with structural distortions among intermetallic crystal structures

8. Archival Publications (published) during reporting period:

1. Data Mining and Informatics for Crystal Chemistry: Establishing measurement techniques for mapping structure-property relationships: - C. Suh and K. Rajan – J. Materials Science and Technology (in press- 2008)

- 9. Changes in research objectives (if any):**
- 10. Change in AFOSR program manager, if any:**
- 11. Extensions granted or milestones slipped, if any:**
- 12. Attach Report (max. 2MB)**

file_32964_12422209_0_mmary-08-kr.doc

ANNUAL PROGRESS SUMMARY

To: technicalreports@afosr.af.mil

Subject: Annual Progress Statement to Dr. Joan Fuller

Contract/Grant Title: - Informatics Aided Alloy Design

Contract/Grant #: FA9550-06-10501

Reporting Period: 1 July 2007 to 31 August 2008

Annual accomplishments (200 words max):

By combining the alloying theory with data-mining concepts, we have developed an informatics-base strategy for multi-component alloy design. We have developed a strategy for selecting alloying elements for stabilizing L1₂-structured Co₃Al. This strategy has been applied to designing high-temperature Co-base alloys. To find suitable L1₂-Co₃X compounds for Co-base alloy, the formation of various Co₃X compounds has been studied by singular value decomposition and similarity analysis techniques. A new type of alloy design map has been developed for identifying possible alloying elements and estimating the relative compositions. We have found Mo and W can be used to stabilize the unstable/metastable L1₂-Co₃Al, and Co can be replaced by Rh and Ir. A composition formula of Co_{0.8}Al_{0.1}W_{0.1} was suggested for W stabilized L1₂-Co₃Al, which is in a good agreement with experimental observations. To the best of our knowledge, this is the first time this informatics based approach has been demonstrated to successfully predict new alloy compositions. Work is in progress to expand our approach to other high temperature alloy systems including nickel based superalloys. A set of new hybrid statistical learning techniques have also been developed involved in being able to detect patterns associated with structural distortions among intermetallic crystal structures.

Archival publications (published) during reporting period:

1. Data Mining and Informatics for Crystal Chemistry: Establishing measurement techniques for mapping structure-property relationships: - C. Suh and K. Rajan – J. Materials Science and Technology (in press- 2008)
2. Data Mining Density of States Spectra for Crystal Structure Classification: an Inverse Problem Approach- S. Broderick, H. Aourag and K. Rajan- J. Statistical Analysis and Data Mining (in press-2008)
3. Analyzing Sparse Data for Nitride Spinel Using Data Mining, Neural Nets and Multi-objective Genetic Algorithms: F. Pettersson, C. Suh, H. Saxen, K. Rajan and N. Chakraborti J. Materials and Manufacturing Processes – (in press- 2008)
4. Learning from Systems Biology: An “omics” approach to materials design JOM 53-55 (March 2008)

5. Combinatorial Materials Sciences: Experimental Strategies for Accelerated Knowledge Discovery; Annual Reviews of Materials Research vol 347 , (April 2008)
6. Scientific Data Analysis: C. Kamath, N.Wade, G. Karypis, G. Pandey, V. Kumar, K. Rajan, N.F. Samatova, P. Breimyer, G. Kora, C. Pan and S. Yoginath in Scientific Data Management eds. A. Shoshani and D. Rotem, Taylor and Francis (2008)

Changes in research objectives, if any: None

Change in AFOSR program manager, if any: None

Extensions granted or milestones slipped, if any: None

DTIC Final Technical Report Profile Report

Date Published: 04/30/2009

Page One

1. Principal InvestigatorName:

KRISHNA RAJAN

2. Grant/Contract Title:

INFORMATICS AIDED ALLOY DESIGN

3. Grant/Contract Number:

FA9550-06-1-0501

4. Reporting Period Start (MM/DD/YYYY):

7/26/2006

5. End (MM/DD/YYYY):

10/31/2008

6. Program Manager:

Joan Fuller

7. Distribution Statement (as on SF-298)

Distribution A - Approved for public release

8. Annual Accomplishments (200 words maximum):

We have developed a methodology that combines computational materials science with statistical learning to rapidly, economically and yet robustly identify key parameters that govern structure-property relationships across length scales. Based on this approach, we have demonstrated, using specific alloy chemistry platforms, practical ways by which information based on designers' needs can be efficiently linked to fundamental materials characteristics. This can provide a strategy for accelerating the identification of promising materials chemistries that will meet the complexity of design parameters. In this manner, expensive and complex experiments and computations need be targeted to only those materials that show the best promise.

9. Archival Publications (published) during reporting period:

1. Materials Informatics parts I and II : Guest editor: Krishna Rajan: Journal of Metals, Materials & Minerals (JOM) (March 2008 and January 2009)
2. Materials Informatics: Guest editors: K. Rajan and P. Mendez: Journal of Statistical Analysis and Data Mining (2009 –in press)
3. Combinatorial Materials Sciences: Experimental Strategies for Accelerated Knowledge Discovery; Annual Reviews of Materials Research 38 , 299-322 (August 2008)
4. Scientific Data Analysis: C. Kamath, N.Wade, G. Karypis, G. Pandey, V. Kumar, K. Rajan, N.F. Samatova, P. Breimyer, G. Kora, C. Pan and S. Yeginath in Scientific Data Management eds. A. Shoshani and D. Rotem, Taylor and Francis (2008)
5. Combinatorial Materials Science and EBSD in Electron Backscatter Diffraction in Materials Science-2 eds: A.J.Schwartz, M. Kumar, B.L. Adams, Springer- (in press 2009)
6. Data Mining and Inorganic Crystallography Structure and Bonding Series- Springer-Verlag (in press-2009)
7. Learning from Systems Biology: An "omics" approach to materials design Journal of Metals JOM 53-55 (March 2008)
8. Materials Informatics Part I: A diversity of issues: JOM 50 (March 2008)
9. Informatics for Combinatorial Materials Science : S. Broderick, C.Suh, J. Nowers, B. Vogel, , S. Mallapragada, B. Narasimhan and K. Rajan; Journal of Metals (JOM), 56-59 (March 2008)
10. Analyzing Sparse Data for Nitride Spinels Using Data Mining, Neural Nets and Multi-objective Genetic Algorithms: F. Pettersson, C. Suh, H. Saxen, K. Rajan and N. Chakraborti J. Materials and Manufacturing Processes—(2009)
11. Data Mining and Informatics for Crystal Chemistry: Establishing measurement techniques for mapping structure-property relationships: - C. Suh and K. Rajan – J. Materials Science and Technology (in press- 2008)
12. Data Mining Density of States Spectra for Crystal Structure Classification: an Inverse Problem Approach- S. Broderick, H. Aourag and K. Rajan- J. Statistical Analysis and Data Mining (in press-2009)
13. Data Mining and Informatics for Crystal Chemistry: : Establishing measurement techniques for mapping structure-property relationships : C. Suh and K.Rajan ; Materials Science and Tech. (2009-in press)
14. A new approach to describe elemental-property parameters Pierre VILLARS, Jo DAAMS, Yoshihiro SHIKATA, Krishna RAJAN, Shuichi IWATA; Chem. Met. Alloys 1 (2008) 1-23
15. Materials Genome Project: Data-Mining the Empirical Pseudopotential Method H. Zenasni, H. Aourag*, S.R. Broderick1, and K. Rajan Physica B- in review
16. "Designing superlattices for ultra hard coatings: Data mining approach" by H. Aourag, F. Saidi, S. Broderick, and K. Rajan special issue Physics and Chemistry of Nanoparticles of the Journal of Computational and Theoretical Nanoscience
17. Informatics for Chemical Crystallography: C. Suh and K. Rajan Journal of Metals (JOM), 56-59 (March 2008)
18. Identification and Optimization of AB2 Phases Using Principal Component Analysis, Evolutionary Neural Nets, and Multiobjective Genetic Algorithms Akash Agarwal a; Frank Pettersson b; Arunima Singh ; Chang Sun Kong ; Henrik Saxén ; Krishna Rajan ;Shuichi Iwata ; Nirupam Chakraborti : Materials and Manufacturing Processes, 24:3,274 — 281 (2009)

10. Changes in research objectives (if any):**11. Change in AFOSR program manager, if any:****12. Extensions granted or milestones slipped, if any:****13. Attach Final Report (max. 2MB)(If the report is larger than 2MB, please email file to program manager.)**

file_42510_29007622_0_0501-rajan.docx

14. Please attach saved SF298 Form here:

(Please be sure to have already saved the SF298 Form, that you plan to attach to this survey, to your desktop so that it may be uploaded within this field.)

file_42510_29007622_1_sf298-rajan.pdf