

Munitions Constituents (MC) and the Military Munitions Response Program (MMRP)

01: Introduction

Deborah Walker, PMP, CHMM, RHSP
Environmental & Munitions Center of Expertise
US Army Engineering and Support Center, Huntsville

Environmental Monitoring & Data Quality Workshop
29 March 2011



US Army Corps of Engineers
BUILDING STRONG®

Class Behavior

- Questions encouraged
- For extended discussions or project-specific needs, please go to instructors during break or after class
- Focus on completing the overall agenda
- We want all the students to have the benefit of the course – lots of material to cover!



2

BUILDING STRONG®

Class Topics

- | | |
|--|---|
| <ul style="list-style-type: none"> ▪ Introduction ▪ Conceptual Site Model Inputs: Range Types, Layouts, and Munitions ▪ Use of Geophysics and Other Remote Sensors to Guide MC Sampling ▪ Introduction to MC | <ul style="list-style-type: none"> ▪ Primary and Secondary Explosives ▪ Propellants ▪ Metals ▪ Chemical Warfare Materiel ▪ MC Considerations Related to MEC Operations ▪ MIDAS Demo |
|--|---|



3

BUILDING STRONG®

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 29 MAR 2011		2. REPORT TYPE		3. DATES COVERED 00-00-2011 to 00-00-2011	
4. TITLE AND SUBTITLE Munitions Constituents (MC) and the Military Munitions Response Program (MMRP)				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) US Army Engineering and Support Center,Environmental & Munitions Center of Expertise,PO Box 1600,Huntsville,AL,35807				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Presented at the 2011 DoD Environmental Monitoring & Data Quality Workshop (EMDQ 2011), 28 Mar ? 1 Apr, Arlington, VA.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 55	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Introductions

■ Instructor Introductions

Class Demographics

- | | |
|----------------------------|---------------------|
| ▶ Employers? | ▶ MMRP Experience? |
| • DoD | • >5 years |
| • Prime Contractors | • 1-5 years |
| • Labs | • <1 year |
| ▶ Professional Background? | ▶ Why are you here? |
| • Chemists | • Work in the field |
| • Other Scientists | • Hope to do work |
| • Engineers | • Academic interest |
| • Other | |



4

BUILDING STRONG®

Why MC?

- MMRP combines Munitions and Explosives of Concern (MEC, formerly known as Ordnance and Explosives, OE) and MC (formerly known as HTRW related to OE) into a single program element for funding/reporting
- From DOD Management Guidance for DERP, September 2001
 - ▶ The **Military Munitions Response program** category is defined as response actions (i.e., the identification, investigation, and removal actions, remedial actions, or a combination of removal and remedial actions) to address military munitions (i.e., UXO or WMM*) or **the chemical residues of munitions**.

* Terminology has since changed to DMM.



5

BUILDING STRONG®

Why MC?

- National Defense Authorization Act (NDAA) FY 2002, directed DOD to:
 - ▶ Develop and maintain an inventory of all defense sites* known or suspected to contain UXO, DMM, and MC
 - ▶ Develop a protocol to prioritize inventoried sites
 - ▶ Establish a new program element within the environmental restoration account to track remediation of UXO, DMM, and MC
- OSD direction and USACE ER 200-3-1 requirements to go to Remedial Process for MMRP (and to work IAW rather than consistent with CERCLA/NCP)
- Remedial Process rather than Removal Process focuses on the contamination rather than treating all contamination as an imminent hazard, so MC and MEC are addressed during the same action rather than consecutively



6

BUILDING STRONG®

6 OF 43

MMRP Terminology

- Munitions Constituents (MC)
- Military Munitions
- Munitions and Explosives of Concern (MEC)
- Unexploded Ordnance (UXO)
- Discarded Military Munitions (DMM)
- MC as Explosive Hazard
- Defense Site
- Munitions Response Area (MRA)
- Munitions Response Site (MRS)



7

BUILDING STRONG®

MC Definition

“Any materials originating from unexploded ordnance, discarded military munitions, or other military munitions, including explosive and nonexplosive materials, and emission, degradation, or breakdown elements of such ordnance or munitions.”






(10 U.S.C. 2710 (e) (3))*
(originally referenced as (4))



8

BUILDING STRONG®

MC Examples

- Explosives and Breakdown Products
 - ▶ 2,4,6-Trinitrotoluene (TNT) 
 - ▶ Cyclotrimethylenetrinitramine (RDX) 
 - ▶ Cyclotetramethylenetetranitramine (HMX) 
- Pyrotechnics/Propellants
 - ▶ Perchlorate 
- Smokes
 - ▶ White Phosphorus (WP) 
- Chemical Warfare Materiel, Industrial Chemicals, and Breakdown Products
 - ▶ 
- Metals



9

BUILDING STRONG®

Military Munitions

- "All ammunition products and components produced or used by or for the U.S. DOD or the U.S. Armed Services for national defense and security, including military munitions under the control of the DOD, the US Coast Guard, the US DOE, and National Guard personnel. The term military munitions includes: **confined gaseous, liquid, and solid propellants, explosives, pyrotechnics, chemical and riot control agents, smokes, and incendiaries used by DOD components, including bulk explosives and chemical warfare agents, chemical munitions, rockets, guided and ballistic missiles, bombs, warheads, mortar rounds, artillery ammunition, small arms ammunition, grenades, mines, torpedoes, depth charges, cluster munitions and dispensers, demolition charges, and devices and components thereof.** Military munitions do not include wholly inert items, improvised explosive devices, and nuclear weapons, nuclear devices, and nuclear components thereof. However, the term does include non-nuclear components of nuclear devices, managed under DOE's nuclear weapons program after all required sanitization operations under the Atomic Energy Act of 1954, as amended, have been completed.

(40 CFR 260.10)

Not just energetics and metals



10

BUILDING STRONG®

Munitions and Explosives of Concern (MEC) Definition

- This term, which distinguishes specific categories of military munitions that may pose unique explosives safety risks means:
 - ▶ Unexploded Ordnance (UXO),
 - ▶ Discarded Military Munitions, or
 - ▶ Munitions Constituents present in high enough concentrations to pose an explosive hazard



11

BUILDING STRONG®

Unexploded Ordnance (UXO) Definition

- Military munitions that have been:
 - ▶ Primed, fuzed, armed, or otherwise prepared for action, and have been
 - ▶ Fired, dropped, launched, projected or placed in such a manner as to constitute a hazard to operations, installation, personnel, or material and
 - ▶ Remain unexploded either by malfunction, design, or any other cause.

(40 CFR 266.201)



12

BUILDING STRONG®

Discarded Military Munitions (DMM) Definition

- “Military munitions that have been abandoned without proper disposal or removed from storage in a military magazine or other storage area for the purpose of disposal. The term does not include unexploded ordnance, military munitions that are being held for future use or planned disposal, or military munitions that have been properly disposed of, consistent with applicable environmental laws and regulations.”

(10 U.S.C. 2710 (e) (3))



13

BUILDING STRONG®

MC as Explosive Hazard ("Explosive Soil")

- The following are to be treated as explosive hazards (HD 1.1):
 - ▶ Primary (Initiating) Explosives – Soil containing >2% by weight of any primary explosive or mixture of primary explosives
 - ▶ Secondary explosives or propellants (Nitrocellulose, Nitroglycerine, Nitroguanidine) – Soil containing >10% by weight of either any of these or a mixture of them

DOD 6055.09-M, V7.E4.4.1



14

BUILDING STRONG®

Defense Site Definition

- "... applies to locations that are or were owned by, leased to, or otherwise possessed or used by the Department of Defense. The term does not include any operational range, operating storage or manufacturing facility, or facility that is used for or was permitted for the treatment or disposal of military munitions."

Ranges on Formerly Used Defense Sites are examples of Defense sites

(10 U.S.C. 2710 (e) (1))



15


BUILDING STRONG®

Munitions Response Area/Site (MRA/MRS)

$$MRA (acres) = \sum (MRSa + MRSb + MRSc...) acres$$

- MRA
 - ▶ Any area on a defense site that is known or suspected to contain UXO, DMM, or MC (e.g., former ranges or munitions burial areas)
 - ▶ Must be comprised of at least one MRS, but may contain multiple MRSs
- MRS
 - ▶ Defined as "a discrete location within an MRA that is known to require a munitions response"

(32 CFR Part 179.3)



16

BUILDING STRONG®

FUDS Funding Profile



All service profiles have points where the IRP and MMRP categories switch places in funding totals. Active installation MMRP funding profiles are increasing faster than FUDS due to assigned MMRP metrics.

- For current FY and FY12, MMRP category is funded substantially lower than IRP category.
- Both categories are scheduled to become equally funded in FY13.
- The MMRP category is scheduled to get a dramatic upsweep in funding in FY19 in conjunction with the IRP goal of FY20.

17

BUILDING STRONG®

Questions?

Deborah D. Walker, 256-895-1796
deborah.d.walker@usace.army.mil

Jan W. Dunker, 402-697-2566
jan.w.dunker@usace.army.mil

Terry L. Walker, 402-697-2591
terry.l.walker@usace.army.mil

Hugh J. Rieck, 402-697-2660
hugh.j.riec@usace.army.mil

US Army Engineering & Support Center-Huntsville
 Environmental & Munitions Center of Expertise

18

BUILDING STRONG®

Munitions Constituents (MC) and the Military Munitions Response Program (MMRP)

10: MIDAS Demo

Jan W. Dunker, Ph.D.
Environmental & Munitions Center of Expertise
US Army Engineering and Support Center, Huntsville

Environmental Monitoring & Data Quality Workshop
29 March 2011



US Army Corps of Engineers
BUILDING STRONG®



MIDAS Munition Items Disposition Action System

<https://midas.dac.army.mil>



2

BUILDING STRONG®

MIDAS

- Need to register
- Need User Name and password
- Will be CAC enabled by the end of the year



3

BUILDING STRONG®

Can Search by

- NSN (National Stock Number)
- DODIC (DoD Identification Code)
- Family
- Nomenclature
- Drawing Number



4

BUILDING STRONG®

Munitions reports available

- Detail Report
- Less Bulk Report
- Less Compounds Report
- MCP (Munitions, Components, Parts) Report
- Primary Component Part Report
- TDP (Technical Data Package) Report
- TRI (Toxic Release Inventory) Report
- Summary of all Compounds Report
- Firing Point / Impact Point Report
- PEP Structure Report
- PEP Summary Report



5

BUILDING STRONG®

Practice Searches

- Cartridge, Caliber .30, AP, M2
- Cartridge, Caliber .50, AP, M2
- Cartridge, 105-mm, HE, M1
- Projectile, 155-mm, HE, M102, MK I, MK IA1



6

BUILDING STRONG®

Munitions Constituents (MC) and the Military Munitions Response Program (MMRP)


02: Conceptual Site Model Inputs: Range Types, Layouts, and Munitions

Jan W. Dunker, Ph.D.
Environmental & Munitions Center of Expertise
US Army Engineering and Support Center, Huntsville

Environmental Monitoring & Data Quality Workshop
29 March 2011



US Army Corps of Engineers
BUILDING STRONG



Range Types



BUILDING STRONG

FUDS Range Types

- Small Arms
- Multiple Weapons Type
- Field Artillery
- Mortar
- Shoulder-Launched Small Rocket
- Medium Caliber Rocket
- Heavy Rocket and Guided Missile
- Recoilless Rifle
- Davy Crockett
- Tank
- Anti-Tank Gun
- Antitank Guided Missile

- Anti-Aircraft Artillery
- Hand and Rifle Grenade
- 40mm Grenade Launcher
- Flame Thrower
- Mine, Boobytrap, and Demolition Area
- Chemical Warfare Training Area
- Helicopter Weapons
- Fixed Wing Air-to-Air Weapons
- Fixed Wing Air-to-Ground
- Maneuver
- Coast Artillery
- Open Burn/Open Detonation (OB/OD)



BUILDING STRONG


Range Layouts



4

BUILDING STRONG®


Small Arms



5

BUILDING STRONG®

Multiple Weapons Type




Typical Division Range Layout, Circa 1964



6

BUILDING STRONG®


Artillery



7

BUILDING STRONG®


Mortars



8

BUILDING STRONG®

Shoulder-Launched Small Rocket



3.5 inch and 66-mm Shoulder-Launched Rocket Range, Circa 1968

9

BUILDING STRONG®

Recoilless Rifle




Recoilless Rifle Field Target Range, Circa 1951



10

BUILDING STRONG®


Grenades



11

BUILDING STRONG®

Fixed Wing Air-to-Air Weapons




Fixed Aerial Gunnery Range, Circa 1945



12

BUILDING STRONG®

Fixed Wing Air-to-Ground



Tactical Bombing Range, Circa 1945



13

BUILDING STRONG®

Types of Munitions



14

BUILDING STRONG®

Types of munitions

- Small Arms
- Mortars
- Medium Caliber Ammunition
- Artillery
- Rockets
- Grenades
- Mines
- Bombs
- Pyrotechnics



15

BUILDING STRONG®

Small Arms


- .50 caliber or smaller and shotgun ammunition
- Weapons: Pistols, Rifles, Machine Guns, Shotguns
- Found on:
 - ▶ Small Arms Range
 - ▶ Multiple Weapons Type Range
 - ▶ Tank Range
 - ▶ Helicopter Weapons Range
 - ▶ Fixed Wing Air-to-Air Weapons Range
 - ▶ Fixed Wing Air-to-Ground Range
 - ▶ Maneuver Range



16

BUILDING STRONG®

Small Arms Ammunition



BUILDING STRONG®

Mortars


- Mortar Shells: 60-mm, 81-mm, 3-inch Trench, 4-inch, 4.2-inch, 6-inch Trench
- Found on: Mortar Ranges



18

BUILDING STRONG®

Mortar Ammunition



60-mm HE Mortar Round, Circa 1960



19

BUILDING STRONG®

Artillery (Large Caliber Ammunition)


- 37-mm and larger shells
- Found on:
 - ▶ Field Artillery Range
 - ▶ Tank Range
 - ▶ Anti-Tank Gun
 - ▶ Coast Artillery Range



20

BUILDING STRONG®

Artillery Ammunition




Shell, Semi-Fixed



21

BUILDING STRONG®

Artillery Ammunition (2)



Projectile, 155-mm, HERA, M549 and M549A1



22

BUILDING STRONG®

Rockets

Found on:


- ▶ Shoulder-Launched Small Rocket Ranges
- ▶ Medium Caliber Rocket Ranges
- ▶ Heavy Rocket and Guided Missile Ranges
- ▶ Recoilless Rifle Ranges
- ▶ Davy Crockett Common Range
- ▶ Antitank Guided Missile Ranges
- ▶ Helicopter Weapons Ranges
- ▶ Fixed Wing Air-to-Air Weapons Ranges
- ▶ Fixed Wing Air-to-Ground Ranges



23

BUILDING STRONG®

Shoulder-Launched Small Rocket



Rocket, 2.36-Inch Antitank, M6A3



24

BUILDING STRONG®

Grenades


- Found on:
 - ▶ Multiple Weapons Type Ranges
 - ▶ Hand and Rifle Grenade Range
 - ▶ 40mm Grenade Launcher Range



25

BUILDING STRONG®

Hand Grenades



Grenade, Hand, Fragmentation, MK II, MK IIA1



26

BUILDING STRONG®

Bombs


- Found on:
 - ▶ Fixed Wing Air-to-Ground Ranges



27

BUILDING STRONG®

Practice Bomb



Bomb, Practice, 100 Pound, M38A2

[illegible]

Bomb




Figure 104. 4000-galved L.C. Bomb AN-101A.


Bomb, Light Case, 4,000 LB AN-M56 & AN-M56A1

Pyrotechnics

- Found on many range types



Flares



Flare, Aircraft, Parachute, M26 & AN-M26



Munitions Constituents (MC) and the Military Munitions Response Program (MMRP)

04: Introduction to Types of MC

Deborah Walker, PMP, CHMM, RHSP
Environmental & Munitions Center of Expertise
US Army Engineering and Support Center, Huntsville

Environmental Monitoring & Data Quality Workshop
29 March 2011



US Army Corps of Engineers
BUILDING STRONG



Topics

- Where in the Munitions does MC come from?
- What are the MC we'll talk about?
- What are Typical Methodologies for MC?
- Where can we find out what MC is in a particular munition?




2

BUILDING STRONG

Sources of MC in Munitions

- | | |
|--|---|
| <ul style="list-style-type: none"> ▪ Main Components <ul style="list-style-type: none"> ▶ Shell ▶ Filler ▶ Case ▶ Propellant | <ul style="list-style-type: none"> ▪ Minor Components <ul style="list-style-type: none"> ▶ Primer ▶ Fuze ▶ Booster |
|--|---|



3

BUILDING STRONG

Examples of MC

- Filler
 - ▶ Secondary explosives (TNT, RDX) (also Booster)
 - ▶ Chemical agents (Mustard, Lewisite, Tabun, Soman, VX)
 - ▶ Riot control (Tear gas: CN, CS, Vomiting agents)
 - ▶ Pyrotechnics
 - Incendiaries (metals)
 - Tracers (perchlorate, metals)
 - Smokes and Obscurants (Hexachloroethane (HC), White Phosphorus (WP), metals)
 - ▶ Miscellaneous Other Fills (Incapacitating agents, Simulants)



4

BUILDING STRONG®

Examples of MC (Cont'd)

- Armor Piercing/Penetrators
 - ▶ Tungsten
 - ▶ Depleted Uranium (DU)
- Propellants
 - ▶ Black powder
 - ▶ Nitrocellulose (NC), nitroglycerine (NG), and nitroguanidine (NQ)
 - ▶ Perchlorate



5

BUILDING STRONG®

Examples of MC (Cont'd)

- Case
 - ▶ Metals
- Primers, Fuzes
 - ▶ Primary Explosives



6

BUILDING STRONG®

Typical Methodology More Acronyms!

- High Performance Liquid Chromatography (HPLC, also referred to as LC)
 - ▶ Coupled with Ultraviolet Spectrometry (UV) = LC/UV
 - ▶ Coupled with Mass Spectrometry (MS) = LC/MS
- Gas chromatography (GC)
 - ▶ Coupled with Mass Spectrometry (MS) = GC/MS
 - ▶ Coupled with Electron Capture Detector (ECD) = GC/ECD
 - ▶ Coupled with Nitrogen-Phosphorus Detector (NPD) = GC/NPD



7

BUILDING STRONG®

Typical Methodology More Acronyms! (Cont'd)

- Inductively-Coupled Plasma (ICP)
 - ▶ Coupled with Atomic Emission Spectrometry (referred to as ICP)
 - ▶ Coupled with Mass Spectrometry (MS) = ICP-MS
- X-Ray Fluorescence Spectrometry (XRF)
- Graphite Furnace Atomic Absorption Spectrophotometry (GFAA)
- Cold Vapor Atomic Absorption Spectrophotometry (CVAA)



8

BUILDING STRONG®

Typical Methodology More Acronyms! (Cont'd)

- Ion Chromatography (IC)
 - ▶ Coupled with Mass Spectrometry (MS) = IC-MS
- Immunoassay
- Colorimetry (Visible Spectrophotometry)



9

BUILDING STRONG®

Sources of MC Information

■ Technical Manuals

► Advantages:

- Period of use information available (all 60mm mortars are not equal)
- Specific data available for specific munitions
- Successful use encourages team interaction between Safety Specialists and Chemists

► Disadvantages

- Limited availability of appropriate TMs
- Not all safety specialists understand how to help look for MC data (not their focus!)
- Understanding of munitions nomenclature is key to understanding TMs; steep learning curve for the non-munitions expert
- Even if you have electronic files, word searches only work if you know the right word to search on!



BUILDING STRONG®

Sources of MC Information

■ MIDAS

LIVE DEMO
LATER!!

► Advantages

- Database with advanced search capabilities and reporting; even those with less knowledge of nomenclature can probably stumble on the answer faster with a database than with TMs
- Available to DoD employees and DoD contractors (with sponsor)

► Disadvantages

- Understanding of munitions nomenclature is key to understanding; steep learning curve for the non-munitions expert
- Period of use data not available
- Obsolete munitions may not be available



BUILDING STRONG®

Questions?

Deborah D. Walker, 256-895-1796
deborah.d.walker@usace.army.mil

Jan W. Dunker, 402-697-2566
jan.w.dunker@usace.army.mil

Terry L. Walker, 402-697-2591
terry.l.walker@usace.army.mil

Hugh J. Rieck, 402-697-2660
hugh.j.riec@usace.army.mil

US Army Engineering & Support Center-Huntsville
Environmental & Munitions Center of Expertise



12

BUILDING STRONG®

Munitions Constituents (MC) and the Military Munitions Response Program (MMRP)

05: Primary and Secondary Explosives

Jan W. Dunker, Ph.D.
Environmental & Munitions Center of Expertise
US Army Engineering and Support Center, Huntsville

Environmental Monitoring & Data Quality Workshop
29 March 2011



US Army Corps of Engineers
BUILDING STRONG



Primary Explosives



BUILDING STRONG

2

What are Primary Explosives?

- Primary explosives are easily detonated by heat, spark, impact, or friction.
- Typically used in small quantities due to sensitivity




Figure 3.1. Explosive train.

Source: TM 9-1300-214 Military Explosives, Sep-1984



BUILDING STRONG

3

Examples of Primary Explosives

Primary Explosive	Typical Use
Lead Azide*	Initiator for high explosives
Mercury Fulminate*	Initiator for high explosives
Diazodinitrophenol (DDNP)	Priming compositions, commercial blasting caps.
Lead Styphnate*	Priming compositions, ignition of lead azide
Tetracene	Priming compositions, boosters
Potassium Dinitrobenzofuroxane (KDNBF)	Priming compositions
Lead Mononitroresorcinate (LMNR)	Priming compositions, electric detonators

* More common in FUDS-era munitions



4

BUILDING STRONG®

Sampling Strategy

- For ranges, sampling and analysis based on release of primary explosives is not recommended
- Rationale:
 - ▶ Very small amount of primary explosive in any single munition
 - ▶ Sensitivity of primary explosives
 - ▶ Consumed if any part of the explosive train functions



5

BUILDING STRONG®

Secondary Explosives



6

BUILDING STRONG®

What are Secondary Explosives?

- Secondary explosives are relatively insensitive
- Used in booster and bursting charge (bulk of explosive charge)





Figure 3-1. Explosive train.

Source: TM 9-1300-214 Military Explosives, Sep-1984



Example: Secondary Explosives



Tabulated Data:

Grenade (with fuze)	
Model(s)	MK2
Body	Cast iron
Weight	21 oz
Length (max)	4.5 in
Diameter	2.25 in
Color	Olive drab, or olive drab w/ yellow band around top of fuze well
Explosive Filler:	
Type	TNT (Baled or granular)
Weight	2 oz
Fuze:	
Model(s)	M204A1, M204A2
Type	Pyro delay-detonating
Primer	M2
Detonator	Lead azide, lead stannate, and RDX

MK2 fragmentation hand grenade

Source: TM 43-0001-29 Army Ammunition Data Sheets For Grenades



MK2 Grenade PEP Report

FOR OFFICIAL USE ONLY									
DAC - MIDAS PEP Structure in An Item									
Page 1 of 1		GREEN/SAVO FRAG MK2		Report Weight: 1.4000		Twr: 1.5			
Item: 13100000000000000000		Name: GRN		Report Weight (lb): 1.4000					
Status: OFFICIAL				Calculated Weight (lb): 1.3727		98.05		%	
Drawing #	Std. No.	Transmittal (Material)	Type	Reported Weight	Unit	Calculated Factor	Factored Weight (lb)	Specification	Notes
62-0-415	STD	CRG	P	0.1200	LB	1	0.120000	MIL-2-140	
	STD	TNT	Mt					MIL-2-140	
	STD	TNT (138-86-7) (100%)	Cupl					MIL-2-140	
74-2-27B	STD	CRG PRIMER	P	0.4000	GR	1	0.000007	74-2-27	
	STD	PRIMER MK2 MK2	Mt					74-2-27	
	STD	LEAD SULPHONIC SULFATE (100-87-0) (100%)	Cupl					90-11-10	(A-2)
	STD	POTASSIUM CHROMATE (100-164-9) (100%)	Cupl					90-11-10	(A-2)
	STD	GRIND GLASS (100-47%)	Cupl					90-11-10	(A-2)
	STD	BARBICUMBERATE (100-231-0) (100%)	Cupl					90-11-10	(A-2)
	STD	TNT (138-86-7) (100%)	Cupl					90-11-10	(A-2)
	STD	DELAY COUP	P	20.0000	GR	1	0.000007	VEHICLE ITEM	
	STD	DELAY COUP	Mt					VEHICLE ITEM	
	STD	DELAY COUP (100%)	Cupl					VEHICLE ITEM	
	STD	PRM	P	13.5000	GR	1	0.000009	P25-486	
	STD	PRM	Mt					P25-486	
	STD	INTERMEDIATE CRG (LEAD AZIDE)	P	4.0000	GR	1	0.000071	MIL-2-1015	
	STD	LEAD AZIDE	Mt					MIL-2-1015	(A-2)
	STD	LEAD AZIDE (1340-44-9) (100%)	Cupl					MIL-2-1015	(A-2)
							0.122414		

MK2 Grenade PEP Summary

Page 1 of 1
2/9/2011

FOR OFFICIAL USE ONLY

DAC - MIDAS Summary of PEP Compounds in An Item

Item Name:	GRENADE FRAG MK2	Reported Weight (lb):	1.4000	Unit:	LB
Item No.:	13300-214	Reported Weight (kg):	1.4000		
Item:	OFFICIAL	Calculated Weight (lb):	1.3727	%	98.05

Item Name (Material)	CAS #	Weight (lb)	% of Calculated Weight
BAKED NITRATE	10022-31-6	0.000001	0.000044
DELAY COUP		0.000001	0.000011
GRIND GLASS		0.000006	0.000471
LEAD ADDE	13424-46-9	0.000075	0.004199
LEAD SULFONATE	790-87-0	0.000022	0.001603
POTASSIUM CHLORATE	3811-04-9	0.000023	0.001530
TNT	118-96-7	0.130000	8.742228
UNKNOWN/PROPRIETARY	UNKNOWN	0.003829	0.140728
		0.125404	



United States Booster and Secondary Explosives

Aliphatic Nitrate Esters	
1,2,4-Butanetriol Trinitrate	BTN
Diethyleneglycol Dinitrate	DEGN
Nitrocellulose	NC
Nitroglycerin	NG
Nitrosarch	NS
Pentaerythritol Tetranitrate	PETN
Triethylene Glycol dinitrate	TEGN
1,1,1-Trimethylethane Trinitrate	TMETN
Nitramines	
Octahydro 1,3,5,7 tetranitro 1,3,5,7 tetrazocine	HMX
Hexahydro 1,3,5 trinitro 1,3,5 triazine	RDX
Ethylenediamine Dinitrate	EDDN
Ethylenedinitramine	Haeite
Nitroguanidine	NG
2,4,6-Trinitrophenylmethylnitramine	Tetryl
Nitroaromatics	
Ammonium Picrate	AP
1,3-Diamino-2,4,6-Trinitrobenzene	DATB
2,2',4,4',6,6'-Hexanitroazobenzene	HNAB
1,3,5-Triamino-2,4,6-Trinitrobenzene	TATB
2,4,6-Trinitrotoluene	TNT
Other	
Ammonium Nitrate	

Source: TM 9-1300-214 Military Explosives, Sep-1984



Explosive Compositions



Binary Mixtures

Amatols	ammonium nitrate and TNT
Composition A	RDX and a desensitizer
Composition B	RDX and TNT
Composition C	RDX and plasticizer
Composition CH6	RDX, calcium stearate, graphite, polyisobutylene
Ednatols	halite (ethylene dinitramine) and TNT
Octols	HMX and TNT
Pentolite	PETN and TNT
Picratol	ammonium picrate and TNT
Tetrytols	TNT and Tetryl
Tritonal	TNT and flaked Al

Source: TM 9-1300-214 Military Explosives, Sep-1984



13

BUILDING STRONG®

Ternary Mixtures

Amatex 20	RDX, TNT, ammonium nitrate
Ammonal	ammonium nitrate, powdered Al, TNT, DNT, or RDX
High Blast Explosives	RDX, TNT, Al
HTA-3	HMX, TNT, and aluminum mixture 3
Minol-2	TNT, ammonium nitrate, Al
Torpex	RDX, TNT, Al

Source: TM 9-1300-214 Military Explosives, Sep-1984



14

BUILDING STRONG®

Quaternary Mixtures

Depth bomb explosive (DBX)	TNT, RDX, ammonium nitrate, Al
----------------------------	--------------------------------

Source: TM 9-1300-214 Military Explosives, Sep-1984



15

BUILDING STRONG®

Explosives are found in what part of the munition?

- Projectile (i.e. mortars, artillery)
- Warhead (rocket)
- Bomb
- Mine



16

BUILDING STRONG®

Degradation Products



17

BUILDING STRONG®

Degradation Products

- Organic compounds can be transformed (degraded) in the environment
- Abiotic transformation
 - ▶ Photolysis
- Biotic transformation
 - ▶ Aerobic
 - ▶ Anaerobic



18

BUILDING STRONG®

Analytical Methods



19

BUILDING STRONG®

Field Analytical Methods

- Expray - Plexus Scientific
- Explosives Detection Field Test Kit - DropEx Plus
- EPA 8510 - Colorimetric Screening Procedure for RDX and HMX in Soil
- EPA 8515 - Colorimetric Screening Method for Trinitrotoluene (TNT) in Soil
- EPA 4050 - TNT Explosives in Soil by Immunoassay
- EPA 4051 - Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) in Soil by Immunoassay



20

BUILDING STRONG®

Laboratory Analytical Methods

- EPA 8095 Explosives by Gas Chromatography
- EPA 8330 Nitroaromatics and Nitramines by High Performance Liquid Chromatography (HPLC)
- EPA 8332 Nitroglycerine by High Performance Liquid Chromatography
- CHPPM Method GC; isoamyl acetate extraction
- LC/MS
 - ▶ Modified EPA 8321A Solvent-Extractable Nonvolatile Compounds by High-Performance Liquid Chromatography/Thermospray/Mass Spectrometry (HPLC/TS/MS) or Ultraviolet (UV) Detection
- PETN modified EPA 8330
- NG modified EPA 8330



21

BUILDING STRONG®

Fate & Transport



22

BUILDING STRONG®

Physical Properties

Analyte	Molecular Weight	Melting Pt. (°C)	Boiling Pt. (°C)	Water Solubility (mg/L)	Log K _{ow}
TNT	227.13	80.1-81.6	240 (explodes)	130 @ 20°C	1.86
RDX	222.26	204.1	(decomposes)	42 @ 20°C	0.86
HMX	296.16	276-280	(decomposes)	5.0 @ 25°C	0.061
TNB	213.11	122.5	315	34 @ 20°C	1.18
DNB	168.11	89.6	300-303	460 @ 15°C	1.49
Tetryl	287.14	129.5	(decomposes)	80	1.65
2,4-DNT	182.15	70	300 (decomposes)	270 @ 22°C	1.98
2,6-DNT	182.15	64-66		206 @ 25°C	2.02
2-Am-4,6-DNT	197.17	176		2800	1.94
4-Am-2,6-DNT	197.17	171		2800	1.91
NG	227	13.2		1500 @ 20°C	2.0
AP	246	123		10,000	0.02
PETN	316	141.3		0.99	



23

BUILDING STRONG®

Munitions Constituents (MC) and the Military Munitions Response Program (MMRP)

06: Propellants

Jan W. Dunker, Ph.D.

Environmental & Munitions Center of Expertise


US Army Engineering and Support Center, Huntsville

Environmental Monitoring & Data Quality Workshop

29 March 2011



US Army Corps of Engineers
BUILDING STRONG®



Propellants

- Single-base
- Double-base
- Triple-base
- Composite
- Black Powder

Source: TM 9-1300-214 Military Explosives, Sep-1984



BUILDING STRONG®

Single-base Propellants

- Primarily nitrocellulose (NC)
- Stabilizer
- may contain inorganic nitrates, nitrocompounds, and nonexplosive materials



3

BUILDING STRONG®

Compositions of Single-Base Powders for Small Arms USACE Common Operations Reports, PEP Table 9

	IMR	I	II	III	IV
Nitrocellulose	97.4%	99.3%	98.3%	99.0%	98.95%
Tin	2.0	--	--	--	--
Potassium Sulfate	--	--	1	--	--
Diphenylamine	0.6	0.7	0.7	1.0	1.05
Graphite	Glaze	Glaze	Glaze	Glaze	Glaze
Dinitrotoluene	Coat	Coat	Coat	Coat	Coat



4

BUILDING STRONG®

Double-base Propellants

- Nitrocellulose (NC) and nitroglycerin (NG)
- Stabilizer
- Other additives



5

BUILDING STRONG®

Double-Base Cannon Propellants

USACE Common Operations Reports, PEP Table 10

	M2	M5	M26A1
Nitrocellulose	77.45%	81.95%	68.7%
Nitroglycerin	19.50	15.00	25
Barium Nitrate	1.40	1.40	
Potassium Nitrate	0.75	0.75	
Ethyl Centralite	0.60	0.60	6
Graphite	0.30	0.30	0.3



6

BUILDING STRONG®

Triple-base Propellants

- Nitrocellulose (NC), nitroglycerin (NG), and nitroguanidine (NQ)
- Stabilizer
- Other additives



7

BUILDING STRONG®

Standard Artillery Propellant Compositions

USACE Common Operations Reports, PEP Table 8

	M15	M30	M31
Nitrocellulose (12.6% Nitrogen)	--	28%	20%
Nitrocellulose (13.15% Nitrogen)	20.0%		
Nitrocellulose (13.25% Nitrogen)	--		
Nitroglycerin	19.0	22.5	19
Nitroguanidine	54.7	47.7	54.7
Cryolite	0.3	0.3	0.3
Diphenylamine	--		1.5
Ethyl Centralite	6.0	1.5	
Diethylphthalate			4.5



8

BUILDING STRONG®

Composite Propellants

- Fuel (e.g. metallic aluminum)
- Binder (normally organic polymer, e.g. synthetic rubber)(also a fuel)
- Inorganic oxidizing agent (e.g. ammonium perchlorate)



9

BUILDING STRONG®

Pershing Missile motor propellant

68%	Ammonium perchlorate
13.2%	Polybutadiene acrylic acid
16%	Aluminum
2.8%	ERL-2795 (a curing agent)



10

BUILDING STRONG®

Black Powder

Black Powders Used in Pyrotechnics

Components (%)	146	147	148
Potassium nitrate	74.0	70	-
Sodium nitrate	-	-	72
Charcoal	15.6	-	16
Coal (semibituminous)	-	14	-
Sulfur	10.4	16	12



11

BUILDING STRONG®

Propellants are found in what part of the munition?

- Cartridge case (small arms, medium caliber munitions, some artillery)
- External to the projectile (mortars, some artillery)
- Rocket motor
- Explosive charge in some munitions



12

BUILDING STRONG®

Analytical Methods



13

BUILDING STRONG®

Laboratory Analytical Methods

- Nitrocellulose (NC)
 - ▶ No good analytical method
 - ▶ Relatively non-toxic
- Nitroglycerin (NG)
 - ▶ EPA 8332 Nitroglycerine by High Performance Liquid Chromatography
 - ▶ LC/MS
 - Modified EPA 8321A Solvent-Extractable Nonvolatile Compounds by High-Performance Liquid Chromatography/Thermospray/Mass Spectrometry (HPLC/TS/MS) or Ultraviolet (UV) Detection
 - ▶ modified EPA 8330
- Nitroguanidine (NQ)
 - ▶ No published analytical method



14

BUILDING STRONG®

Laboratory Analytical Methods (2)

▪ Perchlorate

- ▶ EPA 6850 Perchlorate in Water, Soils and Solid Wastes Using High Performance Liquid Chromatography/Electrospray Ionization/Mass Spectrometry (HPLC/ESI/MS/MS)
- ▶ EPA 6860 Perchlorate in Water, Soils and Solid Wastes Using Ion Chromatography/Electrospray Ionization/Mass Spectrometry (IC/ESI/MS or IC/ESI/MS/MS)
- ▶ EPA 331.0 Determination of Perchlorate in Drinking Water by Liquid Chromatography Electrospray Ionization Mass Spectrometry
- ▶ EPA 332.0 Determination of Perchlorate in Drinking Water by Ion Chromatography With Suppressed Conductivity And Electrospray Ionization Mass Spectrometry
- ▶ EPA 314.0 Determination of Perchlorate in Drinking Water Using Ion Chromatography
- ▶ EPA 314.1 Determination of Perchlorate in Drinking Water Using Inline Column Concentration/Matrix Elimination Ion Chromatography with Suppressed Conductivity Detection
- ▶ EPA 9058 Determination of Perchlorate Using Ion Chromatography with Chemical Suppression Conductivity Detection

▪ Black Powder

- ▶ No need for analysis



Munitions Constituents (MC) and the Military Munitions Response Program (MMRP)

07: Metals

Jan W. Dunker, Ph.D.
Environmental & Munitions Center of Expertise
US Army Engineering and Support Center, Huntsville

Environmental Monitoring & Data Quality Workshop
29 March 2011



US Army Corps of Engineers
BUILDING STRONG



Source of Metals from Munitions


- Cartridge Case
- Projectile Case
- Bomb Case
- Filler (bursting charge, active component)



BUILDING STRONG

2

Small Arms Ammunition



BUILDING STRONG

3

Metals in Small Arms Ammunition

- Cartridge Case
 - ▶ Brass – copper (70%) and zinc (30%)
- Bullet (projectile)
 - ▶ All military bullets are jacketed (clad) – FMJ (Full Metal Jacket)
 - Bullet jackets are typically gilding metal - copper (95%) and zinc (5%)
 - ▶ Bullet core composition depends upon caliber and type of ammunition



4

BUILDING STRONG®

Bullet Cores


- .30 caliber
 - ▶ M2, Ball – lead (99%) and antimony (1%)
 - ▶ M2, AP – steel [iron (98%) and manganese (0.75%)]
- .50 caliber
 - ▶ M2, Ball – steel [iron (99%) and manganese (0.45%)]
 - ▶ M2, AP - steel [iron (98%) and manganese (0.75%)]



5

BUILDING STRONG®

Artillery Ammunition



Shell, Semi-Fixed, 105-mm



6

BUILDING STRONG®

Metals in Shell, Semi-Fixed, 105-mm, HEAT, M67

- Cartridge Case
 - ▶ Brass – copper (70%) and zinc (30%)
- Projectile
 - ▶ Case – steel [iron (98%) and manganese (1.5%)]
 - ▶ Rotating band – copper (90%) and zinc (9.9%)
 - ▶ Cone – copper (99%)
 - ▶ Ogive – steel [iron (99%) and manganese (0.45%)]



7

BUILDING STRONG®

Corrosion Products



8

BUILDING STRONG®

Corrosion Products

- Metals corrode in the environment
- Generally form oxidized species
 - ▶ Thermodynamics
 - ▶ Kinetics



9

BUILDING STRONG®

Analytical Methods



10

BUILDING STRONG®

Field Analytical Methods

- EPA 6200 Field Portable X-Ray Fluorescence Spectrometry for the Determination of Elemental Concentrations in Soil and Sediment
 - XRF



11

BUILDING STRONG®

Laboratory Analytical Methods

- EPA 6010 Inductively Coupled Plasma-Atomic Emission Spectrometry
- EPA 6020 Inductively Coupled Plasma-Mass Spectrometry
- EPA 7010 Graphite Furnace Atomic Absorption Spectrophotometry
- EPA 7470A Mercury in Liquid Waste (Manual Cold-Vapor Technique)
- EPA 7471B Mercury in Solid or Semisolid Waste (Manual Cold-Vapor Technique)



12

BUILDING STRONG®

Fate & Transport



13

BUILDING STRONG®

It's complicated!



14

BUILDING STRONG®

Iron (Fe)

- Occurrence in munitions
 - ▶ Present as steel in cases and projectiles
- Regulatory status
 - ▶ Not a hazardous substance
- Common oxidation states
 - ▶ Fe(0); Fe(II); Fe(III)
- Crustal abundance
 - ▶ 6.3×10^4 ppm (6.3%)
- RSLs (residential soil)
 - ▶ 5.5×10^4 ppm



15

BUILDING STRONG®

Lead (Pb)

- Occurrence in munitions
 - ▶ Present in small arms bullets and one practice bomb
- Regulatory status
 - ▶ Hazardous substance
- Common oxidation states
 - ▶ Pb(0), Pb(II)
- Crustal abundance
 - ▶ 14 ppm
- RSLs (residential soil)
 - ▶ 4×10^2 ppm



16

BUILDING STRONG®

Copper (Cu)

- Occurrence in munitions
 - ▶ Present in cartridge cases (brass) and bullet jackets (e.g. gilding metal)
- Regulatory status
 - ▶ Hazardous substance
- Common oxidation states
 - ▶ Cu(0), Cu(II)
- Crustal abundance
 - ▶ 50 ppm
- RSLs (residential soil)
 - ▶ 3.1×10^3 ppm



17

BUILDING STRONG®

Zinc (Zn)

- Occurrence in munitions
 - ▶ Present in cartridge cases (brass), bullet jackets (e.g. gilding metal), and one practice bomb
- Regulatory status
 - ▶ Hazardous substance
- Common oxidation states
 - ▶ Zn(0), Zn(II)
- Crustal abundance
 - ▶ 75 ppm
- RSLs (residential soil)
 - ▶ 2.3×10^4 ppm



18

BUILDING STRONG®

Aluminum (Al)

- Occurrence in munitions
 - ▶ Present in rocket cases, some propellants (powdered Al), and pyrotechnics (powdered Al)
- Regulatory status
 - ▶ Not a hazardous substance
- Common oxidation states
 - ▶ Al(0), Al(III)
- Crustal abundance
 - ▶ 8.2×10^4 ppm (8.2%)
- RSLs (residential soil)
 - ▶ 7.7×10^4 ppm



19

BUILDING STRONG®

Manganese (Mn)

- Occurrence in munitions
 - ▶ Present in some steel alloys
- Regulatory status
 - ▶ Hazardous substance
- Common oxidation states
 - ▶ Mn(0), Mn(II), Mn(III)
- Crustal abundance
 - ▶ 950 ppm
- RSLs (residential soil)
 - ▶ 1.8×10^3 ppm



20

BUILDING STRONG®

Chromium

- Occurrence in munitions
 - ▶ Present in some steel alloys
- Regulatory status
 - ▶ Hazardous substance
- Common oxidation states
 - ▶ Cr(0), Cr(III), Cr(VI)
- Crustal abundance
 - ▶ 100 ppm
- RSLs (residential soil)
 - ▶ NA



21

BUILDING STRONG®

Antimony (Sb)

- Occurrence in munitions
 - ▶ Present in alloys with lead in small arms bullets (99% Pb, 1% Sb)
- Regulatory status
 - ▶ Hazardous substance
- Common oxidation states
 - ▶ Sb(0), Sb(III), Sb(V)
- Crustal abundance
 - ▶ 0.2 ppm
- RSLs (residential soil)
 - ▶ 3.1e+01 ppm



22

BUILDING STRONG®

Arsenic (As)

- Occurrence in munitions
 - ▶ Present in alloys with lead in shotgun pellets (96.4% Pb; 3% Sb; 0.6% As)
- Regulatory status
 - ▶ Hazardous substance
- Common oxidation states
 - ▶ As(0), As(III); As(V)
- Crustal abundance
 - ▶ 1.5 ppm
- RSLs (residential soil)
 - ▶ 3.9e-01



23

BUILDING STRONG®

Mercury (Hg)

- Occurrence in munitions
 - ▶ Present in some primer mixtures (mercury fulminate; used prior to WWII)
- Regulatory status
 - ▶ Hazardous substance
- Common oxidation states
 - ▶ Hg(0); Hg(II)
- Crustal abundance
 - ▶ 0.05 ppm
- RSLs (residential soil)
 - ▶ 2.3e+01



24

BUILDING STRONG®

Barium

- Occurrence in munitions
 - ▶ Present as barium nitrate in some pyrotechnics
- Regulatory status
 - ▶ Not a hazardous substance
- Common oxidation states
 - ▶ Ba(II)
- Crustal abundance
 - ▶ 500 ppm
- RSLs (residential soil)
 - ▶ 1.5e+04



25

BUILDING STRONG®

Strontium

- Occurrence in munitions
 - ▶ Present in some pyrotechnics (e.g. tracer compositions)
- Regulatory status
 - ▶ Not a hazardous substance
- Common oxidation states
 - ▶ Sr(II)
- Crustal abundance
 - ▶ 370 ppm
- RSLs (residential soil)
 - ▶ 4.7E+04



26

BUILDING STRONG®

Tungsten (W)

- Occurrence in munitions
 - ▶ Present in some armor penetrator rounds and some small arms bullets ("green bullets")
- Regulatory status
 - ▶ Not a hazardous substance
- Common oxidation states
 - ▶ W(0), W(VI)
- Crustal abundance
 - ▶ 160 ppm
- RSLs (residential soil)
 - ▶ NA



27

BUILDING STRONG®

Uranium

- Occurrence in munitions
 - ▶ Some armor penetrators contain Depleted Uranium
- Regulatory status
 - ▶ Hazardous substance
- Common oxidation states
 - ▶ U(0), U(IV), U(VI)
- Crustal abundance
 - ▶ 1.8 ppm
- RSLs (residential soil)
 - ▶ 2.3×10^2



28

BUILDING STRONG®

Munitions Constituents (MC) and the Military Munitions Response Program (MMRP)

09: MC Considerations Related to MEC Operations

Deborah Walker, PMP, CHMM, RHSP
Environmental & Munitions Center of Expertise
US Army Engineering and Support Center, Huntsville

Environmental Monitoring & Data Quality Workshop
29 March 2011



US Army Corps of Engineers
BUILDING STRONG®



Topics

- Consider the impact on MC sampling representativeness, spatial data, and overall waste disposal requirements based on choice of:
- MEC Removal Technology
 - ▶ Engineering Controls for Unintentional Detonations
- MEC Disposal Technology Options
 - ▶ Engineering Controls for Intentional Detonations



2

BUILDING STRONG®

MEC Removal Technology Options

- Hand excavation
- Mechanically-Assisted Removal Using Excavating Equipment
- Remotely-Operated Equipment
- Armored Excavation and Transportation
- Mechanized Soil Processing (Screens/Conveyors/Magnets)



3

BUILDING STRONG®

Excavation

- Hand excavation
 - ▶ Industry standard, best access to soil for sampling and for visibility of potential MC sources
- Mechanically-Assisted Removal Using Excavating Equipment
 - ▶ Used in conjunction with hand excavation; no additional advantages



4

BUILDING STRONG®

Remote Operations and Armor

- Remotely-Operated Equipment
 - ▶ Limited to R&D at this time; selection of specific sample location/depth would be more difficult.
- Armored Excavation and Transportation
 - ▶ Focuses on mass excavation; potential MC sources lose spatial identity; selection of specific sample location/depth would be more difficult.



Armored Excavator



5

BUILDING STRONG®

Mechanized Soil Processing (Screens/Conveyors/Magnets)



- Separates ordnance (or bullets being recovered for lead recycling) from soil
- Soil processed no longer has spatial identity – post processing sampling would be located based on piles generated during processing
- Soil is also somewhat mixed by process



6

BUILDING STRONG®

Engineering Controls – Unintentional Detonations

- Intrusive efforts frequently require engineering controls, which must be considered in sampling strategies
- Barricades limit access to soil that might be available to sample, but their use is required to protect nearby activities from unintentional detonations
- Spatial limitations may provide less bias than restricting samples to areas outside the exclusion zone (limiting samples to strictly those taken with anomaly avoidance)



Open Front Barricades

7

BUILDING STRONG®

MEC Disposal Technology Options

- Blow-in-Place
- Consolidated Shot
- Laser Initiation
- Contained Detonation Chamber
- Render Safe Procedures




8

BUILDING STRONG®

Blow-in-Place

- Intact rounds that are detonated by blow-in-place typically leave less contamination than rounds that go low order, but greater contamination than if the round had functioned as designed (high order)
- Sampling related to BIPs may be impacted by engineering controls (see following slide)



Explosive Residues from Blow-in-Place Detonations of Artillery Munitions, Pennington, et al.,
Soil and Sediment Contamination: An International Journal, 17:2, 163 -180



ERDC/CRREL TR-06-13, Comparison of Explosives Residues from the
Blow-in-Place Detonation of 155-mm High-Explosive Projectiles

BUILDING STRONG®

Engineering Controls – Intentional Detonations

- Sand bags are common means of controlling intentional detonations (BIPs)
- If sand bags are required, consider the impacts on post detonation sampling – where is media representative of the site?



10

BUILDING STRONG®

BIP + Low Order?



More on Low Order MC Sources:
Explosive Residues from Low-Order Detonations of
Heavy Artillery and Mortar Rounds, Pennington, et al;
Soil and Sediment Contamination: An International
Journal, 17:5, 533 - 546

- Likely MC source
- Low Orders documented MC source; BIP data from low orders can be particularly high
- Sample:
 - ▶ 5" Armor Piercing HE Low Order BIP
 - 19 mg/kg (res)
 - 79 mg/kg (ind)
 - ▶ TNT – 1400 mg/kg



11

BUILDING STRONG®

Consolidated Shots

- Multiple rounds are detonated together; must be "acceptable to move"
- MC results more analogous to OD area
- Sample result:
 - ▶ TNT – 43-53 mg/kg
 - 19 mg/kg (res)
 - 79 mg/kg (ind)



12

BUILDING STRONG®

Laser Initiation

- HNC conducted study during development of release of MC to soil and air
- Study showed that release was higher from initiation by laser than by C4 donor charge for low orders and for many high orders.
- Laser systems do not require donor charges; this is their primary advantage.
- Secondary waste stream issues and sampling needs are similar to BIPs



13

BUILDING STRONG®

Contained Detonation Chambers

- CDCs are used to destroy MEC, while containing both the blast effects and the secondary waste stream within the closed system.
- Air handling and filtration may be required depending on the munitions being detonated.
- Secondary waste streams must be characterized and disposed of properly. They typically include:
 - ▶ Pea gravel
 - ▶ Torit filter dust
 - ▶ Decontamination water
- Use is limited to items that are within the net explosive weight (NEW) the system is approved to destroy and contain fill the unit is approved to destroy:
 - ▶ Conventional munitions, such as
 - Energetics
 - White phosphorus
 - Riot agent
 - Propellants
 - Smoke,
 - ▶ Approval does not include plasticized white phosphorus
 - ▶ Single site approval has been granted for chemical munitions



14

BUILDING STRONG®

Contained Detonation Chambers (cont'd)

- Plan for cost and schedule impacts of manifesting and disposal
- Example Waste Profile Results:
 - ▶ Pea Gravel
 - D008 (Pb)
 - D006 (Cd)
 - D003 (Reactive) – WP munitions
 - ▶ Filters
 - D002 (Corrosive) – FS munitions
 - ▶ Decon water
 - Nonhazardous
 - Hazardous (lead)



15

BUILDING STRONG®

Render Safe Procedures



- Military personnel only, high hazard to personnel performing procedure
- If circumstances were such that it were approved, sampling would only be permitted after munition was removed
- No MC release unless casing was compromised due to corrosion or previous sympathetic detonation.



16
BUILDING STRONG®

Questions?

Deborah D. Walker, 256-895-1796
deborah.d.walker@usace.army.mil

Jan W. Dunker, 402-697-2566
jan.w.dunker@usace.army.mil

Terry L. Walker, 402-697-2591
terry.l.walker@usace.army.mil

Hugh J. Rieck, 402-697-2660
hugh.j.rieck@usace.army.mil

US Army Engineering & Support Center-Huntsville
 Environmental & Munitions Center of Expertise



17
BUILDING STRONG®
