

U. S. AIR FORCE
PROJECT RAND
RESEARCH MEMORANDUM

SOME NOTES FOR SIMPLE PAVLOVIAN LEARNING

A. S. Householder

RM-678

10 September 1951

Assigned to _____

This is a working paper. It may be expanded,
modified, or withdrawn at any time.

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 10 SEP 1951		2. REPORT TYPE		3. DATES COVERED 00-00-1951 to 00-00-1951	
4. TITLE AND SUBTITLE Some Notes for Simple Pavlovian Learning				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Rand Corporation, Project Air Force, 1776 Main Street, PO Box 2138, Santa Monica, CA, 90407-2138				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

SUMMARY: Some neural nets capable of mediating simple Pavlovian reflexes in their qualitative features are represented, along with some suggestions toward further elaboration.

SOME NOTES FOR SIMPLE PAVLOVIAN LEARNING

by A. S. Householder

In the accompanying figures are exhibited some nets representing some of the qualitative features of the simplest types of Pavlovian reflex learning. It is perhaps clear how, by inserting internuncials and adding circuits, the quantitative characteristics can be adjusted. Admittedly a great many such additions might be required before achieving any degree of realism.

Fig. 1 represents the simplest form of conditioning with extinction. Here and hereafter the threshold is 1 or irrelevant unless inserted; and S and S' denote the unconditioned and conditioned stimuli, respectively. In this net the occurrence of $S'(t) S(t + 1)$ activates the cycle, after which $S'(T)$ implies $R(T + 2)$. However any occurrence of $S'(t) \sim S(t + 1)$ inactivates the cycle. Thus a single trial establishes conditioning, but a single failure to reinforce will extinguish it.

Fig. 2 shows one step in the elaboration. Here one trial activates C_1 but does not yet set up the conditioning; a second trial is required, at which time C_2 is activated and S' (via an internuncial for timing purposes) is made liminal. A single nonreinforcement will inactivate C_2 ; a second will inactivate also C_1 .

If C_1 , instead of C_2 , were connected to R , then a single trial would establish conditioning, but unstably, in the sense that a single nonreinforcement

would extinguish it. Two consecutive trials would increase the stability, necessitating two consecutive nonreinforcements to extinguish it. This is readily generalized by taking 2 cycles in stages, of which the m -th is connected to R. Then conditioning would be established after m trials, but each further trial increases the stability, up to the number $n - m$ of additional stages.

Fig. 3 represents the first aspect of the delayed reflex, with one-stage conditioning. Note that $S(t)$ always implies $R(t + 1)$. Now the occurrence of $S'(t) S(t + 1)$ activates C_1 as in Fig. 1, so that subsequent occurrence of $S'(\tau)$ implies $R(\tau + 2)$. However if $\sim S(\tau + 1)$, then the cycle is inactivated and the conditioning extinguished. Also the occurrence of $S'(t) S(t + 2)$ activates C_2 so that subsequent occurrence of $S'(\tau)$ implies $R(\tau + 3)$.

The most interesting feature of the delayed reflex, however, in Pavlov's description is this. Continued reinforcement of the delayed reflex (corresponding to activation of C_2 and subsequent stages) has the effect that the time of occurrence of R moves progressively forward; non-reinforcement first increases the delay before continued nonreinforcement finally extinguishes the conditioning.

To achieve this in its most elementary form, add another stage to C_2 as in Fig. 2, but connect this cycle to I_2 with an inhibitor and to I_1 with an excitor. Then $S'(t)$ is sufficient to produce $R(t + 2)$ if either this new cycle is active, or if C_1 is active, whereas if C_2 alone is active, then $S'(t)$ will produce $R(t + 3)$.

Fig. 4 gives the phenomenon of generalization. It is supposed that S_1' and S_2' are affected by different degrees of intensity, or different qualities of the same type of stimulus (e.g., distinct tones). Either conjunction $S_1'(t) S(t + 1)$ or $S_2'(t) S(t + 1)$ is sufficient to activate both cycles C_1 and C_2 , after which the occurrence of either $S_1'(\tau)$ or of

$S'_2(\tau)$ is sufficient for $R(\tau + 2)$. However, the non-reinforced presentation of S'_1 above, that is to say $S'_1(\tau) \sim S(\tau + 1)$, inactivates C_1 , but not C_2 .

A more realistic representation requires obviously more than two degrees or qualities, but should have also the following features: Suppose the afferents are S'_1, \dots, S'_2 , in the order of degrees of intensity or of a simple ordering of the qualities. Progressive reinforcements of a particular S'_α should establish S'_α sooner than other S'_β and for establishing S'_β by reinforcing S'_α , the required number of reinforcements should increase with $(\beta - \alpha)$. Conversely, in the subsequent extinction of a given S'_β , more non-reinforcements should be required for small $(\beta - \alpha)$ than for large. Again, as extinction proceeds by non-reinforcement of S'_β , extinction of any S'_γ should proceed at about the same relative rate when β lies between γ and α ; whereas when γ lies between β and α the rate at which S'_γ is extinguished should depend upon the relative values of $(\beta - \gamma)$ and $(\gamma - \alpha)$.




Fig. 1— Simple conditioning




Fig. 2— Two-stage conditioning




Fig. 3 — Simple delayed reflex




Fig. 4—Generalization

