

Ocean Dynamics: IWISE DRI

Robert Pinkel
Marine Physical Laboratory
Scripps Institution of Oceanography
La Jolla, California 92093-0213
Phone: (858) 534-2056 fax: (858) 534-7132 email: rpinkel@ucsd.edu

Award N00014-12-1-0288

LONG-TERM GOALS

To gain a more complete understanding of ocean dynamical processes, particularly at fine-scale, through comparison of high, mid- and low-latitude observations, near the sea surface, in the main thermocline, and near the sea floor.

OBJECTIVES

To identify the phenomena involved in the cascade of energy from meso-scales to turbulent scales. In particular, we wish to quantify the relationship between fine-scale background conditions and the occurrence of microscale breaking.

APPROACH

Progress is achieved through a steady-state cycle of instrument development, field observation and data analysis. The primary instruments employed include Doppler sonar, rapidly-profiling CTD's, and Wirewalker ocean-wave-powered vertically-profiling floats. Our instruments produce information that is quasi-continuous in space and time, typically spanning two decades in the wavenumber domain. This broad band space-time coverage enables the investigation of multi-scale interactions.

WORK COMPLETED

Our major accomplishments include participation in the Summer 2011 IWISE cruise to Luzon Strait and the Heng Chun Ridge on the RV Revelle. We focused on the development of deep-ocean turbulence in an outflow channel in Luzon Strait, (Fig 1a, b) where numerical simulations suggested energetic turbulence would be present. We employed the MPL-SIO Fast CTD (Fig 1b) to study the phenomenon, along with the HDSS sonars on the Revelle. The systems performed well for the duration of the experiment. Over 800 CTD profiles were collected, to depths as great as 1900 m (Fig 2).

On May 2013, we revisited the Luzon Strait to continue study of the North Outflow Channel. This time we continuously transited the channel, taking observations along the channel-axis as the flow evolved through the tidal cycle. Very large lee-waves and mixing events were again seen, although the striking sea surface signature of the lee-waves was absent.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2013		2. REPORT TYPE		3. DATES COVERED 00-00-2013 to 00-00-2013	
4. TITLE AND SUBTITLE Ocean Dynamics: IWISE DRI				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of California, San Diego, Scripps Institution of Oceanography, 9500 Gilman Drive, San Diego, CA, 92093				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 4	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			




Figure 1. a. A topographic map of central Luzon Strait showing barotropic tidal flow vectors from the MIT cgm. Magenta dots show the location of stations in the North Outflow Channel of the Ridge. **b.** Proximity to local islands rendered ship maneuvering difficult. **c.** The motorized sheave on the Fast CTD. In the background is the surface disturbance caused by the internal lee-waves.




Figure 2. A sample of the real-time display from the Fast-CTD at site N2, on the eastern flank of the Heng Chun Ridge. Density profiles to ~1800 m were repeated every 20 minutes. Red dots indicate overturns in the density field (top) and temperature field (bottom). During periods of eastward flow, significant mixing was observed ~1000 m above the topography.

RESULTS

It was found that mixing is associated with a variety of flow phenomena in the outflow channel, Fig.3. Thanks to the establishment of a complex lee wave pattern, mixing is not confined to the “near bottom” region. The full water column feels the effect of the 1000 m deep topography. Depth-integrated mixing rates approach 8 Watts/m^2 , perhaps the highest deep-sea values recorded to-date.




Figure 3. Along-channel flow and isopycnal vertical displacement at Site III in the North Outflow Channel. Green dots indicate sites of overturning, which is concentrated in periods of eastward tidal flow.

IMPACT/APPLICATIONS

In 2011, the lee wave generated in the Luzon outflow channel was sufficiently strong to modify the propagation of sea surface waves, more that 1000m above the topography (Fig 1c). This is perhaps the first example of a surface signature of deep topography NOT associated with propagating solitary waves.

TRANSITIONS

We have successfully recruited Ms. Ruth Musgrave, an extremely promising SIO student, to work on data and modeling aspects of the IWISE 2011 data and the 2013 observations. Ruth participated in the collection of the 2013 data. She is co-advised by Profs Jen MacKinnon and R. Pinkel.

RELATED PROJECTS

Follow-on work in the South China Sea will focus on sub-mesoscale processes, as an aspect of the Vietnam DRI (January 2014) and the coming Sub-Mesoscale DRI.

PUBLICATIONS

Klymak, J.M., S. Legg, M.H. Alford, M. Buijsman, R. Pinkel, and J.D. Nash. 2012 The direct breaking of internal waves at steep topography. *Oceanography*, 25-2, 150-160.

Pinkel, R., M. Buijsman and J.M. Klymak. Breaking topographic lee waves in a tidal channel in Luzon Strait. *Oceanography*, 25-2, 160-166.