

60th Medical Group (AMC), Travis AFB, CA
INSTITUTIONAL ANIMAL CARE AND USE COMMITTEE (IACUC)
FINAL REPORT SUMMARY

(Please type all information. Use additional pages if necessary.)

PROTOCOL #: FDG20130006A

DATE: 2 December 2013

PROTOCOL TITLE: "Pilot study of the efficacy of extracellular matrix arterio-venous bypass grafts in a sheep (*Ovis aries*) model".

PRINCIPAL INVESTIGATOR (PI) / TRAINING COORDINATOR (TC): Lt Col Daren Danielson

DEPARTMENT: 60MSG/SGCH

PHONE #: 423-2300

INITIAL APPROVAL DATE: 17 January 2013

LAST TRIENNIAL REVISION DATE: N/A

FUNDING SOURCE:

1. RECORD OF ANIMAL USAGE:

Animal Species:	Total # Approved	# Used this FY	Total # Used to Date
<i>Ovis aries</i>	3	3	3

2. PROTOCOL TYPE / CHARACTERISTICS: (Check all applicable terms in **EACH** column)

☐ Training: Live Animal	☐ Medical Readiness	☐ Prolonged Restraint
☐ Training: non-Live Animal	☐ Health Promotion	☐ Multiple Survival Surgery
☒ Research: Survival (chronic)	☐ Prevention	☐ Behavioral Study
☐ Research: non-Survival (acute)	☐ Utilization Mgt.	☐ Adjuvant Use
☐ Other ()	☒ Other (Treatment)	☐ Biohazard

3. PROTOCOL PAIN CATEGORY (USDA): (Check applicable) ☐ C ☒ D ☐ E

4. PROTOCOL STATUS:

***Request Protocol Closure:**

☐ Inactive, protocol never initiated
☐ Inactive, protocol initiated but has not/will not be completed
☒ Completed, all approved procedures/animal uses have been completed

5. FUNDING STATUS: Funding allocated: \$ \$10,080.00 Funds remaining: \$ 0.00

6. PROTOCOL PERSONNEL CHANGES:

Have there been any personnel/staffing changes (PI/CI/AI/TC/Instructor) since the last IACUC approval of protocol, or annual review? ☐ Yes ☒ No

If yes, complete the following sections (Additions/Deletions). For additions, indicate whether or not the IACUC has approved this addition.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 27 DEC 2013		2. REPORT TYPE Final		3. DATES COVERED 17 Jan 2013 - 27 Dec 2013	
4. TITLE AND SUBTITLE FDG20130006A "Pilot study of the efficacy of extracellular matrix arterio-venous bypass grafts in a sheep (Ovis aries) model."				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Lt Col Daren Danielson, Maj Lucas P. Neff, Sterling Humphrey, M.D., W. Douglas Boyd, M.D., M.Ed.				5d. PROJECT NUMBER FDG20130006A	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Clinical Investigation Facility David Grant Medical Center 101 Bodin Circle Travis AFB, CA 94535				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Clinical Investigation Facility David Grant Medical Center 101 Bodin Circle Travis AFB, CA 94535				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Objective: The purpose of this study was to compare early patency and histology of Cormatrix small intestine submucosa arteriovenous fistula grafts in sheep. Methods: Three crossbred sheep were anesthetized, instrumented, and had a 7 cm fistula created between the carotid artery and jugular vein through a midline neck incision. The fistula was created with CorMatrix extracellular matrix. The wounds were closed and the animals recovered. Lovenox was administered starting post-operatively daily for the remainder of the experiment. Duplex ultrasonography was conducted at 1 and 6 weeks, followed by thorough necropsy and histologic evaluation of the fistulas using hematoxylin and eosin and Massons Trichrome stains. Results: Following surgery, two animals had uncomplicated courses without clinical evidence of thrombosis or wound complication. The third animal succumbed from graft failure secondary to a postoperative seroma and wound infection. Duplex examinations revealed patent fistulas with normal vessel diameters, flow velocities, and spectral patterns. Upon post mortem, there was a lack of perivascular inflammation and tissue reaction. Histologic assessment confirmed patency without evidence of thrombosis or inflammatory infiltration. ECM was well populated with cells and near complete luminal endothelial cell coverage was present by four weeks. Conclusion: In this pilot study, the Cormatrix extracellular matrix performed well in a sheep A-V fistula graft model.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

ADDITIONS: (Include Name, Protocol function - PI/CI/AI/TC/Instructor, IACUC approval - Yes/No)

DELETIONS: (Include Name, Protocol function - PI/CI/AI/TC/Instructor, Effective date of deletion)

7. PROBLEMS / ADVERSE EVENTS: Identify any problems or adverse events that have affected study progress. Itemize adverse events that have led to unanticipated animal illness, distress, injury, or death; and indicate whether or not these events were reported to the IACUC.

One of the three sheep had a failure of the graft anastomosis, followed by fatal hemorrhage. The graft failed after a seroma with wound infection developed at the surgical site.

8. REDUCTION, REFINEMENT, OR REPLACEMENT OF ANIMAL USE:

REPLACEMENT (ALTERNATIVES): Since the last IACUC approval, have alternatives to animal use become available that could be substituted in this protocol without adversely affecting study or training objectives?

No.

REFINEMENT: Since the last IACUC approval, have any study refinements been implemented to reduce the degree of pain or distress experienced by study animals, or have animals of lower phylogenetic status or sentience been identified as potential study/training models in this protocol?

Yes. After the bad outcome with the first sheep, the AV recommended that cyanoacrylate adhesive be used to seal the skin wound after staples had been placed. A sterile dressing was then used to protect the wound for 3 – 4 days.

REDUCTION: Since the last IACUC approval, have any methods been identified to reduce the number of live animals used in this protocol?

No. This study used a pilot approach to demonstrate that it was possible to create an A-V fistula using extracellular matrix.

9. PUBLICATIONS / PRESENTATIONS: (List any scientific publications and/or presentations that have resulted from this protocol. Include pending/scheduled publications or presentations).

None.

10. Were the protocol objectives met, and how will the outcome or training benefit the DoD/USAF?

Yes. Valuable experience in using extracellular matrix for A-V fistula formation was gained. If shown successful in a future study, this procedure may provide an advanced therapeutic option for military vascular surgeons.

11. PROTOCOL OUTCOME SUMMARY: (Please provide, in "ABSTRACT" format, a summary of the protocol objectives, materials and methods, results - include tables/figures, and conclusions/applications.)

Objective: The purpose of this study was to compare early patency and histology of Cormatrix™ small intestine submucosa arteriovenous fistula grafts in sheep.

Methods: Three crossbred sheep were anesthetized, instrumented, and had a 7 cm fistula created between the carotid artery and jugular vein through a midline neck incision. The fistula was created with CorMatrix™ extracellular matrix. The wounds were closed and the animals recovered. Lovenox was administered starting post-operatively daily for the remainder of the experiment. Duplex ultrasonography was conducted at 1 and 6 weeks, followed by thorough necropsy and histologic evaluation of the fistulas using hematoxylin and eosin and Masson's Trichrome stains.

Results: Following surgery, two animals had uncomplicated courses without clinical evidence of thrombosis or wound complication. The third animal succumbed from graft failure secondary to a postoperative seroma and wound infection. Duplex examinations revealed patent fistulas with normal vessel diameters, flow velocities, and spectral patterns. Upon post mortem, there was a lack of perivascular inflammation and tissue reaction. Histologic

assessment confirmed patency without evidence of thrombosis or inflammatory infiltration. ECM was well populated with cells and near complete luminal endothelial cell coverage was present by four weeks.
Conclusion: In this pilot study, the Cormatrix extracellular matrix performed well in a sheep A-V fistula graft model.



(PI / TC Signature)

18 Dec 13
(Date)