

Head Waves in Asian Marginal Seas

Peter H. Dahl
Applied Physics Laboratory
College of Ocean and Fisheries Sciences
University of Washington
Seattle, Washington 98105
phone: (206) 543-2667 fax: (206) 543-6785 email: mdahl@apl.washington.edu

Jee Woong Choi
Applied Physics Laboratory
College of Ocean and Fisheries Sciences
University of Washington
Seattle, Washington 98105
phone: (206) 616-8597 fax: (206) 543-6785 email: <mailto:mchoijw@apl.washington.edu>

Award Number: N00014-03-1-0271

LONG-TERM GOALS

To develop a robust means to utilize readily-obtained precursor (or head-wave-like) arrival measurements for purposes of geoacoustic inversion.

These arrivals are important features of shallow water propagation that are exhibited at relatively short ranges (< 1 km). They are more directly linked with seabed properties, in contrast to long-range, trapped modal arrivals.

OBJECTIVES

The objective this year was to analyze, model, and invert precursor arrivals measured from the Yellow Sea as part of the August 1996 joint U.S.-China Yellow Sea Experiment [1] using new methods derived the previous year of this grant [2].

APPROACH

The approach involves a combination of ray theory for travel time analysis and simulation using the RAM Parabolic Equation (PE) code. The sound speed profile in the sea bed is estimated from travel time analysis of precursor arrivals. The spectrum of these arrivals is used to invert for compressional wave attenuation in the sea bed. This approach along with additional methods derived in previous year and described in [2] are used to elucidate the nature of the Yellow Sea precursor arrivals.

WORK COMPLETED

The year begin with the PI (Dahl) organizing a special session for the 150th Meeting of Acoustical Society of America in Minneapolis (October 2005) on the subject of head waves, interface waves and geoacoustic inversion. Revision and modification of the manuscript entitled: "First-order and zeroth-

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2006		2. REPORT TYPE		3. DATES COVERED 00-00-2006 to 00-00-2006	
4. TITLE AND SUBTITLE Head Waves in Asian Marginal Seas				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Washington, Applied Physics Laboratory, 1013 N.E. 40th St., Seattle, WA, 98105				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 4	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

order head waves, their sequence, and implications for geoacoustic inversion” was completed and this paper was published in the June 2006 issue of the *Journal of the Acoustical Society of America*.

The primary accomplishment for year is summarized in the manuscript entitled: “Precursor arrivals in the Yellow Sea, their distinction from first-order head waves, and their geoacoustic inversion,” which has

been accepted to the *Journal of the Acoustical Society of America*. Some results from this work are summarized below.

RESULTS

The key results from work this year pertains to analysis of measurements made during the U.S. and China Yellow Sea experiment (Fig. 1). Data are of the kind depicted in Fig. 2; these are precursor arrivals or pulses that have traveled through the sediment and arrive prior to any contributions that have traveled through the water column. Evidence is presented that these arrivals are zeroth-order refracted waves [2]. Synthetic time series generated using Parabolic Equation (PE) methods are used to support this evidence, and geoacoustic parameters describing a linear gradient in compressional sound speed and attenuation in the seabed are inverted from the data. Since these observations are zeroth order, they relate directly to a positive gradient in sediment sound speed, and an equivalent (or effective) half-space geoacoustic model, although often found to be consistent with the first-order head waves, cannot be identified that is consistent with these observations. Additional details including results of inversion are summarized in the aforementioned manuscript “Precursor arrivals in the Yellow Sea ...”




Figure 1. Location of the 1996 Yellow Sea experiment conducted by China and the U.S. including bathymetry contours in meters.




Figure 2. (a) The set 1 arrival structure versus time and depth for 16 channels (top channel at depth 6 m is damaged) and computed arrival time fronts (red, solid lines) corresponding to the first 10 eigenrays. The dashed, red line traces the measured arrival time front of the precursor arrival relative to the first arrival associated with the water borne rays. (b) Narrow band pass outputs for the arrival structure for the 66-m depth hydrophone; shaded area highlights the precursor arrival phase. The two vertical dotted lines correspond to the time interval T_1 between the shock wave and first bubble pulse; τ_{ij} is the arrival difference between the precursor arrival and the first arrival.

IMPACT/APPLICATIONS

Results of this research will constitute an important contribution to WESTPAC data bases. The technical approach refined in this work can be exploited to obtain geoacoustic bottom properties based on logistically simpler, short range measurements.

RELATED PROJECTS

There are no related projects in this fiscal year.

REFERENCES

- [1] P. H. Dahl, C. J. Eggen, D. Tang, and R. C. Spindel. *Low-Frequency Sound Propagation in the Yellow Sea; Results from the 1996 China-U.S. Experiment*, Technical report, APL-UW TR 9804, 1998.
- [2] J. W. Choi and P. H. Dahl, “First-order and zeroth-order head waves, their sequence, and implications for geoacoustic inversion,” *J. Acoust. Soc. Am.*, 119, pp. 3660-3668, June 2006.

PUBLICATIONS

P. H. Dahl and J. W. Choi, “Precursor arrivals in the Yellow Sea, their distinction from first-order head waves, and their geoacoustic inversion,” accepted to: *J. Acoust. Soc. Am.*, September 2006.