

Coastal and Ocean Data Assimilation

Arthur J. Mariano, Toshio Mike Chin
Division of Meteorology and Physical Oceanography
Rosenstiel School of Marine and Atmospheric Science
4600 Rickenbacker Causeway, Miami, Florida 33149
phone: (305) 421 4193, fax: (305) 421 4696, email: amariano@rsmas.miami.edu

Award #: N000140510093
<http://oceancurrents.rsmas.miami.edu/> <http://www.rsmas.miami.edu/LAPCOD>

LONGTERM GOALS

The long range scientific goal of this proposal is to produce optimal estimates of the state space of the ocean, its marginal seas, and coastal zones in order to document, understand, and predict average conditions and variability. This is being accomplished through the use of data assimilation methods for ocean circulation models.

OBJECTIVES

Our primary objective is to develop new, multiscale data assimilation algorithms for both Eulerian and Lagrangian prediction in coastal, ocean, and in transition regions that optimizes the information from measurements with different error and sampling characteristics. In particular, how to both combine and assimilate measurements that measure much different scales of motion in domains dominated by heterogeneous, broadband dynamics.

APPROACH

Our data analysis and assimilation approaches are based on motion-compensated spacetime interpolation algorithms, state space reduction techniques, Autoregressive (AR) models, and multiscale field decomposition. In particular, the Reduced Order Information Filter has been optimized for the latest version of the HYbrid Coordinate Ocean Model (HYCOM) at NRL.

Our two algorithms for the Inverse Lagrangian Prediction problem are based on a particle filter and a Monte Carlo brute force optimization technique.

WORK COMPLETED

1) The Reduced Order Information Filter (ROIF) data assimilation algorithm for the new HYCOM code has been tested. In particular, work with Ashwanth Srinivasan on optimizing the computational intensive "ROIF inversion engine" in the parallel MPI data structure, that is compliant with the official HYCOM code at NRL.

2) A new class of stochastic boundary conditions for parameterizing subgrid scale processes. (Chin *et al.*, 2007).

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2006		2. REPORT TYPE		3. DATES COVERED 00-00-2006 to 00-00-2006	
4. TITLE AND SUBTITLE Coastal and Ocean Data Assimilation				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Miami,Rosenstiel School of Marine and Atmospheric Science,4600 Rickenbacker Causeway,Miami,FL,33149-1098				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 4	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

3) New techniques for computationally efficient assimilation of Lagrangian data (Chin *et al.*, 2007; Molcard *et al.*, 2007).

4) Development of two algorithms for the inverse Lagrangian prediction problem.

5) The LAPCOD book was finished and we coauthored four chapters (Chin *et al.*, 2007; Mariano and Ryan, 2007; Molcard *et al.*, 2007; Piterbarg *et al.*, 2007) in *Lagrangian Analysis and Predictability of Coastal and Ocean Dynamics*, Griffa, A., D. Kirwan, A.J. Mariano, T. Ozgökmen, and T. Rossby, editors, (2007, In press, Cambridge University Press).

RESULTS

To make ROIF numerics more independent from a model's particular gridding scheme, the "ROIF inversion engine" has been converted by projection onto a set of continuous basis functions. Initial tests with the drifter and altimeter data have been successful. In general the ROIF run is only about 3 times slower than the nonassimilating runs. The code was also successfully parallelized using both MPI and OpenMP paradigms and is now suitable for both shared and distributed memory machines. This new development will allow ROIF implementation to a high resolution, global configuration of HYCOM.

Results from the optimized ROIF for HYCOM are shown in figure 1. These are classic twin experiment simulations starting with bad initial conditions. Figure 1 shows the SSH field at 6 months after initialization for both the nonassimilative reference simulation started from bad initial conditions, the truth simulation, and the ROIF-assimilated run that assimilated SSH data sampled from the reference simulation along T/P tracks. Similar good results were seen for the entire two year experiment. The RMS forecast error declined slower for simulations with T/P sampling than for simulations with random sampling of equal number of data points (not shown).

IMPACT/APPLICATIONS

We propose to continue our work with the Reduced Order Information Filter, multivariate spline representation of oceanic variables, and Monte Carlo based smoothers (Chin *et al.*, 2006) for the assimilation of oceanic and coastal data into numerical circulation models. We have been incorporating these more advanced methods into HYCOM (HYbrid Coordinate Ocean Model), the next generation, operational, ocean model for the US Navy. It should be noted even though the proposed research is with HYCOM, the methods are quite general and can be used with other numerical circulation models.

Our algorithms for the Inverse Lagrangian Prediction Problem can be used to derive solutions for the ODDAS, Optimal Design for Drifting Acoustic Sensor, problem.




Figure 1. Snapshots of SSH from the truth run and the twin experiments at time six months. The satellite altimeter tracks are shown on the top left. The ROIF assimilation reproduces the primary circulation features seen in the truth fields.

TRANSITIONS

These results are being applied to the HYCOM data assimilative modelling consortium's effort to produce a reliable and efficient ocean forecast system for the Navy.

RELATED PROJECTS

This work will be done in collaboration with A. Griffa, T. Ozgokmnen, A. Srinivasan, and the HYCOM Data Assimilative Modelling Consortium. Predictability of particle trajectories in the ocean. T. Ozgokmen (PI) and A. Griffa HYCOM Consortium for DataAssimilative Ocean Modeling. E.P. Chassignet (PI) with coPIs R. Bleck, T. Chin, M. Clancy, G. Halliwell, H. Hurlburt, A.J. Mariano, R. Rhodes, C. Thacker, A. Wallcraft

PUBLICATIONS (2005-2007)

T. M. Chin, M. J. Turmon, J.B. Jewell, M. Ghil, 2006. An ensemble-based smoother with retrospectively updated weights for highly nonlinear systems. *Monthly Weather Review*, in print.

Chin, T. M., T. M. Ozgökmen, and A. J. Mariano, 2007: Empirical and stochastic formulations of western boundary conditions. Accepted with revisions, *Ocean Modelling*.

Chin, T. M., K. Ide, C. K. R. T. Jones, L. Kuznetsov, and A. J. Mariano, 2007. Dynamic consistency and Lagrangian data in oceanography: mapping, assimilation, and optimization schemes. *Lagrangian Analysis and Predictability of Coastal and Ocean Dynamics*, Griffa, A., D. Kirwan, A. J. Mariano, T. Ozgökmen, and T. Rossby, editors. (In press, Cambridge University Press).

Griffa, A., D. Kirwan, A. J. Mariano, T. Ozgökmen, and T. Rossby, editors. *Lagrangian Analysis and Predictability of Coastal and Ocean Dynamics*. (In press, Cambridge University Press).

Lekien, F., C. Coulliette, A.J. Mariano, E.H. Ryan, L. Shay, G. Haller, and J. Marsden, 2005. Pollution release tied to invariant manifolds: A case study for the coast of Florida, *Physica D*, 210, 120.

Mariano, A. J. and E. H. Ryan, 2007. Lagrangian Analysis and Predictability of Coastal and Ocean Dynamics. *Lagrangian Analysis and Predictability of Coastal and Ocean Dynamics*, Griffa, A., D. Kirwan, A. J. Mariano, T. Ozgökmen, and T. Rossby, editors. (In press, Cambridge University Press).

Molcard, A., T.M. Ozgökmen, A. Griffa, L.I. Piterbarg, T.M. Chin, 2007. Lagrangian Data Assimilation in Ocean General Circulation Models. *Lagrangian Analysis and Predictability of Coastal and Ocean Dynamics*, Griffa, A., D. Kirwan, A.J. Mariano, T. Ozgökmen, and T. Rossby, editors. (In press, Cambridge University Press).

Piterbarg, L. I., T. M. Ozgökmen, A. Griffa, and A. J. Mariano, 2007. Predictability of Lagrangian motion in the upper ocean. *Lagrangian Analysis and Predictability of Coastal and Ocean Dynamics*, Griffa, A., D. Kirwan, A. J. Mariano, T. Ozgökmen, and T. Rossby, editors. (In press, Cambridge University Press).

W. Sun, M. Cetin, W. C. Thacker, T. M. Chin, A. S. Willsky, 2006. Variational approaches on discontinuity localization and field estimation in sea surface temperature and soil moisture. *IEEE Trans. Geoscience and Remote Sensing*, 44, 3363-50, DOI: 10.1109/TGRS.2005.861012.