

REPORT DOCUMENTATION PAGE			Form Approved OMB NO. 0704-0188		
The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA, 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY)		2. REPORT TYPE New Reprint		3. DATES COVERED (From - To) -	
4. TITLE AND SUBTITLE Genome Sequences of Four Acinetobacter baumannii-A. calcoaceticus Complex Isolates from Combat-Related Infections Sustained in the Middle East			5a. CONTRACT NUMBER W911NF-11-1-0136		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER 206022		
6. AUTHORS P. Ketter, M. N. Guentzel, J. P. Chambers, J. Jorgensen, C. K. Murray, A. P. Cap, J.-J. Yu, M. Eppinger, B. P. Arulanandam			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAMES AND ADDRESSES University of Texas at San Antonio One UTSA Circle San Antonio, TX 78249 -0603			8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS (ES) U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211			10. SPONSOR/MONITOR'S ACRONYM(S) ARO		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S) 59027-LS-REP.64		
12. DISTRIBUTION AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.					
14. ABSTRACT Acinetobacter baumannii is among the most prevalent bacterial causes of combat-related infections on the battlefield. Antibiotic resistance and a poor understanding of the protective host immune responses make treatment difficult. Here, we report the genome sequences of four clinical Acinetobacter baumannii- A. calcoaceticus complex isolates exhibiting significant differences in virulence in a mouse sepsis model.					
15. SUBJECT TERMS Acinetobacter baumannii, A. calcoaceticus, combat-related infections					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	15. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON Bernard Arulanandam
a. REPORT UU	b. ABSTRACT UU	c. THIS PAGE UU			19b. TELEPHONE NUMBER 210-458-5492

Report Title

Genome Sequences of Four *Acinetobacter baumannii*-*A. calcoaceticus* Complex Isolates from Combat-Related Infections Sustained in the Middle East

ABSTRACT

Acinetobacter baumannii is among the most prevalent bacterial causes of combat-related infections on the battlefield. Antibiotic resistance and a poor understanding of the protective host immune responses make treatment difficult. Here, we report the genome sequences of four clinical *Acinetobacter baumannii*-*A. calcoaceticus* complex isolates exhibiting significant differences in virulence in a mouse sepsis model.

REPORT DOCUMENTATION PAGE (SF298) (Continuation Sheet)

Continuation for Block 13

ARO Report Number 59027.64-LS-REP
Genome Sequences of Four Acinetobacter baur...

Block 13: Supplementary Note

© 2014 . Published in Genome Announcements, Vol. Ed. 0 2, (1) (2014), (, (1). DoD Components reserve a royalty-free, nonexclusive and irrevocable right to reproduce, publish, or otherwise use the work for Federal purposes, and to authorize others to do so (DODGARS §32.36). The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.

Approved for public release; distribution is unlimited.

Genome Sequences of Four *Acinetobacter baumannii*-*A. calcoaceticus* Complex Isolates from Combat-Related Infections Sustained in the Middle East

Patrick Ketter,^a M. Neal Guentzel,^a James P. Chambers,^a James Jorgensen,^b Clinton K. Murray,^c Andrew P. Cap,^d Jieh-Juen Yu,^a Mark Eppinger,^a Bernard P. Arulanandam^a

University of Texas at San Antonio, San Antonio, Texas, USA^a; University of Texas Health Science Center at San Antonio, San Antonio, Texas, USA^b; San Antonio Military Medical Center, JBSA-Fort Sam Houston, San Antonio, Texas, USA^c; United States Army Institute of Surgical Research, San Antonio Military Medical Center, JBSA-Fort Sam Houston, San Antonio, Texas, USA^d

Acinetobacter baumannii is among the most prevalent bacterial causes of combat-related infections on the battlefield. Antibiotic resistance and a poor understanding of the protective host immune responses make treatment difficult. Here, we report the genome sequences of four clinical *Acinetobacter baumannii*-*A. calcoaceticus* complex isolates exhibiting significant differences in virulence in a mouse sepsis model.

Received 10 January 2014 Accepted 15 January 2014 Published 6 February 2014

Citation Ketter P, Guentzel MN, Chambers JP, Jorgensen J, Murray CK, Cap AP, Yu J-J, Eppinger M, Arulanandam BP. 2014. Genome sequences of four *Acinetobacter baumannii*-*A. calcoaceticus* complex isolates from combat-related infections sustained in the Middle East. *Genome Announc.* 2(1):e00026-14. doi:10.1128/genomeA.00026-14.

Copyright © 2014 Ketter et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 3.0 Unported license](#).

Address correspondence to Bernard P. Arulanandam, bernard.arulanandam@utsa.edu.

Acinetobacter baumannii accounts for >36% of combat-related infections resulting from injuries sustained by military service personnel in the Middle East, making it among the most prevalent bacterial pathogens encountered on the battlefield (1, 2). Ubiquitous in nature, *A. baumannii* resists desiccation, allowing the pathogen to survive in relatively arid environments most other bacteria cannot (3–5). This, in combination with the increased level of antibiotic resistance associated with *A. baumannii* and its ability to colonize various bodily sites, makes these infections difficult to control and treat (3, 6–11). The limited genomic plasticity and biochemical conservation among *Acinetobacter* species pose problems with regard to species identification in clinical settings, resulting in *A. baumannii* and *Acinetobacter calcoaceticus* often being reported as the *A. baumannii*-*A. calcoaceticus* complex (ABC) (10, 12). Genomic heterogeneity in *A. baumannii* has an established impact on patient outcome based on variations of the virulence and antibiotic resistance gene alleles present in each strain (13–16).

To this end, we sequenced four clinical multidrug-resistant ABC strains, CI77, CI78, CI79, and CI86, from a collection obtained from respiratory (CI78 and CI79) or wound (CI77 and CI86) cultures from military personnel injured in either Iraq or Afghanistan (17). In a murine sepsis model, we observed significant differences in virulence *in vivo* between strains CI77 and CI79 correlating to sustained and elevated blood serum levels of an acute-phase small pattern recognition receptor known as PTX3; PTX3 possesses antimicrobial properties following challenge with strain CI79 (P. M. Ketter, M. N. Guentzel, B. Schaffer, M. Herzig, X. Wu, C. G. Fedyk, J. Yu, J. Jorgensen, J. P. Chambers, A. P. Cap, and B. P. Arulanandam, submitted for publication). Genomic DNA was subjected to Illumina sequencing using paired-end libraries with 300-bp inserts on the HiSeq 2000 platform. The draft genome was assembled with the Velvet assembler (18, 19), and the

IGS Annotation Engine and Manatee were used for structural and functional genome annotation and visualization of the chromosomes and plasmid contigs (20).

The observed genome sizes of the isolates range from 3.8 to 4.2 Mb, with an average G+C content of 38%. *In silico* comparison of the 16S rRNA genes allowed the complex and species attribution of CI77, CI79, and CI86 as being pathogenic *A. baumannii* strains, while CI78 is representative of *A. calcoaceticus*, is generally considered nonpathogenic, and is found to occasionally colonize but rarely cause infection in humans (10, 12). We determined the carriage of several reported *A. baumannii* virulence factors, such as LpxC, PglL, and AbaI (21–23), and found only limited genomic plasticity among the analyzed Middle Eastern ABC isolates. The availability of these sequences as a reference in RNAseq analysis will assist in future studies examining alterations in the ABC complex transcriptome and will help enhance our understanding of the underlying genetics and regulatory pathways leading to altered clinical disease manifestation in patients infected with emerging pathogens of ABC.

Nucleotide sequence accession numbers. The genome sequences of the *Acinetobacter* clinical isolates CI77, CI78, CI79, and CI86 have been deposited in GenBank under accession no. [AVOC000000000](#), [AVOE000000000](#), [AVOD000000000](#), and [AVOB000000000](#), respectively.

ACKNOWLEDGMENTS

This research was partially funded by the Army Research Office of the Department of Defense (contract no. W911NF-11-1-0136) and the Alvarez Graduate Research Education Excellence Fund. Computational support was provided by the Computational System Biology Core at the University of Texas at San Antonio and the South Texas Center for Emerging Infectious Diseases (STCEID).

The opinions or assertions contained herein are the private views of

the authors and are not to be construed as official or as reflecting the views of the Department of the Army or the Department of Defense.

REFERENCES

- Petersen K, Riddle MS, Danko JR, Blazes DL, Hayden R, Tasker SA, Dunne JR. 2007. Trauma-related infections in battlefield casualties from Iraq. *Ann. Surg.* 245:803–811. <http://dx.doi.org/10.1097/01.sla.0000251707.32332.c1>.
- Tribble DR, Conger NG, Fraser S, Gleeson TD, Wilkins K, Antonille T, Weintrob A, Ganesan A, Gaskins LJ, Li P, Grandits G, Landrum ML, Hospenthal DR, Millar EV, Blackburne LH, Dunne JR, Craft D, Mende K, Wortmann GW, Herlihy R, McDonald J, Murray CK. 2011. Infection-associated clinical outcomes in hospitalized medical evacuees after traumatic injury: trauma infectious disease outcome study. *J. Trauma* 71:S33–S42. <http://dx.doi.org/10.1097/TA.0b013e318221162e>.
- Bergogne-Bérézin E, Towner KJ. 1996. *Acinetobacter* spp. as nosocomial pathogens: microbiological, clinical, and epidemiological features. *Clin. Microbiol. Rev.* 9:148–165.
- Fournier PE, Richet H. 2006. The epidemiology and control of *Acinetobacter baumannii* in health care facilities. *Clin. Infect. Dis.* 42:692–699. <http://dx.doi.org/10.1086/500202>.
- Baumann P. 1968. Isolation of *Acinetobacter* from soil and water. *J. Bacteriol.* 96:39–42.
- Koeleman JG, van der Bijl MW, Stoof J, Vandenbroucke-Grauls CM, Savelkoul PH. 2001. Antibiotic resistance is a major risk factor for epidemic behavior of *Acinetobacter baumannii*. *Infect. Control Hosp. Epidemiol.* 22:284–288. <http://dx.doi.org/10.1086/501901>.
- Cisneros JM, Reyes MJ, Pachón J, Becerril B, Caballero FJ, García-Garmendia JL, Ortiz C, Cobacho AR. 1996. Bacteremia due to *Acinetobacter baumannii*: epidemiology, clinical findings, and prognostic features. *Clin. Infect. Dis.* 22:1026–1032. <http://dx.doi.org/10.1093/clinids/22.6.1026>.
- Dy ME, Nord JA, LaBombardi VJ, Kislak JW. 1999. The emergence of resistant strains of *Acinetobacter baumannii*: clinical and infection control implications. *Infect. Control Hosp. Epidemiol.* 20:565–567. <http://dx.doi.org/10.1086/501673>.
- Abbo A, Navon-Venezia S, Hammer-Muntz O, Krichali T, Siegmán-Igra Y, Carmeli Y. 2005. Multidrug-resistant *Acinetobacter baumannii*. *Emerg. Infect. Dis.* 11:22–29. <http://dx.doi.org/10.3201/eid1101.040001>.
- Peleg AY, de Breij A, Adams MD, Cerqueira GM, Mocali S, Galardini M, Nibbering PH, Earl AM, Ward DV, Paterson DL, Seifert H, Dijkshoorn L. 2012. The success of *Acinetobacter* species; genetic, metabolic and virulence attributes. *PLoS One* 7:e46984. <http://dx.doi.org/10.1371/journal.pone.0046984>.
- Hospenthal DR, Crouch HK, English JF, Leach F, Pool J, Conger NG, Whitman TJ, Wortmann GW, Robertson JL, Murray CK. 2011. Multidrug-resistant bacterial colonization of combat-injured personnel at admission to medical centers after evacuation from Afghanistan and Iraq. *J. Trauma* 71:S52–S57. <http://dx.doi.org/10.1097/TA.0b013e31822118fb>.
- Chiang MC, Kuo SC, Chen YC, Lee YT, Chen TL, Fung CP. 2011. Polymerase chain reaction assay for the detection of *Acinetobacter baumannii* in endotracheal aspirates from patients in the intensive care unit. *J. Microbiol. Immunol. Infect.* 44:106–110. <http://dx.doi.org/10.1016/j.jmii.2010.04.003>.
- Sahi JW, Johnson JK, Harris AD, Phillippy AM, Hsiao WW, Thom KA, Rasko DA. 2011. Genomic comparison of multi-drug resistant invasive and colonizing *Acinetobacter baumannii* isolated from diverse human body sites reveals genomic plasticity. *BMC Genomics* 12:291. <http://dx.doi.org/10.1186/1471-2164-12-291>.
- Kang G, Hartzell JD, Howard R, Wood-Morris RN, Johnson MD, Fraser S, Weintrob A, Wortmann G. 2010. Mortality associated with *Acinetobacter baumannii* complex bacteremia among patients with war-related trauma. *Infect. Control Hosp. Epidemiol.* 31:92–94. <http://dx.doi.org/10.1086/649220>.
- Johnson EN, Burns TC, Hayda RA, Hospenthal DR, Murray CK. 2007. Infectious complications of open type III tibial fractures among combat casualties. *Clin. Infect. Dis.* 45:409–415. <http://dx.doi.org/10.1086/520029>.
- Albrecht MC, Albrecht MA, Griffith ME, Murray CK, Chung KK, Horvath EE, Ward JA, Hospenthal DR, Holcomb JB. 2006. Impact of *Acinetobacter* infection on the mortality of burn patients. *J. Am. Coll. Surg.* 203:546–550. <http://dx.doi.org/10.1016/j.jamcollsurg.2006.06.013>.
- Hawley JS, Murray CK, Griffith ME, McElmeel ML, Fulcher LC, Hospenthal DR, Jorgensen JH. 2007. Susceptibility of *Acinetobacter* strains isolated from deployed U.S. military personnel. *Antimicrob. Agents Chemother.* 51:376–378. <http://dx.doi.org/10.1128/AAC.00858-06>.
- Zerbino DR. 2002. Using the Velvet *de novo* assembler for short-read sequencing technologies. *Curr. Protoc. Bioinformatics* 31:11.5.1–11.5.12. <http://dx.doi.org/10.1002/0471250953.bi1105s31>.
- Zerbino DR, Birney E. 2008. Velvet: algorithms for *de novo* short read assembly using de Bruijn graphs. *Genome Res.* 18:821–829. <http://dx.doi.org/10.1101/gr.074492.107>.
- Galens K, Orvis J, Daugherty S, Creasy HH, Angiuoli S, White O, Wortman J, Mahurkar A, Gwinn Giglio M. 2011. The IGS standard operating procedure for automated prokaryotic annotation. *Stand. Genomic Sci.* 4:244–251. <http://dx.doi.org/10.4056/signs.1223234>.
- Iwashkiw JA, Seper A, Weber BS, Scott NE, Vinogradov E, Stratilo C, Reiz B, Cordwell SJ, Whittall R, Schild S, Feldman MF. 2012. Identification of a general O-linked protein glycosylation system in *Acinetobacter baumannii* and its role in virulence and biofilm formation. *PLoS Pathog.* 8:e1002758. <http://dx.doi.org/10.1371/journal.ppat.1002758>.
- Lin L, Tan B, Pantapalangkoor P, Ho T, Baquir B, Tomaras A, Montgomery JJ, Reilly U, Barbacci EG, Hujer K, Bonomo RA, Fernandez L, Hancock RE, Adams MD, French SW, Buslon VS, Spellberg B. 2012. Inhibition of LpxC protects mice from resistant *Acinetobacter baumannii* by modulating inflammation and enhancing phagocytosis. *mBio* 3(5):e00312–12. <http://dx.doi.org/10.1128/mBio.00312-12>.
- Niu C, Clemmer KM, Bonomo RA, Rather PN. 2008. Isolation and characterization of an autoinducer synthase from *Acinetobacter baumannii*. *J. Bacteriol.* 190:3386–3392. <http://dx.doi.org/10.1128/JB.01929-07>.