

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA, 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.
PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY) 02-07-2014	2. REPORT TYPE Final Report	3. DATES COVERED (From - To) 15-Jun-2012 - 14-Mar-2013
---	--------------------------------	---

4. TITLE AND SUBTITLE Exercise-induced Alteration in Brain Activity during Motor Performance under Cognitive Stress	5a. CONTRACT NUMBER W911NF-12-1-0249
	5b. GRANT NUMBER
	5c. PROGRAM ELEMENT NUMBER 611102

6. AUTHORS Shinohara, Minoru	5d. PROJECT NUMBER
	5e. TASK NUMBER
	5f. WORK UNIT NUMBER

7. PERFORMING ORGANIZATION NAMES AND ADDRESSES Georgia Tech Research Corporation 505 Tenth Street NW Atlanta, GA 30332 -0420	8. PERFORMING ORGANIZATION REPORT NUMBER
---	--

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS (ES) U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211	10. SPONSOR/MONITOR'S ACRONYM(S) ARO
	11. SPONSOR/MONITOR'S REPORT NUMBER(S) 62146-LS-II.1

12. DISTRIBUTION AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited
--

13. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.

14. ABSTRACT The specific aim of the study was to examine the potential changes in the beta-band (15-30 Hz) neural oscillations between brain and muscle during simple fine motor performance under stress after high-intensity physical exertion. Healthy young adults were assigned to the Experimental or Control groups. Steady low-level force matching task using the index finger was performed independently (Single task) and concurrently with a cognitive task (Dual task) for 3 time blocks. Between the 1st and 2nd time blocks, subjects in the Experimental group performed active leg resistance exercise. Oscillations in EEG and corticomuscular coherence in beta band both tended to decrease
--

15. SUBJECT TERMS Brain activity, neural oscillations, exercise, stress
--

16. SECURITY CLASSIFICATION OF:	17. LIMITATION OF ABSTRACT	15. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT UU	UU		Minoru Shinohara
b. ABSTRACT UU			19b. TELEPHONE NUMBER 404-894-1030
c. THIS PAGE UU			

Report Title

Exercise-induced Alteration in Brain Activity during Motor Performance under Cognitive Stress

ABSTRACT

The specific aim of the study was to examine the potential changes in the beta-band (15-30 Hz) neural oscillations between brain and muscle during simple fine motor performance under stress after high-intensity physical exertion. Healthy young adults were assigned to the Experimental or Control groups. Steady low-level force matching task using the index finger was performed independently (Single task) and concurrently with a cognitive task (Dual task) for 3 time blocks. Between the 1st and 2nd time blocks, subjects in the Experimental group performed active leg resistance exercise. Oscillations in EEG and corticomuscular coherence in beta band both tended to decrease during the Dual task after resistance exercise. This observation suggested a possible role of resistance exercise for potentially reducing beta-band neural oscillations during fine motor task under cognitive stress. There was a significant negative correlation between peak beta-band corticomuscular coherence and the coefficient of variation of EMG during the Dual task. Collectively, these results implied that reduction in beta-band corticomuscular coherence due to high-intensity physical exertion may lead to increased variability in motor output under cognitive stress.

Enter List of papers submitted or published that acknowledge ARO support from the start of the project to the date of this printing. List the papers, including journal references, in the following categories:

(a) Papers published in peer-reviewed journals (N/A for none)

<u>Received</u>	<u>Paper</u>
-----------------	--------------

TOTAL:

Number of Papers published in peer-reviewed journals:

(b) Papers published in non-peer-reviewed journals (N/A for none)

<u>Received</u>	<u>Paper</u>
-----------------	--------------

TOTAL:

Number of Papers published in non peer-reviewed journals:

(c) Presentations

Number of Presentations: 0.00

Non Peer-Reviewed Conference Proceeding publications (other than abstracts):

Received Paper

TOTAL:

Number of Non Peer-Reviewed Conference Proceeding publications (other than abstracts):

Peer-Reviewed Conference Proceeding publications (other than abstracts):

Received Paper

TOTAL:

Number of Peer-Reviewed Conference Proceeding publications (other than abstracts):

(d) Manuscripts

Received Paper

TOTAL:

Number of Manuscripts:

Books

Received Book

TOTAL:

Received

Book Chapter

TOTAL:

Patents Submitted

Patents Awarded

Awards

Graduate Students

<u>NAME</u>	<u>PERCENT SUPPORTED</u>
FTE Equivalent:	
Total Number:	

Names of Post Doctorates

<u>NAME</u>	<u>PERCENT SUPPORTED</u>
FTE Equivalent:	
Total Number:	

Names of Faculty Supported

<u>NAME</u>	<u>PERCENT SUPPORTED</u>
FTE Equivalent:	
Total Number:	

Names of Under Graduate students supported

<u>NAME</u>	<u>PERCENT SUPPORTED</u>
FTE Equivalent:	
Total Number:	

Student Metrics

This section only applies to graduating undergraduates supported by this agreement in this reporting period

The number of undergraduates funded by this agreement who graduated during this period:

The number of undergraduates funded by this agreement who graduated during this period with a degree in science, mathematics, engineering, or technology fields:.....

The number of undergraduates funded by your agreement who graduated during this period and will continue to pursue a graduate or Ph.D. degree in science, mathematics, engineering, or technology fields:.....

Number of graduating undergraduates who achieved a 3.5 GPA to 4.0 (4.0 max scale):.....

Number of graduating undergraduates funded by a DoD funded Center of Excellence grant for Education, Research and Engineering:.....

The number of undergraduates funded by your agreement who graduated during this period and intend to work for the Department of Defense

The number of undergraduates funded by your agreement who graduated during this period and will receive scholarships or fellowships for further studies in science, mathematics, engineering or technology fields:

Names of Personnel receiving masters degrees

<u>NAME</u>
Total Number:

Names of personnel receiving PHDs

<u>NAME</u>
Total Number:

Names of other research staff

<u>NAME</u>	<u>PERCENT SUPPORTED</u>
FTE Equivalent:	
Total Number:	

Sub Contractors (DD882)

Inventions (DD882)

Scientific Progress

Technology Transfer

Statement of the problem studied

Many battlefield operations involve the combination of motor task and cognitive task during and after physical exertion. In particular, fine motor task is often degraded with concurrent cognitive task (Johnson & Shinohara 2012). Better understanding of neural activity in such a demanding situation would help assess the neural state that would be related to the task capability of warfighters at the battlefield. The ultimate goal of the project is to understand the effect of physical exertion and cognitive stress on neural mechanisms for motor performance.

Motor tasks involve the activation of muscle by the brain. Electrical activity of the brain and muscle may be obtained as an electroencephalogram (EEG) from the motor cortex and as an electromyogram (EMG) from the activated muscle, respectively. EEG electrodes on the scalp measure activity from a large number of neurons in underlying regions of the brain. Each neuron generates a small electrical field that changes over time. The source of current causing the fluctuating scalp potential is primarily the pyramidal neurons and their synaptic connections to deeper layers of the cortex. The oscillations are a result of the reciprocal interaction of excitatory and inhibitory neurons in circuit loops.

Oscillatory electrical activity in the brain (EEG) is often altered after exercise in terms of their frequency and magnitude (Crabbe & Dishman 2004). However, the role of this exercise-induced alteration in EEG profile for subsequent motor performance was unclear. Beta-band corticomuscular coherence (i.e. correlated oscillations) between EEG in the primary motor cortex and a contracting hand muscle (EMG) appears to be associated with the performance of fine motor task (Kristeva et al. 2007; Lundbye-Jensen & Nielsen 2008). Changes in beta-band EEG power are more often observed at higher exercise intensities (Mierau et al. 2009; Schneider et al. 2009). The purpose of the current study was to examine the potential changes in the beta-band (15-30 Hz) neural oscillations between brain and muscle during fine motor performance under cognitive stress after high-intensity physical exertion.

Summary of the most important results

Healthy young adults were recruited and assigned to Experimental ($n = 11$, 5 woman, 24 ± 4.3 years old) or Control ($n = 8$, 1 woman, 24 ± 7.3 years old) groups. Steady low-level force

matching task using the index finger was performed independently (Single task) and concurrently with a cognitive task (Dual task) for 3 time blocks. Between the 1st and 2nd time blocks, subjects in Experimental group performed leg resistance exercise. Corticomuscular coherence between EEG and EMG of the hand muscle was obtained according to previous studies (Halliday et al. 1995; Johnson & Shinohara 2012; Rosenberg et al. 1989).

Perceived exertion and physiological stress was greater during Dual task compared with the Single task. Exercise also increased physiological stress. The magnitude of beta-band oscillations in cortical activity tended to decrease with time during Dual task in Experimental group. In contrast, the magnitude of beta-band corticomuscular coherence tended to increase with time in both tasks in Control group. There was a significant negative correlation between the magnitude of beta-band coherence and the variability of motor output (coefficient of variation of EMG) in the 2nd time block.

The tendency for reductions in beta-band oscillations in EEG and corticomuscular coherence during Dual task after resistance exercise is in line with the decline in beta-band EEG power after exercise in the literature (Mierau et al. 2009; Schneider et al. 2009). The tendency implies a possible role of resistance exercise for potentially reducing beta-band neural oscillations during fine motor task under cognitive stress. The negative correlation between the magnitude of beta-band coherence and the variability of motor output indicates that individuals with greater beta-band corticomuscular coherence show less variability in EMG when maintaining low-level finger force under cognitive stress. Since less variable EMG leads to less variable muscle force, the observed correlation suggests potential role of beta-band neural oscillations in reducing variability in motor output. Hence, the results imply that reduction in beta-band corticomuscular coherence due high-intensity physical exertion may lead to increased variability in motor output under cognitive stress. It is possible that the correlated activity between EEG and EMG is used for “fine-tuning” brain activity during the performance of fine motor task under cognitive stress. In this regard, the current findings serve the basis for the future applicability of assessing neural oscillations for objectively and quantitatively assessing the capability of individual war-fighters for fine-tuning their brain activity for fine motor skills under cognitive stress with physiologically demanding operations.

Bibliography

- Crabbe JB and Dishman RK. Brain electrocortical activity during and after exercise: a quantitative synthesis. *Psychophysiology* 41:563-574, 2004
- Halliday DM, Rosenberg JR, Amjad AM, Breeze P, Conway BA, and Farmer SF. A framework for the analysis of mixed time series/point process data--theory and application to the study of physiological tremor, single motor unit discharges and electromyograms. *Progress in Biophysics and Molecular Biology* 64:237-278, 1995
- Johnson AN and Shinohara M. Corticomuscular coherence with and without additional task in the elderly. *Journal of Applied Physiology*, 112:970-981, 2012
- Johnson AN, Wheaton LA, and Shinohara M. Attenuation of corticomuscular coherence with additional motor or non-motor task. *Clinical Neurophysiology* 122: 356-363, 2011
- Kristeva R, Patino L, and Omlor W. Beta-range cortical motor spectral power and corticomuscular coherence as a mechanism for effective corticospinal interaction during steady-state motor output. *Neuroimage* 36: 785-792, 2007
- Lambourne K and Tomporowski P. The effect of exercise-induced arousal on cognitive task performance: a meta-regression analysis. *Brain Research* 1341:12-24, 2010
- Lundbye-Jensen J and Nielsen J B. Central nervous adaptations following 1 wk of wrist and hand immobilization. *Journal of Applied Physiology* 105:139-151, 2008
- Mierau A, Schneider S, Abel T, Askew C, Werner S, and Strüder HK. Improved sensorimotor adaptation after exhaustive exercise is accompanied by altered brain activity. *Physiology & Behavior* 96:115-121, 2009
- Rosenberg JR, Amjad AM, Breeze P, Brillinger DR, and Halliday DM. The Fourier approach to the identification of functional coupling between neuronal spike trains. *Progress in Biophysics and Molecular Biology* 53: 1-31, 1989
- Schneider S, Askew CD, Diehl J, Mierau A, Kleinert J, Abel T, Carnahan H, and Strüder HK. EEG activity and mood in health orientated runners after different exercise intensities. *Physiology & Behavior* 96:709-716, 2009

Appendixes

None.