

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.**

1. REPORT DATE (DD-MM-YYYY) July 2014		2. REPORT TYPE Briefing Charts		3. DATES COVERED (From - To) July 2014- August 2014	
4. TITLE AND SUBTITLE Synthesis and characterization of 5-(hydrazino-alkly) tetrazoles				5a. CONTRACT NUMBER In-House	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Yonis Ahmed, Stefan Schneider, Steve Deplazes, Christina Franquera, Andrew Beauchamp				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER QORA	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Air Force Research Laboratory (AFMC) AFRL/RQRP 10 E. Saturn Blvd Edwards AFB CA 93524-7680				8. PERFORMING ORGANIZATION REPORT NO.	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Air Force Research Laboratory (AFMC) AFRL/RQR 5 Pollux Drive. Edwards AFB CA 93524-7048				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) AFRL-RQ-ED-VG-2014-207	
12. DISTRIBUTION / AVAILABILITY STATEMENT Distribution A: Approved for Public Release; Distribution Unlimited					
13. SUPPLEMENTARY NOTES Briefing Charts presented at ACS Fall National Meeting, San Francisco, CA, 10-14 Aug 2014. PA#14362					
14. ABSTRACT High nitrogen compounds are the focus of advanced energetic material research aimed at future needs in the area of advanced explosives and propellants. One method of building nitrogen rich molecules consists of using a core heterocycle, e.g. a tetrazole, and nitrogen containing pendant groups like amines and azides. Hydrazine and its derivatives are widely used as propellants and a combination of two energetic compounds, i.e. hydrazines and tetrazoles, might provide materials with advantageous properties for energetic applications. Instead of coupling the hydrazine moiety directly to the tetrazole ring, we decided to incorporate an alkyl spacer which can help to increase thermal stability and lower the sensitivity towards impact and friction.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON Stefan Schneider
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			SAR

Standard Form
298 (Rev. 8-98)
Prescribed by ANSI
Std. Z39.18



Synthesis and Characterization Of 5-(hydrazino-alkyl) tetrazoles

ACS San Francisco 2014

Yonis Ahmed, Ph.D.
Ionic Liquids (ILs) group
ERC/ AFRL/RQRP
Edwards AFB, CA



Objectives



- Development and fielding of new energetic materials for advanced chemical propulsion in space and missile applications
- Design energy dense, ionic liquids with very fast (hypergolic) ignition response

Anion control hypergolic activity,

Cation influences ignition delay times (IDs)



Combining energetic functional groups such hydrazines and heterocyclic rings such as tetrazoles, triazoles etc.





Combination of energetic functional groups and heterocycles




Triazolium cation



Tetrazolium cation




Tetrazolate anion







Reported 5-hydrazino -1H - tetrazoles



T. M. Klapötke, et al *J. Org. Chem.*, **2009**, 2460




Si-P Pang, et al, *J. Mater. Chem. A.*, **2013**, 6776



Distribution A: Approved for public release; distribution unlimited




Targeted molecules



Distribution A: Approved for public release; distribution unlimited




Synthesis of 5-(halo-alkyl)-tetrazoles




Russ. J. Org. Chem., 2006, 1049


Single X-ray crystal structures of 5-(halo-alkyl)-Tetrazoles 1- 3



1



2




3

Distribution A: Approved for public release; distribution unlimited



Synthesis of 5-(hydrazino-alkyl)-tetrazoles




Compound	Solubility				Physical state
	H ₂ O	CH ₃ OH	C ₂ H ₅ OH	(CH ₃) ₂ CHOH	
n = 1	soluble	Sparingly soluble	insoluble	Insoluble	Viscous oil
n = 2	soluble	soluble	insoluble	Insoluble	Viscous oil
n = 3	soluble	soluble	sparingly soluble	soluble	Viscous oil

Distribution A: Approved for public release; distribution unlimited








Synthesis of 5-(hydrazino-propyl) tetrazole








^1H NMR spectra of 1, 5-trimethylene tetrazole (6) and 5-(hydrazino-propyl) tetrazole






DSC, Single crystal X-Ray structure and ^1H NMR spectrum of 5-(hydrazino-propyl) tetrazole



Distribution A: Approved for public release; distribution unlimited



Synthesis of 5-(hydrazino-alkyl) tetrazole




Difficult to separate due to poor solubility of the zwitter ions

Unprecedented in the literature

Distribution A: Approved for public release; distribution unlimited






Reactions of crude 5-(hydrazino-alkyl)tetrazoles with 2-nitrobenzaldehyde



Distribution A: Approved for public release; distribution unlimited




Single crystal X-Ray structure and ^1H NMR spectrum of hydrazone 7



Distribution A: Approved for public release; distribution unlimited




Synthesis of 5 - (hydrazino - alkyl) tetrazole via BOC hydrazine



- Address solubility issues
- Solid state structures of hydrochloride salt
- Hydrochloride salt as substrate for metathesis reaction with energetic anions e.g [NO₃], [N₃], etc.



Synthesis of 5 - (hydrazino - alkyl) tetrazole via BOC hydrazine



9, $n = 1$
10, $n = 2$



Distribution A: Approved for public release; distribution unlimited



Removal of BOC protecting group




¹H NMR and DSC of 5-(hydrazino-methyl)tetrazole mono-hydrochloride 11



Distribution A: Approved for public release; distribution unlimited






Neutralization of 5-(hydrazino-alkyl)tetrazole mon-hydrochlorides salts 11 and 12






DSC and ^1H NMR spectrum of 5-(hydrazino-methyl)tetrazole





Distribution A: Approved for public release; distribution unlimited



Metathesis reaction of 5-(hydrazino-methyl)tetrazole mono-hydrochloride with silver nitrate




^1H NMR and DSC of 15





Distribution A: Approved for public release; distribution unlimited



Synthesis of 5- (azido-methyl) tetrazole






1H NMR and DSC of 5-(azido-methyl) tetrazole



Distribution A: Approved for public release; distribution unlimited




DSC and ^1H NMR spectrum of 5-(azido-ethyl) tetrazole



Distribution A: Approved for public release; distribution unlimited



Reaction of 5 - (chloro-methyl) tetrazole with mono-methyl hydrazine (MMH)





Conclusion



- ❑ **Successfully synthesized several 5-(hydrazino alkyl) tetrazole**
- ❑ **Fairly stable, $T_d > 150$, and difficult to work with due poor solubility**
- ❑ **Bicyclic tetrazole derivative formed via intramolecular cyclization**
- ❑ **Generated energetic nitrate salt and tetrazole-alkyl azides from reaction intermediates**
- ❑ **Reaction of MMH with 5-chloromethyl tetrazole also leads to di-alkylated derivative depending on concentration of MMH**



Acknowledgement



\$\$\$\$: Michael R. Berman, Ph. D., AFOSR



AFRL Ionic Liquids Group, Edwards AFB, CA

AFRL



ERC

Stefan Schneider Ph.D.

Christina Franquera, B.S

Stephan Deplazes, Ph.D.

Tommy Hawkins, Ph.D.

Andrew Beauchamp Capt, M.S

Jeff Mills, Ph.D.

Distribution A: Approved for public release; distribution unlimited