

SYM-AM-15-077



PROCEEDINGS OF THE TWELFTH ANNUAL ACQUISITION RESEARCH SYMPOSIUM

WEDNESDAY SESSIONS VOLUME I

A Real Options Approach to Quantity and Cost Optimization for Lifetime and Bridge Buys of Parts

Navid Goudarzi, UMD
Peter Sandborn, UMD

Published April 30, 2015

Disclaimer: The views represented in this report are those of the author and do not reflect the official policy position of the Navy, the Department of Defense, or the federal government.



ACQUISITION RESEARCH PROGRAM
GRADUATE SCHOOL OF BUSINESS & PUBLIC POLICY
NAVAL POSTGRADUATE SCHOOL

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 30 APR 2015	2. REPORT TYPE	3. DATES COVERED 00-00-2015 to 00-00-2015			
4. TITLE AND SUBTITLE A Real Options Approach to Quantity and Cost Optimization for Lifetime and Bridge Buys of Parts		5a. CONTRACT NUMBER			
		5b. GRANT NUMBER			
		5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)		5d. PROJECT NUMBER			
		5e. TASK NUMBER			
		5f. WORK UNIT NUMBER			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Maryland, College Park, Department of Mechanical Engineering, College Park, MD, 20742		8. PERFORMING ORGANIZATION REPORT NUMBER			
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)			
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Mismatches between part procurement life cycles (especially for electronic parts) and the life cycles of the systems that parts are used in cause systems with long manufacturing and/or support lives to incur significant obsolescence management costs. While lifetime and bridge buys, which are used to manage part discontinuance (i.e., obsolescence) during the support of critical systems are simple in concept, the challenge is determining the optimum number of parts to buy and understanding their true cost. This paper presents a real options approach to valuate lifetime and bridge buys and to determine the optimum part quantity for a lifetime or bridge buy. The approach accommodates uncertainties in demand, holding costs, and end of support dates.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 15	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

The research presented in this report was supported by the Acquisition Research Program of the Graduate School of Business & Public Policy at the Naval Postgraduate School.

To request defense acquisition research, to become a research sponsor, or to print additional copies of reports, please contact any of the staff listed on the Acquisition Research Program website (www.acquisitionresearch.net).



ACQUISITION RESEARCH PROGRAM
GRADUATE SCHOOL OF BUSINESS & PUBLIC POLICY
NAVAL POSTGRADUATE SCHOOL

A Real Options Approach to Quantity and Cost Optimization for Lifetime and Bridge Buys of Parts

Navid Goudarzi—is a Research Associate in the Department of Mechanical Engineering at the University of Maryland, College Park. Dr. Goudarzi's research interests include renewable energy projects with a focus on novel onshore/offshore and small/large scale wind turbine designs for expanding their operational range and increasing their efficiency at lower cost, and system life cycle and risk economics. He received his PhD in mechanical engineering from University of Maryland, Baltimore County. [navid1@umd.edu]

Peter Sandborn—is a Professor in the Department of Mechanical Engineering and the Director of the Maryland Technology Enterprise Institute (Mtech) at the University of Maryland. Dr. Sandborn's research interests include electronic part obsolescence management, prognostics and health management for electronic systems, and system life cycle and risk economics. He received a PhD in electrical engineering from the University of Michigan. [sandborn@umd.edu]

Abstract

Mismatches between part procurement life cycles (especially for electronic parts) and the life cycles of the systems that parts are used in cause systems with long manufacturing and/or support lives to incur significant obsolescence management costs. While lifetime and bridge buys, which are used to manage part discontinuance (i.e., obsolescence) during the support of critical systems are simple in concept, the challenge is determining the optimum number of parts to buy and understanding their true cost. This paper presents a real options approach to value lifetime and bridge buys and to determine the optimum part quantity for a lifetime or bridge buy. The approach accommodates uncertainties in demand, holding costs, and end of support dates.

Introduction

Background

A significant problem facing many complex systems is technology obsolescence. Technology obsolescence is defined as the loss or impending loss of original manufacturers of items or suppliers of items or raw materials (Sandborn, 2008). The type of obsolescence addressed in this paper is referred to as DMSMS (Diminishing Manufacturing Sources and Material Shortages) and is caused by the unavailability of technologies or parts that are needed to manufacture or sustain a system. DMSMS means that due to the length of the system's manufacturing and support life, coupled with unforeseen support life extensions, needed parts become unavailable (or at least unavailable from their original manufacturer). While DMSMS can impact hardware, software, intellectual property, and human capital, its impact on hardware, specifically electronic parts, is the focus of most existing DMSMS management.

The DMSMS-type obsolescence problem is most prevalent in "sustainment-dominated" systems (Sandborn & Myers, 2008) where the cost of sustaining (maintaining) the system over its support life far exceeds the cost of manufacturing or procuring the original system. Sustainment in this paper refers to three things: keeping a system operational, continuing to manufacture and install versions of the original system that satisfy the original requirements, and finally manufacturing and installing versions of the original system that satisfy new and evolving requirements. Examples of sustainment-dominated systems include airplanes, military systems, medical equipment, and power plant controls and telecommunications infrastructure. These types of systems have long enough design cycles that a significant portion of the electronic technology in them are obsolete prior to the system being fielded for the first time, after which they must be supported in the field for 20



or more years. For these systems, simply replacing obsolete parts with newer parts is often not a viable solution because of high reengineering costs and the prohibitive cost of system qualification and certification.

Many part obsolescence mitigation strategies exist for managing DMSMS obsolescence once it occurs, including (Stogdill, 1999): lifetime buy (also referred to as final order or Life Of Type—LOT buy), bridge buy (also referred to as last-time buy), alternative/substitute parts, aftermarket sources, emulation, reengineering, salvage, thermal uprating, and design refresh/redesign of the system.

Lifetime and Bridge Buys

The opportunity to make lifetime buys—making a one-time purchase of all the parts that you think you will need forever—is usually offered by manufacturers of electronic parts prior to part discontinuance (in the form of a published “last order date”). Alternatively, bridge buys mean purchasing enough parts to last until a planned design refresh point in the future where the part will be designed out. Lifetime and bridge buys play a role in nearly every part obsolescence management portfolio, no matter what other reactive, proactive, or strategic management plans are being followed.

Purchasing sufficient parts to meet current and future demands is simpler in theory than in practice due to many interacting influences and the complexity of multiple concurrent buys as shown in Figure 1. Fundamentally, the lifetime buy problem can be divided into two activities: (1) demand forecasting and (2) optimizing the buy quantities based on the demand forecasted.

Forecasted demand depends on manufacturing (sales) forecasts and sustainment expectations (spares) for fielded systems—this paper does not address the demand forecasting portion of the problem. The second portion of the problem is given the demand and its uncertainties, determine the number of parts that should be purchased (buy quantity), which is the focus of this paper.

In practice today, the common wisdom usually used to determine buy sizes is a best guess (forecast) of demand based on projected manufacturing needs (if manufacturing is still occurring) and spares needed (based on observed or predicted failure rates) to the planned end of support (EOS) date; then buffer that quantity by 10%–50%. Over time, the buffers often increase due to pain experienced by engineers.¹

Quantitative approaches to the lifetime/bridge buy problem have been used—given a demand forecast one can calculate the quantities of parts necessary to minimize life-cycle cost, which, depending on how you are penalized for running short or running long on parts, could be substantially different than what simple demand forecasting tells you to purchase. In general, this is an asymmetric problem where the penalties for under buying parts and overbuying parts are not the same—if they were the same, the optimum quantity to

¹ The buffers are put in place to mitigate “life extension” risk. Life extensions may take the form of (a) manufacturing the product that the part is in for longer than anticipated, (b) supporting the fielded products for longer than planned, or (c) design refreshes (that designed out the obsolete part) happening less frequently than planned or taking longer than planned. In most organizations, the buffers are based on “institutional knowledge,” and there may be little understanding of the statistical meaning or ramifications of the lifetime/bridge buy buffer sizes that are used.



purchase would be exactly the forecasted demand. For example, the penalty for under buying parts is the cost to acquire additional parts long after they became obsolete or redesign the system to use a newer part, while the penalty for overbuying parts is paying for extra parts and paying the inventory (holding) cost for those parts for a long period of time and then losing all or some of that investment.² In general, for sustainment-dominated systems, the penalty for under buying parts is significantly larger than the penalty for overbuying parts.




Figure 1. Lifetime Buy Costs
(Feng, Singh, & Sandborn, 2007)

Existing Lifetime/Bridge Buy Analysis Approaches

In the operations research domain, lifetime buy optimization is a special case of the newsvendor problem.³ Extensions to the classical newsvendor problem solution exist that accommodate many different situations, but these solutions fall well short of solving real lifetime and bridge buy problems because they generally lack time dependence (i.e., they generally do not include cost of money and holding cost). In addition, a “must support” assumption is implicit in lifetime buy problems that is not generally present in simple newsvendor problems; you cannot choose not to support the system (i.e., you are not allowed to fail to fulfill the demand, and therefore you must pay the penalty to purchase

² Additionally, you may need to pay to dispose of the extra parts. The cost of disposal could be negative (if you resell the parts) or positive (paying to ensure that parts are destroyed so they cannot enter the counterfeit parts stream).

³ The newsvendor problem seeks to find the optimal inventory level for an asset given an uncertain demand and unequal costs for overstock and understock. This problem dates back to an 1888 paper by Edgeworth.

extra parts from a broker or redesign the system if you run out [the newsvendor is not required to do this]). A discussion of the application of newsvendor problem solutions to lifetime buys appears in (Sandborn, 2013).

Some treatments of the “final order” problem applicable to lifetime buy exist in the operations research literature. Existing final order models are intended for systems like complex manufacturing machinery that have long-term service contracts. To be able to provide long-term service, a manufacturer must be able to supply parts throughout the service period. The period after the machine has been taken out of production is called the *EOS* period. To avoid out-of-stock situations during the *EOS*, an initial stock of spare parts is ordered at the beginning of the *EOS*. This initial stock is called the final order. Some final order problem solutions exist (Teunter & Fortuin, 1999; Teunter & Haneveld, 1998), but simplifying assumptions about demand profiles and fixed *EOS* dates make these solutions impractical for the treatment of DMSMS problems in real applications. The problem with existing newsvendor and operations research solutions is that they either cannot accommodate the important drivers (e.g., time), or are oversimplified to the point of uselessness for real applications.

Most practical treatments of lifetime buys use discrete-event simulation (*DES*) that follows the time history of a population of parts forecasting demands, determining holding costs and associated penalties until an *EOS* date for the use of the part is reached. Such solutions can be used to determine the life-cycle cost of the buys and the optimum quantities (the quantity that minimizes the life-cycle cost). These solutions base their optimum quantity decision on the minimization of life-cycle cost.

The following section of this paper proposes a real options approach to the life-time buy (LTB) quantity optimization problem. Then, the next section provides a verification of the real options model using a stochastic *DES* solution. Both real options and stochastic *DES* accommodate uncertainties in demand, holding costs, and *EOS* dates. In the final section, the dependence of the solutions on the weighted average cost of capital (the cost of money) and uncertain *EOS* dates is discussed.

A REAL OPTIONS APPROACH TO LIFETIME BUY FORECASTING

This section presents a methodology to quantify a proposed option in the ROA method and to illustrate its role in obtaining the optimum LTB/bridge buy: We present the valuation methodology, then focus on the real options analysis of the option, and finally, provide a demonstration case.

Valuation Methodology

A real option is the right, but not the obligation, to undertake certain business initiatives, such as deferring, abandoning, expanding, staging, or contracting. For example, the opportunity to invest in an asset is a real “call” option. Real options differ from financial options in that they are not typically traded as securities and do not usually involve decisions on an underlying asset that is traded as a financial security. Unlike conventional net present value analysis (discounted cash flow analysis) and decision tree analysis, real options offers the flexibility to alter the course of action in a real assets decision, depending on future developments.

The analysis of options focuses on valuation under uncertainty. If there were no uncertainty, the value of an option would be trivial to determine. However, everything is uncertain, and the future returns are generally highly asymmetric (upside \neq downside). For financial options, the important question is what should I pay to buy the option? For real options, the questions are what is the value I get from the option and when do I exercise the



option? Real options have been previously used in obsolescence management to assess the value of waiting to invest in new technology (Josias, 2009), to assess delaying lifetime buys (Venesmaa et al., 2008), and the option to buy additional parts after the lifetime buy (Burnetas & Ritchken, 2000); however, real options have never been used to assess lifetime or bridge buy sizes.

In order to cast the *LTB* problem for ROA, we need to define the “value” of the lifetime buy option,

$$V = CA_{penalty} + CA_{LTB} \quad (1)$$

where $CA_{penalty}$ is the penalty cost avoided (penalty cost associated with running out of parts before the demand for parts is exhausted) and CA_{LTB} is the lifetime buy cost avoided (by buying and holding fewer parts). Figure 2 shows a graphical representation of Equation 1.




Figure 2. Simple Lifetime Buy (LTB) Value Formulation

For example, if zero parts are purchased at a lifetime buy, then no penalty costs are avoided, and all *LTB* costs are avoided. For a nonzero quantity, N , of lifetime buy parts purchased, there will be a greater than zero penalty cost avoided, but *LTB* costs will have to be paid. The cost avoidances in Equation 1 are uncertain due to uncertainties in everything: the demand for parts for manufacturing and for sparing, the timing of demands, and the penalties. In order to formulate this as a real options problem, we must cast the formulation in terms of time (not part count); hence, the cost avoidances and value that appear in Equation 1 become functions of “buy-to time (T_{bt})” and the objective will be to determine the optimum point in *time* to buy parts for, which is the optimum time to exercise the option. Knowing the optimum exercise time, the *equivalent optimum number* of parts can be determined.

For an arbitrary buy-to time (T_{bt}) between zero to the *EOS*, (shown in Figure 3), Equation 1 is defined as

$$V_i(T_{bt}) = \left[\sum_{t=0}^{EOS} (L_i(t) + P_i(t)) - \sum_{t=T_{bt}}^{EOS} (L_i(t) + P_i(t)) \right] + [LTB_i(EOS) - LTB_i(T_{bt})] \quad (2)$$

$$LTB_i(T_{bt}) = IB_i(T_{bt}) + HC_i(T_{bt})$$

where i refers to i^{th} simulated demand path, L and P refer to lump and pay per part penalties imposed after the *LTB* runs out, IB is the initial buy cost, and HC is the sum of all the holding costs for the initial buy of parts as they are held and used up to the buy-to time. The lump penalty is a one-time charge at the *LTB* run out date, and the pay per part penalty is

imposed for every part that must be procured after the *LTB* runs out. The first term in brackets in Equation 2 is the penalty cost avoided (it includes under buy penalties due to buying less than the required *LTB* size), and the second term in brackets is the lifetime buy cost avoided (it includes the purchase of the initial buy and the holding cost for the parts up to the points where they are used).




Figure 3. Valuation at an Arbitrary Buy-To Time, T_{bt}

Real Options Analysis (ROA)

To evaluate the value added as a result of the flexibility created by the option, a “stopping the buy early” option is defined. In our case, the “option” is not an option to purchase *LTB* parts (or additional *LTB* parts), but rather the option to have an *LTB* that is less than the total number of parts needed to satisfy the demand through the *EOS* of the system. Using this definition, exercising the option means that a buy that covers the demand through a time period that ends before the *EOS* date, and letting the option expire means that the *LTB* covers the demand through the *EOS*. We treat the options as a set of European-style options that can only be exercised on a certain date (buy-to date) or allowed to expire. The best “buy-to date” will be the option with the highest value.

The first step in the ROA is to generate demand paths. Monte Carlo sampling of application-specific time-to-failure (*TTF*) distributions for the part is used to generate failure dates for the part and thus the points in time where a spare part is required.⁴ The sequence of demands generated in this way represents a demand path. Having a required demand path, one can find the value of the option at discrete times throughout the life cycle of the system using Equation 2.

Figure 4 illustrates the values generated for a particular demand path. In Figure 4, the value of the option starts at a minimum where no penalty costs are avoided and all *LTB* costs are avoided (T_{bt1} in Figure 4). The value reaches a peak where the combination of the penalty cost due to running out of parts avoided and the *LTB* costs for buying and holding

⁴ Note that in this description, we are assuming that there is no manufacturing demand for the part; however, manufacturing demand could be included as well.

parts avoided are maximum (T_{bt2} in Figure 4). When the buy is made to the *EOS*, all the penalty costs are avoided, but none of the *LTB* costs are avoided (T_{bt3} in Figure 5).




Figure 4. Value From Equation 2 for One Demand Path as a Function of the Buy-To Time

Figure 4 shows only one possible value path (corresponding to one possible demand path). In reality, each possible sequence of demands will generate a unique value path, so there will be a large population of possible value paths due to the demand uncertainty. To analyze the population of paths using ROA for the “stopping the buy early” option, we need to define a stopping criteria, Equation 3. The stopping criteria is the value associated with buying the *LTB* all the way to the *EOS*. If the option value is less than the value from buying to the *EOS* date, it lies below the stopping criteria shown in Figure 5; hence, the option would not be exercised. For example, the option value from Equation 2 at time T_{bt1} is less than that at *EOS* ($T_{bt}=160$ quarters); hence, the option would be allowed to expire. In other words, it is worth more to make an initial buy through the *EOS* at the beginning ($T_{bt}=0$) than having an initial buy up to T_{bt1} and then paying the penalty cost. Alternatively, if the option was exercised at time T_{bt2} , the path has a higher value compared with that at the *EOS*; in this case the option would be exercised at T_{bt2} .

$$Value(T_{bt}) - Value(EOS) \geq 0 \rightarrow \text{exercise the option} \rightarrow Value(T_{bt}) = Value(T_{bt}) \quad (3)$$

$$Value(T_{bt}) - Value(EOS) < 0 \rightarrow \text{do not exercise the option} \rightarrow Value(T_{bt}) = Value(EOS)$$






Figure 5. The Illustration of the Stopping Criteria Definition for the Example Case

For a selected T_{bt} , the defined stopping criteria is applied to each path and the value of either exercising or not exercising the option is determined as

$$V_i(T_{bt}) = \begin{cases} \text{exercise the option:} & V_i(T_{bt}) \\ \text{do not exercise the option} & V_i(EOS) \end{cases} \quad (4)$$

where i refers to i^{th} simulated demand path. The final value of exercising the option at a specific buy-to date is obtained by averaging the paths' values, $V_i(T_{bt})$.

$$V_i(T_{bt}) = \text{avg}(V_i(T_{bt}) | i = 1:N) \quad (5)$$

where N refers to the total number of paths.

Demonstration Case

In this section, we assume the following application-specific lifetime buy problem:

1. Reliability (for a mean TTF of 7 years):
 - a. The Weibull location parameter = 0
 - b. The Weibull shape parameter = 1.5
 - c. The Weibull scale parameter = 7.7541 years
2. Cost analysis:
 - a. Number of systems to support = 1000
 - b. End of support (EOS)= 40 years (160 quarters)
 - c. Initial buy size = to be determined
 - d. Part purchase price = \$110/part
 - e. Riskless interest rate = 3%/year
 - f. Holding cost = \$38.50/part/year
3. Penalties:
 - a. Under buy (one-time cost) (L) = \$110,000
 - b. Under buy per part penalty (P) = 0
 - c. Overbuy penalty cost = \$55/part

Figure 6 illustrates the result of exercising the “stopping the buy early” option for the example case. The value of exercising this option has its maximum at 93 quarters. Using this time, we can determine the required number of parts. Figure 7 shows the plot of 100 simulation demand paths. The distribution of the required buy size at quarters 93 is shown

on the left top; the mean buy size at quarter 93 gives 3,047 parts as the optimum buy size for the example case.




Figure 6. The Value of Exercising the “Stopping the Buy Early” Option for the Example Case




Figure 7. The Optimum Lifetime Buy Size Obtained From Exercising the “Stopping the Buy Early” Option for the Example Case

Verification—Stochastic Discrete Event Simulation (DES) Solution

To verify the real options formulation and solution, we use a stochastic discrete event simulator. A *DES* is capable of representing the operation of a complex system as a discrete sequence of well-defined events in time (in smaller or larger time scales). Each event occurs at a particular instant in time and marks a change of state in the system.

The *DES* starts with the same demand paths used by the ROA. In the case of *DES*, the demands create a timeline of events that is pushed through a discounted cash flow analysis. The cost analysis includes the initial buy, penalty costs, and holding cost.

Using the example data from the previous section, and varying the initial buy size, the result in Figure 8 is obtained. As shown in Figure 8, by increasing the buy size, the total cost of the system with a fixed *EOS* of 40 years and a fixed *WACC* of 3%, decreases to a minimum and then increases. The minimum of this curve gives the optimum buy size for such a system. Note that the optimum buy size is not the mean lifetime demand (e.g., 5,445

at 160 quarters in Figure 7); this is due to the fact that the penalties for overbuy and under buy are not the same; the holding cost is not zero, and the demand is uncertain.




Figure 8. The Total Cost Versus Buy Size Obtained From Exercising DES Method for the Example Case

DES vs. ROA

Assuming the same riskless rate and penalties, ROA and a stochastic DES should produce identical results. To verify this, the optimum buy size from the two methods using identical inputs are compared.⁵ To perform the comparison, an identical set of 1,000 uncertain demand event paths are considered in both analyses. For a 3% WACC, as illustrated in Figure 9(a), the DES method gives an optimum buy size range of 2,923–3,191 with an average of 3,052 parts; the optimum buy size for ROA method is obtained from the optimum buy time range; it gives a range of 2,922–3,190 with an average of 3,052 parts. Note that there is a maximum of one part discrepancy in this case; this discrepancy is due to time scale differences and rounding numbers. Hence, both methods are consistent in determining the optimum lifetime/bridge buy size.

To further verify this consistency, other WACC values were tested as well. For example, for a 12% WACC, as illustrated in Fig. 9(b), the DES method gives an optimum buy size range of 2,502–2,817 with an average of 2,652 parts; the optimum buy size for ROA method is obtained from the optimum buy time range; it gives a range of 2,501–2,816 with an average of 2,653 parts.

⁵ Note that Equation 2 by itself does not differ from the DES solution. Equation 2 is a “value” calculation, whereas the DES evaluates life-cycle costs. In the case of the ROA, we are interested in maximizing the value from Equation 2, while the DES seeks to minimize the life-cycle cost. Using identical constant WACC values, the two formulations should result in the same optimum buy quantities, since the stochastic DES captures a representative population of possible demand paths.




Figure 9. The Life-Cycle Buy Size Distribution for the Example Case From DES and ROA for WACC of (a) 3%, and (b) 12%

Discussion and Conclusions

Real options have been used in obsolescence management to assess the value of waiting to invest in new technology but have never been used to assess lifetime or bridge buys. This paper presents a real options approach to value lifetime and bridge buys of parts. Using this valuation approach, the optimum part quantity at which to exercise the “stopping the buy early” option and to perform a lifetime or bridge buy is determined. The method accommodates uncertainties in demand, holding costs, and end of support dates. The optimum buy size from this method has been shown to be consistent with that from stochastic discrete event simulation (DES).

The real options analysis methodology is used to address several questions:

- What is the critical initial buy size that drives the option at the money?
- What are the critical penalty costs (under buy, overbuy, and holding cost) that drive the option at the money? How do different sources of uncertainty impact the option’s value?
- What is the sensitivity of the option to uncertainties in the discount rate, EOS time, part price, and so on?

A fundamental problem that needs to be addressed is how to set the discount factor (WACC) for the analysis. As demonstrated in Figure 9, the use of different values of the WACC generate significantly different optimum buy sizes for the same problem. If investors are risk-neutral, then the discount factor is simply the risk-free interest rate; however, it is unreasonable to expect that investors would seek the same rate of return from a project as a risk-free treasury bond. Hence, risk neutrality is not realistic. If investors are risk-averse, they will demand a risk premium on a project. The risk premium can be calculated according to the rate of return on a financial asset that has the same systematic risk as the project. Under the assumption of complete markets (a market in which the complete set of possible bets on future states-of-the-world can be constructed with existing assets), a financial asset with this level of systematic risk exists, and so a portfolio or bundle of these financial assets can be created to replicate the risk in the project. In this way, if the project or cash flows were traded, a replicating portfolio can be constructed from the traded project and a risk-free bond. These are the fundamental arguments of real options analysis and would suggest that a risk-free rate should be used when assessing buy sizes.

Future work will include examining the impact of a variable end-of-support date and the appropriate choice of WACC on the optimum buy size. Also, the value of exercising other options in making a lifetime/bridge buy will be studied.

References

- Burnetas, A. N., & Ritchken, P. (2000). *Option contracts in supply chains* (Technical Memorandum Number 728). Cleveland, OH: Department of Operations, Weatherhead School of Management, Case Western Reserve University.
- Edgeworth, F. Y. (1888). The mathematical theory of banking. *Journal of Royal Statistical Society*, 51, 113–127.
- Feng, D., Singh, P., & Sandborn, P. (2007). Optimizing lifetime buys to minimize lifecycle cost. In *Proceedings of the 2007 Aging Aircraft Conference*. Palm Springs, CA.
- Josias, C. L. (2009). *Hedging future uncertainty: A framework for obsolescence prediction, proactive mitigation, and management* (Doctoral dissertation, University of Massachusetts, Amherst).
- Sandborn, P. (2008). Trapped on technology's trailing edge. *IEEE Spectrum*, 45(4), 42–58.
- Sandborn, P., & Myers, J. (2008). Designing engineering systems for sustainment. In K. B. Misra (Ed.), *Handbook of performability engineering*. London, England: Springer.
- Sandborn, P. (2013). *Cost analysis of electronic systems*. Hackensack, NJ: World Scientific.
- Stogdill, R. (1999). Dealing with obsolete parts. *IEEE Design & Test of Computers*, 16(2), 17–25.
- Teunter, R. H., & Fortuin, L. (1999). End-of-life service. *International Journal of Production Economics*, 59, 487–497.
- Teunter, R. H., & Haneveld, W. K. (1998). The “final order” problem. *European Journal of Operational Research*, 107(1), 35–44.
- Venesmaa, J., Hietaniemi, A., Tiainen, O., Roine, T., & Niinistö, A. (2008). *Real options and demand uncertainties in supply chain management*. Helsinki, Finland: Helsinki University of Technology.

Acknowledgement

Funding for this work is provided by Naval Postgraduate School (Grant Number N00244-14-1-0060).





ACQUISITION RESEARCH PROGRAM
GRADUATE SCHOOL OF BUSINESS & PUBLIC POLICY
NAVAL POSTGRADUATE SCHOOL
555 DYER ROAD, INGERSOLL HALL
MONTEREY, CA 93943

www.acquisitionresearch.net