

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 30 SEP 2014	2. REPORT TYPE	3. DATES COVERED 00-00-2014 to 00-00-2014			
4. TITLE AND SUBTITLE Analysis of Remote Sensing Observations of Air-Sea Interaction		5a. CONTRACT NUMBER			
		5b. GRANT NUMBER			
		5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)		5d. PROJECT NUMBER			
		5e. TASK NUMBER			
		5f. WORK UNIT NUMBER			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Miami, Rosenstiel School of Marine and Atmospheric Science, 4600 Rickenbacker Causeway, Miami, FL, 33149		8. PERFORMING ORGANIZATION REPORT NUMBER			
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)			
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	2	

Analysis of Remote Sensing Observations of Air-Sea Interaction

Hans C. Graber
RSMAS – Department of Ocean Sciences
Center for Southeastern Tropical Advanced Remote Sensing
University of Miami Center for Southeastern Tropical Advanced Remote Sensing
4600 Rickenbacker Causeway
Miami, FL 33149, USA
phone: (305) 421-4952 fax: (305) 252-4407 email: hgraber@cstars.miami.edu

Roland Romeiser
RSMAS – Department of Ocean Sciences
University of Miami
4600 Rickenbacker Causeway
Miami, Florida 33149-1098, USA
phone: (305) 421-4645, fax: (305) 421-4701, email: rromeiser@rsmas.miami.edu

Michael F. Caruso
Center for Southeastern Tropical Advanced Remote Sensing
University of Miami
11811 SW 168th Street
Miami, Florida 33177-2137, USA
phone: (305) 421-4973, fax: (305) 252-4407, email: ncaruso@cstars.miami.edu

Award Number: N00014-13-1-0389

LONG-TERM GOALS

The long term goal of this proposed project is to improve our understanding of the air-sea interaction as observed by synthetic aperture radar (SAR). From numerous studies in the past it has been shown that the atmosphere leaves an imprint on the ocean surface. We propose to analyze and examine different SAR data from L-band, C-band and X-band systems, to refine algorithms that extract information on interactions between the ocean and atmosphere for different meteorological conditions including cyclonic forcing.

OBJECTIVES

The specific scientific objectives of this study are:

1. To improve how accurately C-band wind algorithms can measure the wind vector field in tropical cyclones such as hurricanes and typhoons.
2. To improve how accurately C-band wave algorithms can measure the properties of directional wave field in tropical cyclones such as hurricanes and typhoons.

3. To examine how the wind and wave algorithms could be extended to perform for SAR data from L-band and X-band systems.
4. To examine meso-scale roll features leaving an imprint of the ocean surface in SAR images.
5. To examine the jet-like features inside the eyewall of tropical cyclones.
6. To examine the surface roughness in SAR data and how this affects the atmospheric boundary layer.

APPROACH

The meteorological community has long recognized the critical environmental importance of ocean vector winds. Satellite remote sensing offers a unique approach to acquire routinely winds over the ocean and in extreme weather conditions such as hurricanes and typhoons. The first spaceborne wind measurements were produced by the NASA's scatterometer on Seasat in 1978. Seasat also flew a synthetic aperture radar (SAR) that was used to view tropical and polar storm systems during its short life cycle. Many more satellite scatterometers were put in space to cover the earth with nearly continuous observations of ocean vector winds. The primary shortcoming of scatterometers is the lack of detailed spatial resolution necessary to resolve meso- and submesoscale weather systems such as hurricanes and typhoons.

The development of high-resolution SAR wind and wave retrieval algorithms has allowed the application of these data to a variety of operational and scientific problems. However, most of the existing approaches have been developed and extensively validated only under moderate to low sea state and wind conditions. The purpose of this proposed program is to improve and extend the capabilities to utilize a SAR-derived wind and wave data as input to typhoon and hurricane prediction models. Furthermore, filter and enhance SAR data to extract atmospheric roll and jet features the influence the air-sea exchanges of momentum and heat inside tropical weather systems.

WORK COMPLETED

We have validated and refined existing wind algorithms with data acquired during the ITOP experiment and also explored the use of cross-pol data. Similarly, a simple, but effective wave algorithm has been developed and tested with ITOP data.

RESULTS

We continue to evaluate our wind and wave algorithm and examine applications to different frequency bands, polarization and imaging modes covering a wide range of wind and wave conditions.

PUBLICATIONS

- Romeiser, R., H.C. Graber, M.J. Caruso, R.E. Jensen, D.T. Walker, A.T. Cox, 2014: A New Approach to Ocean Wave Parameter Estimates From C-Band ScanSAR Images. *IEEE Trans. Geosci. Remote Sens.*, **53**(3), 1320 – 1345.
- Horstmann, J., S. Falchetti, C. Wackerman, S. Maresca, M. Caruso and H.C. Graber, 2014: High Resolution Tropical Cyclone Winds Retrieved from Satellite Borne C-band Cross Polarized Synthetic Aperture Radar. Submitted to *IEEE Trans. Geosci. Remote Sens.*