

COUPLED MODE PROBLEMS FOR BOTTOM INTERACTING SOUND

and

COUPLED MODE PROBLEMS FOR BOTTOM INTERACTING SOUND: STUDENT SUPPORT (AASERT)

Robert I. Odom
Applied Physics Laboratory
College of Ocean and Fishery Sciences
University of Washington
1013 N.E. 40th Street
Seattle, WA 98105
phone: (206)685-3788 fax: (206)543-6785 email: odom@apl.washington.edu

James A. Mercer
Applied Physics Laboratory
College of Ocean and Fishery Sciences
University of Washington
1013 N.E. 40th Street
Seattle, WA 98105
phone: (206)543-1361 fax: (206)543-6785 email: mercero@apl.washington.edu
Award #'s: N00014-96-1-0233 & N00014-97-1-0675 (AASERT)
Research category: shallow-water acoustics

LONG-TERM GOALS

The long-term goal of this research is to improve our ability to model and predict VLF acoustic propagation in shallow water with particular emphasis on the range dependence of the medium and the geoacoustic properties of the bottom, and to quantify the various factors affecting the overall acoustic energy budget in shallow water propagation.

SCIENTIFIC OBJECTIVES

Our scientific objectives are to incorporate the effects of sediment anisotropy, strong sediment attenuation, and the effects of both deterministic and stochastic medium properties into a local coupled mode propagation model, and to develop accurate theory and robust numerical algorithms for the shallow water propagation problem.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 1997		2. REPORT TYPE		3. DATES COVERED 00-00-1997 to 00-00-1997	
4. TITLE AND SUBTITLE Coupled Mode Problems for Bottom Interacting Sound and Coupled Mode Problems for Bottom Interacting Sound: Studdent Support (AASERT)				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Washington, Applied Physics Laboratory, 1013 N.E. 40th Street, Seattle, WA, 98105				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

APPROACH

We are using an approach based on coupled local modes to carry out a systematic study of the effects of scattering, normal dispersion, transverse isotropy and intrinsic attenuation on a propagating shallow water acoustic signal with strong bottom interaction. The coupled mode theory is developed from the first order equations of motion for the stress and displacement rather than from the second order equations for a coupling coefficients depending on the second-order derivatives with respect to the range coordinate of the local modefunctions. These second order coupling coefficients are an artifact of the formulation, and not present in the coupled mode theory based on the first order equations of motion.

WORK COMPLETED

The code to compute time domain seismo-acoustic signals in a range dependent 2-D shallow water waveguide including transversely isotropic sediments was completed by Minkyu Park and R. Odom. Theory to incorporate randomly rough boundaries into the seismo-acoustic coupled mode code was completed by Minkyu Park and R. Odom. Coding of the energy diffusivity functional was completed by undergraduate student Valerie Peyton, R. Odom, and J. Mercer. Incorporation of local mode code including more general sediment anisotropy was begun by grad student Darin Soukup and R. Odom.

RESULTS

Time domain signals show clear evidence of mode coupling in a range dependent waveguide, and sediment transverse isotropy tends to suppress the mode coupling somewhat. Roughness at the water-sediment interface causes Scholte waves to be strongly coupled to other waveguide modes (Odom et al., 1996, Park and Odom, 1997a). The coupled mode propagator in range dependent lossless media is unitary. The unitarity of the propagator implies that the propagation process can be thought of as a rotation in an abstract vector space comprising the range varying local bases. The coupled mode propagator for the range dependent medium with rough interface boundaries satisfies a Lippman-Schwinger type integral equation. We have solved the L-S equation in approximation and computed the scattering attenuation for a representative shallow water waveguide (Park and Odom, 1997b). The scattering attenuation peaks when the horizontal modal wavelength is approximately equal to the correlation length scale of the boundary roughness. This is a bit like Bragg scattering in a random medium. The energy diffusivity exhibits strong dependence on the horizontal mode slowness, which indicates that even in strongly scattering waveguides there may be some signal coherence. (Peyton, Odom and Mercer, 1996)

IMPACT ON SCIENTIFIC OBJECTIVES

The development of our mode coupling code for fluid-elastic media and our theoretical work on energy diffusion indicate steady progress towards meeting our scientific objectives. This research is directly applicable to predicting the acoustic field in a complicated range dependent shallow water waveguide.

TRANSITIONS

Modal methods for modelling in random range dependent shallow water wave guides should provide important constraints on the most significant waveguide properties affecting propagation at low frequencies.

RELATIONSHIP TO OTHER PROJECTS

Our research is directly related to other programs studying surface, volume and bottom interaction effects, and is also of relevance to mine countermeasures programs.

REFERENCES

Odom, R.I., M. Park, J.A. Mercer, R.S. Crosson and P. Paik, "Effects of Transverse Isotropy on Modes and Mode Coupling in Shallow Water," J. Acoust. Soc. Am., 100, pp2079-2092, 1996.

Odom, R.I. and J.A. Mercer, "Spectral diffusion of elastic wave energy," Geophys. J. Int., 127, pp111-124, 1996.

Peyton, V.I., R.I. Odom, J.A. Mercer, "Volume Scattering and Slowness Diffusion of Elastic Waves," (Abstract), EOS, Vol. 77, p.F468, 1996.

Park, M. and R.I. Odom, "Effects of Elastic Heterogeneities and Anisotropy on Mode Coupling and Signals in Shallow Water," submitted to J. Acoust. Soc. Am., 1997.

Park, M. and R.I. Odom, "The Effect of Random Rough Interfaces on Coupled-Mode Elastic Waves," submitted to Geophys. J. Int., 1997.