

Microbial Community and Environmental Factors Affecting Copper Complexation in a Navy Harbor

Andrew S. Gordon
Department of Biological Sciences
Old Dominion University
Norfolk, VA 23529-0266
Phone: (757) 683-3595 fax: (757) 683-5293 email: Agordon@odu.edu

John R. Donat
Department of Chemistry and Biochemistry
Old Dominion University
Norfolk, VA 23529-0126
Phone: (757) 683-4098 fax: (757) 683-4628 email: Jdonat@odu.edu

Award#: N00014-99-0093
http://www.onr.navy.mil/sci_tech/ocean/onrpgahj.htm

LONG-TERM GOAL

Our long-term goal is to understand the interactions between microorganisms and copper in estuaries that are heavily utilized by naval operations. We are particularly interested in the production of high-affinity, copper-complexing ligands by microbial populations in response to elevated copper concentrations.

OBJECTIVES

Strong, dissolved, copper-complexing ligands are known to control copper speciation and bioavailability in most marine waters. We are testing the hypothesis that metal-responsive production of such ligands occurs in the Elizabeth River estuary, and that picoplankton and bacterioplankton produce the ligands. Recent studies utilizing cultures of marine picoplankton (*Synechococcus*) and bacterioplankton (*Vibrio*) have demonstrated that, when the cultures are exposed to elevated copper concentrations, these microbes produce copper-complexing ligands having copper-binding strengths similar to those found in marine waters. The primary objective of our study is to extend these observations to field conditions and natural assemblages of estuarine microorganisms in a naval harbor (the Elizabeth River, home of the US Atlantic Fleet). An additional objective is isolation and further characterization of the strong, copper-complexing ligands produced by microbes.

APPROACH

We have carried out *in situ* incubations of water samples collected adjacent to Pier 12 at the Norfolk Naval Base (Sewell's Point). Incubations were performed at three times: May and November 2000 and May/June 2001 under comparable conditions. Navy clearance was required and obtained for placing our incubation apparatus (moored array holding up to 20, two-liter incubation bottles) at the naval base site. Trace metal clean sampling procedures were utilized to collect water from each site. Treatments included copper additions at concentrations of 100 and 200 nM, filtration (0.2 μ m and 3 μ m), sodium

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2001		2. REPORT TYPE		3. DATES COVERED 00-00-2001 to 00-00-2001	
4. TITLE AND SUBTITLE Microbial Community and Environmental Factors Affecting Copper Complexation in a Navy Harbor				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Biological Sciences,,Old Dominion University,,Norfolk,,VA, 23529				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Our long-term goal is to understand the interactions between microorganisms and copper in estuaries that are heavily utilized by naval operations. We are particularly interested in the production of high-affinity, copper-complexing ligands by microbial populations in response to elevated copper concentrations.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 10	19a. NAME OF RESPONSIBLE PERSON
a REPORT unclassified	b ABSTRACT unclassified	c THIS PAGE unclassified			

azide addition and light/dark incubation. The effect of the treatments on the microbial community, copper speciation, and copper-complexing ligand concentration was determined.

WORK COMPLETED

We completed analyses of samples from the May and November 2000 incubations, and we performed an incubation during May/June 2001. Analyses of samples from the last incubation are nearing completion. The data show that microbial communities *in situ* can actively respond to elevated copper concentrations by production of copper-complexing ligands. The results indicate that heterotrophic bacteria are the primary contributors to the ligand pool in this environment.

We made progress on development of chromatographic procedures for isolation and characterization of copper-complexing ligands from waters collected at the Norfolk Naval Base study site.

RESULTS

We utilized a moored array for *in situ* incubations of intact microbial communities exposed to elevated copper levels. The moored array holds 20, two-liter polycarbonate incubation bottles at a constant depth of one meter below the surface. It is buoyed by floats at each corner and moored to the bottom by a line attached to a 15 inch mooring buoy at the top and a 150 lb. weight at the bottom. The array moves freely up or down the mooring line with the tide maintaining the bottles at a constant depth.

During the May and November 2000 incubations, copper-complexing ligand concentration increased in response to copper addition in a dose-dependent manner in bottles that contained the intact microbial community. Ligand concentrations did not increase in bottles with the metabolic inhibitor sodium azide added or bottles containing 0.2 μ m filtered water (Figure 1). Taken together, these results indicate that the intact microbial community was responsible for the increase in copper ligand concentrations. No notable difference in rate of ligand production was observed between seasons.

Removal of the > 3 μ m component of the microbial community by pre-filtration prior to copper addition and incubation resulted in an increase in ligand accumulation at all copper concentrations (ambient, 100 and 200 nM) in the November 2000 incubation. Increased bacterial numbers were also observed in incubated samples that had been pre-filtered (3 μ m). Removal of grazers is a likely explanation for increased bacterial abundance. These results indicate that *in situ* production of strong copper-complexing ligands in response to copper is primarily due to cells less than 3 μ m in size. Such cells are primarily heterotrophic and phototrophic bacteria. Thus our results indicate that larger (> 3 μ m) phytoplankton such as diatoms, dinoflagellates and filamentous cyanobacteria do not actively contribute to copper-complexing ligand production in the Elizabeth River.

Similar rates of ligand production were observed in May and November 2000. The numbers of small, unicellular cyanobacteria (such as *Synechococcus*) differed by an order of magnitude ($\sim 1 \times 10^8$ /L in May and $\sim 1 \times 10^7$ /L in November) while heterotrophic bacterial numbers were similar on both dates. This observation suggests that the heterotrophic bacteria are the principal ligand producers in the < 3 μ m microbial community in this environment.




Figure 1. Concentration of strong, copper-complexing (L_1 -class) ligands after a two- week in situ incubation of water samples subjected to various treatments. Biological activity was eliminated by addition of the metabolic poison sodium azide or by filtration. Changes in the rate of copper ligand production were positively correlated with the concentration of copper added and only observed after incubation when the microbial community was intact and active. Results from May 2000 and November 2000 incubations are averaged. Bars for the 0.2 μ m filtered and azide treatments are averaged results for the three copper concentrations (ambient, 100 and 200 nM).

Analyses of data from the May/June 2001 incubation are nearing completion. Preliminary data from this incubation show that the rate of ligand production in bottles amended with 200 nM copper and incubated in the light and in the dark is the same. This supports our contention that heterotrophic bacteria are the most important producers of strong, copper-complexing ligands in this environment.

We have made excellent progress developing methods for isolation and characterization of copper-complexing ligands from estuarine water during the past year. Immobilized metal ion affinity chromatography (IMAC) was utilized to concentrate ligands from water collected from the Norfolk Naval Base study site. IMAC eluents demonstrated to contain L_1 - class ligands were fractionated utilizing size exclusion HPLC-ICPMS (Figure 2). This separation strategy allowed detection of chromatographic peaks containing copper-complexing ligands. Analyses of fractions corresponding to ligand-containing peaks are in progress.




Figure 2. SEC-HPLC-ICPMS analysis of copper-complexing ligands pre-concentrated from Elizabeth River water by IMAC. The upper line is u.v. absorbance (220 nm) and the lower line is the relative copper concentration measured by ICP-MS. Copper-complexing ligands and copper co-elute in a fraction corresponding to a molecular mass of approximately 500 Da.

IMPACT/APPLICATION

This work has clarified the influence of microbial activity on copper complexation, speciation and bioavailability, and shown that microbial populations actively produce copper-complexing ligands in response to increased copper concentrations *in situ*. Our observation that heterotrophic bacteria are the primary active producers of strong, copper-complexing ligands in this environment has important implications for models regarding sources and dynamics of the ligands. These results will impact our thinking about the fate and effects of copper in estuarine ecosystems and naval harbors. A better understanding of how estuarine systems can respond to copper influx will allow for a more rational basis for setting concentration limits on effluents while protecting the health of the estuary.

RELATED PROJECTS

Concurrent, ONR-funded projects collectively entitled "Interactions among chemical speciation, algal accumulation, and sediment-water cycling of toxic metals in a major US Naval harbor (Elizabeth River, VA)", P.I. J.R. Donat, and Co-P.I. D.J. Burdige (Old Dominion University), and P.I. W.G. Sunda and Co-P.I. S.A. Huntsman (NMFS/NOAA, Beaufort NC Lab), are examining factors controlling algal metal uptake and accumulation, and the importance of sediment pore waters as a

source of metals and metal chelators to the overlying water. Since these projects are closely related, are examining the same site, and utilize some of the same methodologies as our project, all PIs are coordinating their efforts and sampling times to maximize the amount of information obtained. During July 1999 and May 2000 we coordinated sampling cruises on the Elizabeth River with deployment of our *in situ* incubation arrays. The selected sites for our incubation arrays were within the cruise track. In addition, during the May 2000 Elizabeth River sampling cruise, these P.I.'s were joined by researchers from ONR HP P.I. K. Buessler's group (WHOI), who are quantifying submarine groundwater discharge and contaminant fluxes in coastal harbors, and by Beth Ahner's research group (Cornell Univ), who are studying the relationships between phytochelatin concentrations and copper, cadmium, and zinc speciation. Data from these concurrent studies will be integrated to provide additional insight into the processes controlling microorganism trace-metal interactions in the Elizabeth River.

PUBLICATIONS

Brown, A.C. and **A.S. Gordon**. 2001. Production of a novel copper-binding ligand by marine *Synechococcus* sp. in response to toxic concentrations of copper. **Vir. J. Science**. In press.

Gobler, C.J., S. Sañudo-Wilhelmy, **J.R. Donat**, and J.A. Consolvo III. 2002. Physicochemical speciation of iron in the Peconic Estuary: Observations during algal blooms. **Marine Chemistry**, in press.

Donat, J.R. and C.L. Dryden. 2001. Elemental Distribution: Transition and Heavy Metal Speciation, in: ***Encyclopedia of Ocean Sciences***, J. Steele, S. Thorpe, and K. Turekian (Eds.) Academic Press, Inc., London.

Powell, R.T. and **J.R. Donat**. 2001. Organic complexation and speciation of dissolved iron in the South and Equatorial Atlantic. **Deep Sea Research II**, 48(13): 2877-2893.

Ndung'u, K., **J.R. Donat**, M. Thomas, J.A. Consolvo III, and A.R. Flegal. 2001. Intercalibrated lead concentration measurements in the Atlantic Ocean. **Deep Sea Research II**, 48(13): 2781-2786.

Gordon A.S., J.R. Donat, R. Kango, B. Dyer, and L. Stuart. 2000. Dissolved copper-complexing ligands in cultures of marine bacteria and estuarine water. **Marine Chemistry** 70: 149-160.

Published Abstracts:

Donat, J.R. and D.J. Burdige. 2001. "Trace metal concentrations, speciation, and benthic fluxes in the Elizabeth River, Virginia". **Abstract Book: The American Society of Limnology and Oceanography's Aquatic Sciences Meeting, Albuquerque, NM, p. 47.**

Carrasco, G.G. and **J.R. Donat**. 2001. "Concentrations, complexation, and speciation of Zn and Cd in the western South and Equatorial Atlantic Ocean". **Abstract Book: The American Society of Limnology and Oceanography's Aquatic Sciences Meeting, Albuquerque, NM, p. 32.**

Ahner, B.A., L. Wei, and **J.R. Donat**. 2001. "Particulate phytochelatin in the Elizabeth River estuary (Norfolk, VA)". **Abstract Book: The American Society of Limnology and Oceanography's Aquatic Sciences Meeting, Albuquerque, NM, p. 16.**

Dryden, C.L., J.A. Consolvo, **A.S. Gordon**, and **J.R. Donat**. 2001. "Microbial response to elevated copper concentrations in a naval harbor". **Abstract Book: The American Society of Limnology and Oceanography's Aquatic Sciences Meeting, Albuquerque, NM, p. 48.**

Donat, J.R. (INVITED). 2000. "Trace metal speciation in estuarine waters: voltammetric approaches and biogeochemical implications". Keynote Abstract #2.5 for the Federation of European Chemical Societies' (FECS) 7th Conference on Chemistry and the Environment: "Metal Speciation in the Aquatic Environment", Porto, Portugal. Environmental Science and Pollution Research - International, Special Issue #1, p.14.

Sunda, W.G., S.A. Huntsman, and **J.R. Donat. (INVITED)**. 2000. "Free ion controls on Zn and Cd uptake by phytoplankton in estuarine and oceanic waters". Keynote Abstract #2.6 for the Federation of European Chemical Societies' (FECS) 7th Conference on Chemistry and the Environment: "Metal Speciation in the Aquatic Environment", Porto, Portugal. Environmental Science and Pollution Research - International, Special Issue #1, p.15.

Dryden, C.L., J.A. Consolvo, **A.S. Gordon**, and **J.R. Donat**. 2000. "Microbial response to elevated copper concentrations in a naval harbor". Abstract #PP 2.4 for the Federation of European Chemical Societies' (FECS) 7th Conference on Chemistry and the Environment: "Metal Speciation in the Aquatic Environment", Porto, Portugal. Environmental Science and Pollution Research - International, Special Issue #1, p. 53.

Sunda, W.G., S.A. Huntsman, and **J.R. Donat**. 2000. "Importance of phytoplankton in the cycling of zinc and cadmium in a contaminated estuary". Abstract CS 25-14: The American Society of Limnology and Oceanography 2000 Meeting, Copenhagen, Denmark.

Consolvo III, J.A. and **J.R. Donat**. 2000. "Complexation and speciation of copper in the western South and Equatorial Atlantic Ocean". Abstract OS31P-05: The American Society of Limnology and Oceanography/ American Geophysical Union Ocean Sciences Meeting, San Antonio, TX.

Gordon, A.S., B.J. Dyer, **J.R. Donat**, C.L. Dryden, and J.A. Consolvo III. 2000. "Multiple responses to copper stress from transposon mutants of marine bacteria". Abstract OS21S-08: The American Society of Limnology and Oceanography/ American Geophysical Union Ocean Sciences Meeting, San Antonio, TX.

Sanudo-Wilhelmy, S.A., C.J. Gobler, **J.R. Donat**, and J.A. Consolvo III. 2000. "Physicochemical speciation of iron in the Peconic Estuary: Observations during algal blooms". Abstract OS32L-09: The American Society of Limnology and Oceanography/ American Geophysical Union Ocean Sciences Meeting, San Antonio, TX.

Gordon, A.S. and **J.R. Donat. (INVITED)**. 2000. Use of immobilized copper ion affinity chromatography for isolation of copper-complexing ligands from microbial cultures and natural waters. 4th Intl. symposium on speciation of elements in biological, environmental and toxicological sciences. Whistler BC.

Oral Presentations:

Donat, J.R. (INVITED). “Analytical approaches for determining trace metal speciation in estuarine waters”. Workshop on the Biotic Ligand Model as a Regulatory Tool for Metal Loadings to Coastal Marine Waters, Woods Hole Oceanographic Institution, Massachusetts.

Donat, J.R. and D.J. Burdige. (INVITED). 2001. “Complexation and speciation of copper, zinc, and cadmium in the Elizabeth River water column and the influence of benthic fluxes”. U.S. Office of Naval Research Harbor Processes Review, Arlington, VA.

Burdige, D.J. and **J.R. Donat. (INVITED).** 2001. “Benthic fluxes of metals and metal complexing ligands from estuarine and harbor sediments”. U.S. Office of Naval Research Harbor Processes Review, Arlington, VA.

Gordon, A.S. and J.R. Donat. (INVITED). 2001. “Production of strong copper complexing ligands in response to elevated copper concentrations by microbial communities in the Elizabeth River, VA”. U.S. Office of Naval Research Harbor Processes Review, Arlington, VA.

Sunda, W.G., S.A. Huntsman, and **J.R. Donat. (INVITED).** 2001. “Free ion controls on algal uptake of zinc and cadmium in the Elizabeth River estuary: Influence on removal and cycling of pollutant metals”. U.S. Office of Naval Research Harbor Processes Review, Arlington, VA.

Donat, J.R., D.J. Burdige, and G.G. Carrasco. (INVITED). 2001. “Water column complexation and speciation of copper, zinc, and cadmium and their benthic fluxes in the Elizabeth River, Virginia”. The 24th Annual Conference on Analysis of Pollutants in the Environment, Norfolk, VA.

Carrasco, G.G., **J.R. Donat,** and D.J. Burdige. 2001. “Benthic fluxes of copper and zinc and their complexing ligands in the Elizabeth River, Virginia”. Spring Meeting of the Chesapeake and Potomac Regional Chapter, Society of Environmental Toxicology and Chemistry, Solomons, MD.

Donat, J.R. 2001. “Water column trace metal concentrations and speciation in the Elizabeth River, Virginia”. Spring Meeting of the Chesapeake and Potomac Regional Chapter, Society of Environmental Toxicology and Chemistry, Solomons, MD.

Dryden, C.L.; J.A. Consolvo; **A.S. Gordon, and J.R. Donat.** 2001. Copper-complexing ligand production by microorganisms in the Elizabeth River, Virginia. Spring Meeting of the Chesapeake and Potomac Regional Chapter, Society of Environmental Toxicology and Chemistry (**Best Student Paper Award to C.L. Dryden**).

Donat, J.R. 2001. “Water column trace metal concentrations and speciation in the Elizabeth River, Virginia”. Atlantic Estuarine Research Society Spring Meeting, Norfolk, VA.

Dryden, C.L., J.A. Consolvo, **A.S. Gordon, and J.R. Donat.** 2001. “Copper complexing ligand production by microorganisms in the Elizabeth River Virginia”. Atlantic Estuarine Research Society Spring Meeting, Norfolk, VA. (**Best Ph.D. Student Presentation awarded to C.L. Dryden**).

Carrasco, G.G., **J.R. Donat**, and D.J. Burdige. 2001. "Benthic fluxes of copper and zinc and their complexing ligands in the Elizabeth River, Virginia". Atlantic Estuarine Research Society Spring Meeting, Norfolk, VA.

Donat, J.R. (INVITED). 2001. "Copper in a major US Harbor (Elizabeth River, Virginia): concentrations, complexation, and speciation". Symposium on Pollution Prevention from Ships and Shipyards. Oceanology International 2001 Conference, Miami, FL.

Donat, J.R. and D.J. Burdige. **(INVITED)**. 2000. "Complexation, speciation, and sediment-water exchange of copper in the Elizabeth River, a major US harbor". Second Workshop on the Chemistry, Toxicity, and Bioavailability of Copper and its Relationship to Regulation in the Marine Environment sponsored by US Navy Space and Naval Warfare Systems Center, and the U.S. Office of Naval Research, Annapolis, MD.

A.S. Gordon and **J.R. Donat. (INVITED)**. 2000. "Production of copper-complexing ligands by bacteria in culture and by intact microbial communities in-situ". Second Workshop on the Chemistry, Toxicity, and Bioavailability of Copper and its Relationship to Regulation in the Marine Environment sponsored by US Navy Space and Naval Warfare Systems Center, and the U.S. Office of Naval Research, Annapolis, MD.

Donat, J.R. (INVITED). 2000. "Trace metal speciation in estuarine waters: voltammetric approaches and biogeochemical implications". Keynote Address: Federation of European Chemical Societies' (FECS) 7th Conference on Chemistry and the Environment: "Metal Speciation in the Aquatic Environment", Porto, Portugal.

Sunda, W.G., S.A. Huntsman, and **J.R. Donat. (INVITED)**. 2000. "Free ion controls on Zn and Cd uptake by phytoplankton in estuarine and oceanic waters". Keynote Address: Federation of European Chemical Societies' (FECS) 7th Conference on Chemistry and the Environment: "Metal Speciation in the Aquatic Environment", Porto, Portugal.

Gordon, A.S. and **J.R. Donat**. 2000. "Use of immobilized copper ion affinity chromatography for isolation of copper-complexing ligands from microbial cultures and natural waters". Fourth International Symposium on Speciation of Elements in Biological, Environmental, and Toxicological Sciences, Whistler, British Columbia, Canada.

Sunda, W.G., S.A. Huntsman, and **J.R. Donat**. 2000. "Importance of phytoplankton in the cycling of zinc and cadmium in a contaminated estuary". The American Society of Limnology and Oceanography 2000 Meeting, Copenhagen, Denmark.

Donat, J.R. and D.J. Burdige. **(INVITED)**. 2000. "Metal-complexing ligands and metal speciation in sediment porewaters: implications for sediment/water exchange and water column speciation". Marine Sediment Processes Workshop sponsored by Space and Naval Warfare Systems Center (US Navy), and the U.S. Office of Naval Research, San Diego, CA.

Consolvo III, J.A. and **J.R. Donat**. 2000. "Complexation and speciation of copper in the western South and Equatorial Atlantic Ocean". The American Society of Limnology and Oceanography / American Geophysical Union Ocean Sciences Meeting, San Antonio, TX.

Gordon, A.S., B.J. Dyer, **J.R. Donat**, C.L. Dryden, and J.A. Consolvo. **(INVITED)**. 2000. "Multiple responses to copper stress from transposon mutants of marine bacteria". The American Society of Limnology and Oceanography/American Geophysical Union Ocean Sciences Meeting, San Antonio, TX.

Sanudo-Wilhelmy, S.A., C.J. Gobler, J.R. Donat, and J.A. Consolvo. 2000. "Physicochemical speciation of iron in the Peconic Estuary: Observations during algal blooms". The American Society of Limnology and Oceanography/American Geophysical Union Ocean Sciences Meeting, San Antonio, TX.