

LINKING SHORT AND LONG TERM SEDIMENT DELIVERY TO MORPHOLOGY AND ACOUSTIC PROPERTIES OF CONTINENTAL MARGINS

James P.M. Syvitski,
INSTAAR Univ. of Colorado,
Boulder CO, 80309-0450,
phone: (303) 492-7909 fax: (303) 492-6388
email: james.syvitski@colorado.edu

Robert Courtney,
Geological Survey of Canada-Atlantic,
BIO, Dartmouth NS, Canada, B2Y 4A2,
phone: (902) 426-5062 fax: (902) 426-6152
email: courtney@agc.bio.ns.ca

Award No. N00014-95-1-1281

LONG TERM GOALS

Develop numerical models useful for the simulation of sediment delivery and accumulation on continental margins over time scales of tens to thousands of years. Model predictions will help us understand the evolution of the sediment characteristics on continental margins through sea level fluctuations, climate change, and other relevant environmental factors. ONR interests include the development of a numerical predictor of the acoustic signature of remote margins based on a region's geological history.

SCIENTIFIC OBJECTIVES

- 1) Model sediment delivery and deposit formation on a continental slope. Predict delivery to the shelf-slope break from fluvial point or line sources.
- 2) Model major influences (climate, sea-level, tectonics) on processes that control slope morphology and stratigraphy. Include the effects of: a) external forcing mechanisms; b) short-term delivery of sediment; c) 2D simulations of individual mass movements (submarine slides, debris flows and turbidity currents); d) acoustic characterization of slope deposits; and e) excess pore pressure on slope failure.

APPROACH

1. The Sediment Delivery Model should include:

- A) effects of fluctuating sea levels on sediment input by coupling the rate and direction of sea level change with hinterland climate and landscape, as controls on the dynamics of river plumes, and thus the rate of deposition and physical properties of depositing sedimentary units within slope environments.
- B) effects of coastal currents on the behaviour of plume dynamics, i.e. is there a separation of sand deposition on the inner shelf from mud deposition both alongshore and offshore, as influenced by alongshore transport.
- C) multiple river sources out from the coastline, both at high stand and low stands of sea level.
- D) both hyperpycnal (bottom) and hypopycnal (surface) plumes. Do hyperpycnal events influence margins?

2. The Acoustic Seascape-Stratigraphic Model should see:

- A) climate/river models linked to seascape evolution models and geotechnical slope stability models.
- B) inclusions of 1D turbidity current and Bingham yield debris flow models.
- C) expansion to 2D transport algorithms.
- D) attenuation and scattering schemes should be applied to synthetic seismic and predictions made of the Eel River margin.

WORK COMPLETED

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 30 SEP 1997		2. REPORT TYPE		3. DATES COVERED 00-00-1997 to 00-00-1997	
4. TITLE AND SUBTITLE Linking Short and Long Term Sediment Delivery to Morphology and Acoustic Properties of Continental Margins				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Colorado, Institute of Arctic and Alpine Research, Boulder, CO, 80309				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Compiled input data on digital landscape and seascape terrain, sea level and climate for the Eel River margin during the Holocene. Models FACIES and DELTA were combined into one model (SEDFLUX) for increased speed and ease in computation. SEDFLUX was updated with surge and continuous turbidity current subroutines (INFLO), debris flow subroutine (BING), compaction subroutine (COMPACT). Sensitivity tests comparing debris flow models SKRED and BING were completed. SYNSEIS was modified to run with SEISUNIX (Colorado School of Mines). HYDROTREND, the climate-discharge simulator, was expanded to include the effects of aquifers, with test runs complete on the Liard River Basin. The 2-D PLUME model now includes the effects of coastal currents on the behaviour of plume dynamics. PLUME model runs were tested against observations of the 1995 Eel River flood deposit and 1997 flood plume concentrations. A simulation of the Eel Margin during the Holocene was completed.

RESULTS

We now have prediction methods for simulating the discharge and the sediment load of ungauged rivers flowing into the ocean. The method compares favorably with USGS observations on the Eel River, including our ability to predict the 400 yr return interval (e.g. 1964) flood of the river. With such a robust model we are able to presently simulate past or future climate effects on the production and delivery of sediment to the ocean. Our plume model can now be coupled with offshore buoy data (wind and currents), to simulate the basic features of coastal plumes under flood conditions. By applying the SEDLUX model to the Eel River margin under present conditions, we have simulated the development of future offshore deposits. We predict that in about 2000 years, a large submarine slide will occur over the present Humboldt slide zone (a site of paleo slides). In 3000 years the coastline will have prograded out to near the modern shelf-slope break. We also predict that hyperpycnal flows will occur every 10 or so years off the Eel River, lasting for a few hours to a day. Longer return interval floods will deliver hyperpycnal flows that could last 2 to 3 days. These events will deliver much sediment directly to the continental slope.

IMPACT/APPLICATIONS

We are on the path to predict acoustic properties of the seafloor of continental margins, based on process based modeling and remote data input (i.e. satellites). Realistic numerical models offer the possibility of making predictions where field data is limited. The impact of floods and or storms on the acoustic character and features of continental margins can then be examined at will.

TRANSITIONS

Results of our modeling efforts have been shared with participants at Old Dominion Observatory (Swift et al.) who have incorporated them into their own modeling efforts. Model runs of the Eel River Margin have been made for USGS participants (Field, Lee). Models have been transferred to MOBIL Technology Center. Our seismic simulator has been used in cooperative work with St. Anthony Falls Hydraulic Lab's flume efforts. Negotiations with the IGBP-LOICZ (Land-Ocean Interaction Coastal Zone) program that includes participants from 80 countries are underway for the cooperative sharing of each other's models and data bases.

RELATED PROJECTS

MOBIL Technology Center (Cullick, Sarg, Gouveis, Levin) supported INSTAAR efforts (Bahr, Pratson, Hutton, O'Grady) to develop a data base on continental margin morphology, sedimentology, oceanography and tectonics. Parameters are being linked into super-variables to determine the effective influence of past history, tectonic setting, and sediment delivery and redistribution. The two STRATAFORM margins are included in the data base.

Work with G. Parker, C. Paola (U.Minneapolis), in developing the continental margin flume simulator, has progressed with application of the INSTAAR-SYNSEIS model (Pratson, Syvitski, O'Grady) to their flume results.

COLDSEIS program involving participant from 12 countries has completed its seismic atlas glaciated margins and special issue of Marine Geology.

1996/97 ONR STRATAFORM REFERENCES

- Syvitski, J.P.M. and Schafer, C.T. 1996. Evidence for an earthquake-triggered basin collapse in Saguenay Fjord, Canada. *Sedimentary Geology*, 104: 127-153.
- Mulder Th., Savoye B., Syvitski J.P.M. and Cochonot, P. 1996. Origine des courants de turbidité enregistrés à l'embouchure du Var en 1971. *Comptes Rendus de l'Académie des Sciences, Paris*, 322(4), Série IIa, 301-307.
- Mulder, T. and Syvitski J.P.M. 1996. Climatic and morphologic relationships of rivers. Implications of sea level fluctuations on river loads. *Jour. of Geology* 104: 509-523.
- Syvitski, J.P.M. and Hutton, E.W.H. 1996. *In situ* characteristics of suspended particles as determined by the Floc Camera Assembly FCA. *Journal of Sea Research* 36: 1-12.
- Steckler, M.S., Swift, D.J.P., Syvitski, J.P., Goff, J.A., and Nedoroda, A.W. 1996. Modeling the sedimentology and stratigraphy of continental margins. *Oceanography*. 9(3): 183-188.
- Syvitski, J., Field, M., Alexander, C., Orange, D. and Gardner, J. 1996. Continental-slope sedimentation. *Oceanography*. 9(3): 163-167.
- Syvitski, J.P.M. Lewis, C.F.M., and Piper, D.J.W. 1996. Paleooceanographic information derived from acoustic surveys of glaciated continental margins: examples from eastern Canada. In: J.T. Andrews, W.E.N. Austin, H. Bergsten, and A.E. Jennings (eds.) *Late Quaternary Palaeoceanography of the North Atlantic Margins*, Geological Society Special Publication No. 111, pp. 51-76.
- Mulder, T., Syvitski, J.P.M. and Skene, K. 1997. Modelling of erosion and deposition by sediment gravity flows generated at river mouths. *Jour. Sedimentary Research*, 67(3): 571-584.
- Mulder, T., Savoye, B. and Syvitski, J.P.M. 1997. Numerical modelling of the sediment budget for a mid-sized gravity flow: the 1979 Nice turbidity current. *Sedimentology*, 44: 305-326.
- Mulder Th., Savoye B., Syvitski J.P.M. and Parize O. 1997. Des courants de turbidité hyperpycniaux dans la tête du canyon du Var? Observations hydrologiques et données de terrain. *Oceanologica Acta*. 20(4): 607-626.
- Syvitski, J., Pratson, L., Perlmutter, M., de Boer, P., Parker, G., Garcia, M., Wiberg, P., Steckler, M., Swift, D., and Lee, H.J., 1997. EARTHWORKS: A large scale and complex numerical model to understand the flux and deposition of sediment over various time scales. In: V. Pawlowsky-Glahn (Editor) *Proceedings of IAMG'97 The third annual conference of the International Association of Mathematical Geology*. CIMNE-Barcelona, 1997, v. 3 p. 29-33.
- Wang Y., Ren, M.-e and J.P.M. Syvitski. 1998. Sediment Transport and Terrigenous Fluxes. In: K.H. Brink & A.R. Robinson (editors) *The Sea: Volume 10 - The Global Coastal Ocean: Processes and Methods*. John Wiley & Sons, New York, p. 253-292.
- Mulder T., Savoye B., Syvitski J.P.M. and Piper D.J.W. 1997. The Var Submarine Sedimentary System: understanding Holocene sediment delivery processes and their importance to the geological record. In M. S. Stoker, D. Evans, A. Cramp (editors): *Geological Processes on Continental Margins: Sedimentation, Mass Wasting and Stability*, Geol. Society, Spec. Publ., London, 145-166.
- Stein, A.B. and Syvitski, J.P.M. (in press). Glaciation-Influenced Debris Flow Deposits: East Greenland Slope. In: *Seismic Atlas of Glaciated Continental Margins*. In: Davies, T.W., Josenhans, H., Stoker, M., Solheim, A., Stravers, J., Cooper, A. (editors). Blackwell Publ., London,
- Syvitski, J.P.M. (in press). Water-Escape Sea Floor Depressions. In: *Seismic Atlas of Glaciated Continental Margins*. In: Davies, T.W., Josenhans, H., Stoker, M., Solheim, A., Stravers, J., Cooper, A. (editors). Blackwell Publ., London,
- Syvitski, J.P.M. and Hutton, E.W.H. (in press). FLOC: Image analysis of marine suspended particles. *Computers and Geoscience*.
- Skene, K., Mulder, T., and Syvitski, J.P.M. (in press). INFLO: Predictions of erosion and deposition from hyperpycnal river floods flowing into coastal marine basins. *Computers and Geoscience*.
- Syvitski, J.P.M., Morehead, M. and Nicholson, M. (in press). HYDROTREND: Simulation of trends in river discharge and sediment transport from climate normal and GCM predictions. *Computers and Geoscience*.
- Syvitski, J.P.M., Nicholson, M., and Skene, K., Morehead, M.D. (in press). PLUME1.1: Deposition of sediment from a fluvial plume. *Computers and Geoscience*.

- Skene, K., Piper, D.J.W., Aksu, A.E., and Syvitski, J.P.M. (in review). Evaluation of the global oxygen isotope curve as a proxy for Quaternary sea level modeling of delta progradation. *Marine Geology*.
- Hill, P.; J P Syvitski, R D Powell, E A Cowan. (in review). Floc settling velocities under a buoyant discharge plume in Glacier Bay, Alaska. *Marine Geology*.
- Azetsu-Scott, K., and Syvitski, J.P.M. (in review). How melting icebergs influence particle distribution in the water column. *Journal of Geophysical Research*.
- Syvitski, J.P. and Morehead, M.D. (in review). River predictions for oceanographers and paleoceanographers: Application to the Eel River Margin, N. California. *Marine Geology*.
- Syvitski, J.P.M., Pratson, L. O'Grady, D. (in review) Stratigraphic Predictions of Continental Margins for the Navy. In: L. Whatney et al (eds.) *Numerical Experiments in Stratigraphy*. SEPM special publication.
- Morehead, M.D., and Syvitski, J.P. (in review) River plume sedimentation modeling for Sequence Stratigraphy: Application to the Eel River Margin, N. California. *Marine Geology*.
- Syvitski, J.P.M. 1996. Predicting sediment delivery and stratigraphy on marginal slopes and shelf basins for the Navy. *Numerical Experiments in Stratigraphy: An International Workshop*, University of Kansas, Lawrence, Kansas May 15-17, p. 141-144.
- Hill, P.; J P Syvitski, R D Powell, E A Cowan. 1996. Sediment aggregation dynamics fronting a Glacial tidewater terminus: Yakutat Bay, Alaska, AGU 1996 Fall meeting EOS suppliment, v. 77(46), p. F332.
- Syvitski, J.P.M. and Morehead, M. 1996. River discharge modeling for oceanographers: Application to the Eel Shelf, California AGU 1996 Fall meeting EOS suppliment, v. 77(46), p. F313.
- Morehead, M & J P Syvitski 1996. Predicting sedimentation under river plumes: Application to the Eel Shelf, California, AGU 1996 Fall meeting EOS suppliment, v. 77(46), p. F313.
- Pratson, L & J P Syvitski, 1996. Modeling Rates of Submarine Canyon Evolution on Continental Slopes. AGU 1996 Fall meeting EOS suppliment, v. 77(46), p. F329.
- Courtney, R & J P Syvitski, 1996. Simulation of synthetic seismic profiles from process-based stratigraphic models. AGU 1996 Fall meeting EOS suppliment, v. 77(46), p. F330.
- Mulder T., Savoye B., Syvitski J.P.M. and Parize O. (1996). Hyperpycnal Flows at the Head of the Var Canyon. Evidences from Hydrological Records and Geological Observations. *Applied Geosciences Conference*, Warwick University, UK, April 15-18, 1996.
- Savoye B., Mulder T., Naaïm M., Cochonat P., Piper D.J.W. and Syvitski J.P.M., (1996). The 1979 Nice turbidity current: facts, processes, experimental and numerical modeling. *Applied Geosciences Conference*, Warwick University, UK, April 15-18, 1996.
- Mulder T., Savoye B., Syvitski J.P.M. et Parize O. (1996). Hyperpycnal Flows at the Head of the Var Canyon. Evidences from Hydrological Records and Geological Observations. *Annual Meeting of the British Sedimentological Research Group*, Dublin, 14-17 December 1996.
- Mulder T. et Syvitski J.P.M. (1996). Prediction of hyperpycnal turbidity currents generated at river mouth. *Annual Meeting of the British Sedimentological Research Group*, Dublin, 14-17 December 1996.
- Mulder T., Savoye B., Piper D.J.W. et Syvitski J.P.M. (1997). The importance of sediment transport processes in the Var Deep-Sea Fan for interpreting the recent geological record. *9th Congress of the European Union of Geosciences*, Strasbourg, 23-27 March 1997
- Syvitski, J.P., and Morehead, M., (1997). Understanding sediment delivery to the Ocean: World Data and numerical modeling. *CSPG-SEPM Joint Conference*, Calgary, Alberta, June 1 - 7, 1997., p. 273.
- Syvitski, J.P., Pratson, L., and Skene, K., (1997). Marine sediment by-passing: application of process-based stratigraphic modeling. *CSPG-SEPM Joint Conference*, Calgary, Alberta, June 1 - 7, 1997., p. 273.
- Syvitski, J.P. (1997). Scaling Issues in Modeling Coastal Systems and Fluxes. In *Abstracts of the Land-Ocean Interaction in the Coastal Zone (LOICZ) Open Science Meeting Oct 10-13, 1997 in Noordwijkerhout, The Netherlands*.
- Syvitski, J.P. (1997). The STRATAFORM Project: Understanding Coastal Sediment Input, Distribution and Controls through Global Data Bases and Predictive Modeling. In *Abstracts of the Land-Ocean Interaction in the Coastal Zone (LOICZ) Open Science Meeting Oct 10-13, 1997 in Noordwijkerhout, The Netherlands*.