

THREE-DIMENSIONAL STRUCTURE AND EVOLUTION OF PROPAGATING DISTURBANCES IN THE MARINE LAYER OFF THE U.S. WEST COAST: ANALYSIS OF 1996 AIRCRAFT OBSERVATION

John M. Bane, Jr.
Department of Marine Sciences
University of North Carolina
Chapel Hill NC 27599-3300
(919) 962-0172
bane@marine.unc.edu
Award # N00014-97-1-0376

LONG TERM GOALS

This project is part of the Coastal Meteorology Accelerated Research Initiative (ARI), and as such has the following long-term goal: To develop an understanding of the genesis, propagation and decay of coastally trapped disturbances (CTDs) along mountainous coastlines.

OBJECTIVES

The meteorological focus in this ARI is the propagating, coastally trapped southerly surge, which typically occurs several times each summer season along the U.S. west coast. During the time our instrumented aircraft was on the west coast (June 1994, and late May through September 1996) there were six southerly wind episodes: the June 1994 event was a southerly surge that lasted approximately two days, three of the 1996 episodes had a surge component, one event should have produced a southerly surge but did not, and one event was a transition to synoptic scale southerlies without a surge component. Our principal scientific activity in the present grant is to use these new data to obtain a more definitive view of the three-dimensional spatial structure of southerly surges.

APPROACH

Our flights have gathered the only data set that can provide a direct look into the anatomy of the airflow and stratification over the coastal waters during a southerly surge. Towards this end, vertical sections of potential temperature and wind velocity have been constructed showing “slices” through the four surge cases. In addition to revealing this structure, the continuous wind velocity, temperature and humidity profiles measured by the aircraft can give accurate and continuous profiles of stratification, Richardson number and Froude number.

WORK COMPLETED

All 1996 data are being processed in essentially the same fashion as were the 1994 data [*Bane et al.*, 1995]. This involves editing and cleaning the data sets to eliminate clearly bad data values, aligning all data time series to a common time standard, conversion of measured

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 1997		2. REPORT TYPE		3. DATES COVERED 00-00-1997 to 00-00-1997	
4. TITLE AND SUBTITLE Three-dimensional Structure and Evolution of Propagating Disturbances in the Marine Layer Off the U.S. West Coast: Analysis of 1996 Aircraft Observation				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of North Carolina, Department of Marine Sciences, Chapel Hill, NC, 27599-3300				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 4	19a. NAME OF RESPONSIBLE PERSON
a REPORT unclassified	b ABSTRACT unclassified	c THIS PAGE unclassified			

variables to scientific units using calibration information, and computation of atmospheric variables from measured variables (*e.g.* the wind computation requires the combination of several measured variables, including aircraft heading and airspeed, air temperature, air pressure, aircraft groundtrack and groundspeed). During FY 1997 all data sets were transferred from the aircraft computers to the workstations in Chapel Hill, and initial processing steps were applied in order to provide first looks at some of the more interesting cases. Refinements to several sections improved the quality of the data presentation, and these sections are now displayed on our project website [<http://www.marine.unc.edu/cool/mb1/>] and have been discussed in the publications listed below.

RESULTS

The four southerly surge cases that we now have measured include two surges between Point Conception and Point Reyes (June 1994 and June 1996) and two surges between Point Reyes and Cape Blanco (July and September 1996). Temperature and velocity sections from these surges suggest that each has a southerly flow leading edge above the MBL, similar to that first seen in the June 1994 case. Should this prove to be correct following a thorough reconstruction of the 1996 sections, this would strengthen the notion that the complex vertical structure observed in June 1994 is the typical situation as opposed to an isolated occurrence. A correct dynamical understanding must then include an explanation of this structure. Several presentations have been made at AGU, AMS and Navy meetings, and Proceedings papers written on these findings [*Bane*, 1996, 1997a,b; *Bane and Armi*, 1996; *Ralph et al.*, 1996; and *Thompson and Bane*, 1998]. Two journal articles are in press [*Dorman et al.*, 1998; and *Ralph et al.*, 1998], and an overview article describing the Coastal Meteorology ARI is in preparation [*Nuss et al.*, 1998].

IMPACT

Already we are beginning to refine our view of the dynamical nature of these events based on the aircraft sections. Structural comparisons among four surges were discussed by *Bane* [1996, 1997a,b], and the structural features of the June 1994 event were compared with non-linear Kelvin Wave theory in *Ralph et al.* [1996]. The new aspect of the *Ralph et al.* study is that it describes the surge to be a Kelvin wave in the marine boundary layer inversion (MBLI) as opposed to a wave within the marine boundary layer (MBL) itself. The MBL retains a constant thickness throughout the event, whereas the MBLI supports a wave propagating over a rigid lower boundary, which is the top of the MBL immediately below the MBLI. In other words, it is the MBLI that is the active participant in the surge and the MBL, or surface layer, follows the development of the wave in the MBLI.

TRANSITIONS

Comparisons between our aircraft surge observations and COAMPS simulations of these events produced at NRL-Monterey are being made. The first comparisons, on two of the four cases, are reported in *Thompson and Bane* [1998]. The structural features in the observed and simulated wind and temperature fields are quite similar, but differences in detail suggest that

the COAMPS simulations may be improved even further. This work is continuing, with the aims of understanding the model-observational differences and providing the best possible forecasts.

RELATED PROJECTS

The collection and analysis of the data in this project have been coordinated with the other investigations supported by the Coastal Meteorology ARI. Additional collaborations have been established with the NSF-supported *Coastal Waves 96* project of David Rogers and Clive Dorman [Rogers *et al.*, 1998], and we have been working closely with William Thompson at NRL-Monterey on the model-data comparisons described above.

REFERENCES

- Bane, J. M., 1997a: Airflow and stratification in propagating southerly surges within the summertime marine layer off California and Oregon. *Proc. of the 12th Symposium on Boundary Layers and Turbulence*. 28 July-1 August, 1997, Vancouver B.C., Canada, Amer. Meteorol. Soc., Boston, pp. 346-347.
- Bane, J. M., 1997b: Rapid-Response Aircraft Surveys of Short-Lived Events in the Coastal Atmosphere. *Proceedings, The Rapid Env. Assessment Conf.*, SACLANT Undersea Research Ctr. Tech. Rep., (in press).
- Bane, J. M., 1996: The Structure of Propagating Southerly Surges in the Summertime Marine Layer off California and Oregon. *Trans. Amer. Geophys. Union*, 77, p. F128 (abstract). Paper presented at the AGU Fall Meeting, San Francisco, Dec. 19, 1996.
- Bane, J. M., and L. Armi, 1996: The Structure of a Coastally Trapped Southerly Surge in the California Marine Layer, June 1994. *Trans. Amer. Geophys. Union*, 76, p. OS130 (abstract). Paper presented at the AGU/ASLO Ocean Sciences Meeting, San Diego, Feb. 14, 1996.
- Bane, J. M., S. M. Haines, L. Armi and M. H. Sessions, 1995: *The California Coastal Marine Layer: Winds and Thermodynamics*, Technical Report, June 1994 Aircraft Measurement Program. *Univ. North Carolina Report No. CMS-95-1*, 289 pp.
- Dorman, C. E., L. Armi, J. M. Bane and D. Rogers, 1998: Sea Surface Mixed Layer During the June 10-11, 1994, California Coastally Trapped Event. *Mon. Wea. Rev.*, (in press).
- Nuss, W. A., J. M. Bane, W. T. Thompson, T. Holt, C. Dorman, F. M. Ralph, R. Rotunno, J. Klemp, W. Skamarock, R. M. Samelson, A. Rogerson, C. J. Reason, P. Jackson, 1998: Coastally Trapped Wind Reversals: A New Level of Understanding from The Experiment on Coastally Trapped Disturbances. *Bull. Amer. Meteorol. Soc.*, (to be submitted).
- Ralph, F. M., L. Armi, J. M. Bane, C. Dorman, W. D. Neff, P. J. Nieman, W. Nuss and P. O. G. Persson, 1998: Observations and analysis of the 10-11 June 1994 coastally trapped disturbance. *Mon. Wea. Rev.*, (in press).
- Ralph, F. M., P. J. Neiman, P. O. G. Persson and J. M. Bane, 1996: Evidence of Solitary Kelvin Waves on the Marine Boundary Layer Inversion and Their Relationship to Coastally Trapped Wind Reversals. *Trans. Amer. Geophys. Union*, 77, p. F127 (abstract). Paper presented at the AGU Fall Meeting, San Francisco, Dec. 19, 1996.
- Rogers, D. P., C. Corman, K. Edwards, I. Brooks, K. Melville, S. Burk, W. Thompson, T. Holt, L. Strom, M. Tjernstrom, B. Grisogono, J. Bane, W. Nuss, B. Morley, and A. Schanot, 1998: Highlights of Coastal Waves 1996. *Bull. Amer. Meteorol. Soc.*, (submitted).

Thompson, W. T., and J. M. Bane, 1998: Modeling and observations of coastally trapped wind reversals. . *Proc. of the 78th AMS Annual Meeting*. 11-16 January, 1998, Phoenix AZ, Amer. Meteorol. Soc., Boston, (to appear).

Website for this project at the University of North Carolina: <http://www.marine.unc.edu/cool/mb1/>