

THREE-DIMENSIONAL ADJUSTMENT OF STRATIFIED FLOW OVER A SLOPING BOTTOM

David C. Chapman

Woods Hole Oceanographic Institution

Department of Physical Oceanography

Woods Hole, MA 02543

Tel: (508) 289-2792 Fax: (508) 457-2181 e-mail: dchapman@whoi.edu

Steven J. Lentz

Woods Hole Oceanographic Institution

Department of Physical Oceanography

Woods Hole, MA 02543

Tel: (508) 289-2808 Fax: (508) 457-2181 e-mail: slentz@whoi.edu

Award #: N00014-97-1-0161

LONG-TERM GOALS

Our ultimate goal is to understand the dynamics of strong, narrow ocean currents that persist for hundreds or thousands of kilometers, despite being in contact with the (frictional) bottom.

SCIENTIFIC OBJECTIVES

Our immediate objective is to understand how vertical mixing and advection within the bottom boundary layer influence the three-dimensional structure, evolution, and dynamics of both the bottom boundary layer and the overlying (interior) flow.

APPROACH

Our study is based on our idealized semi-analytical model of the adjustment of a stratified flow over a sloping bottom (Chapman and Lentz, 1997) which suggests that an equilibrium can be achieved in which both the bottom boundary layer and the overlying current adjust through feedback mechanisms such that the bottom stress is reduced to zero everywhere. The current can then continue unimpeded by bottom friction. Our approach consists of three parts: (1) we are using a primitive equation numerical model to elucidate and extend results from our idealized model and to determine the limitations of our idealized model; (2) we are analyzing existing observations to determine whether the structure of the bottom boundary layer and the flow field above are consistent with our idealized model; and (3) we are attempting to extend the idealized model to more realistic conditions.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 1997		2. REPORT TYPE		3. DATES COVERED 00-00-1997 to 00-00-1997	
4. TITLE AND SUBTITLE Three-dimensional Adjustment of Stratified Flow over a Sloping Bottom				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Woods Hole Oceanographic Institution, Department of Physical Oceanography, Woods Hole, MA, 02543				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a REPORT unclassified	b ABSTRACT unclassified	c THIS PAGE unclassified			

WORK COMPLETED

This being the first year of the study, we have only begun the first two parts of the work. We have configured the numerical model (SPEM5.1) to reproduce, as closely as possible, the idealized model. This provides a test of the robustness of the idealized model because the numerical model includes nonlinear advection of momentum, vertical structure in the bottom boundary layer, full cross-isobath advection of density, and a parameterization of vertical mixing, all of which were either neglected or highly simplified in the idealized model. Furthermore, the numerical model requires a finite domain with open boundaries, both of which complicate the comparison.

We have identified and acquired several data sets that seem appropriate for comparison with the idealized model. These include: long-term shelf observations from the west coast of the U.S., slope observations of the California Undercurrent, Nantucket Shoals Flux Experiment moored observations from the Middle Atlantic Bight shelf and moored observations from the Deep Western Boundary current acquired by Wunsch and Hendry in 1970.

RESULTS

For a weak narrow inflow, the numerical model solutions behave very much like the idealized model in many respects. The growth of the bottom boundary layer and the adjustment of the overlying flow are both qualitatively and quantitatively similar to the idealized model. A downstream equilibrium is achieved, although only after a very long simulation time. The adjustment near the inflow is quite different from the idealized model (as expected) owing to the presence of nonlinear momentum advection. The impact of the open boundaries still needs to be reduced before further comparisons can be made. Also, very strong and narrow inflows appear to behave differently from the weaker inflows, although this conclusion is quite preliminary.

Examination of monthly mean current profiles from the STRESS/SMILE (Sediment Transport Events on Shelves and Slopes; Shelf MIXed Layer Experiment) studies on the west coast of the U.S. (in collaboration with John Trowbridge) indicate a shutdown of the bottom stress consistent with our idealized model. However, consideration of the alongshelf momentum balance also suggests there is an alongshelf density gradient which is not consistent with our idealized model, but may be a consequence of the complex bathymetry.

IMPACT/APPLICATIONS

We expect that our results will show the important (and perhaps dominant) influence of the bottom boundary layer on ocean currents, even when the boundary layer is thin compared to the current depth. This may alter the way in which currents are observed and modeled in large-scale models.

TRANSITIONS

There are no transitions at this point.

RELATED PROJECTS

None

REFERENCES

Chapman, D. C., and S. J. Lentz, 1997. Adjustment of stratified flow over a sloping bottom. *J. Phys. Oceanogr.*, **27**, 340-356.