

SEMICLASSICAL INVESTIGATIONS OF LOW FREQUENCY, LONG RANGE ACOUSTIC PULSE PROPAGATION IN DEEP OCEAN ENVIRONMENTS

Michael Wolfson

Department of Physics
Washington State University
Pullman, WA 99164-2814

phone: (509)335-6438 fax: (509)335-7816 email: mwolfson@wsu.edu

Award #: N00014-98-1-0899

LONG-TERM GOAL

Our long-term goal is to address the limits of feasibility of underwater acoustic propagation models based on the geometric acoustics approximation. Accomplishing this goal will lead to an understanding of the limiting resolution of acoustic tomographic inversions for oceanic structure, whether using stochastic or deterministic methods.

SCIENTIFIC OBJECTIVES

A primary scientific objective of this work concerns relating dynamic ray stability to the observed intensity distribution of the acoustic wavefield for pulse propagation through the structured ocean waveguide at megameter ranges. Another scientific objective of this work is to understand the limitations of deterministic numerical ray tracing in realistic ocean environments.

APPROACH

We attack these problems by first investigating simplified ocean acoustic dynamical system models where known theoretical results can be utilized. A “stability exponent” distribution is derived as a function of the reception range. This distribution depends on the spectrum of sound speed fluctuations as well as the background sound speed profile. The cumulative probability of this distribution then determines what apportion of an initial distribution of rays will be marginally stable at the reception range. The next step is to semiclassically construct the wavefield and derive the distribution of intensity for broadband pulse propagation.

To understand the limits of deterministic ray tracing, we exploit Hamiltonian dynamics concepts developed by Greene [J. Math. Phys. **20**(6), June 1979]. Careful numerical simulations are performed, taking into consideration the interpolating scheme for the gridded sound speed environment.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 1999		2. REPORT TYPE		3. DATES COVERED 00-00-1999 to 00-00-1999	
4. TITLE AND SUBTITLE Semiclassical Investigation of Low Frequency, Long Range Acoustic Pulse Propagation in Deep Ocean Environments				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Washington State University, Department of Physics, Pullman, WA, 99164				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

WORK COMPLETED

Using an idealized field of sound speed fluctuations and uniform background sound speed, we have derived an expression for the distribution of eigenvalues of the matrix which relates to the semiclassical amplitude contribution for a single ray. This distribution is found to be lognormal. The stability exponent distribution is then found to be Gaussian and asymptotically approaches a delta distribution with the inverse of the square root of the range.

It is important to note that although our theoretical work uses a highly idealized model where results based on the Markov limit in range can be applied, the theoretical arguments that lead to the stability exponent taking on a Gaussian distribution do not depend on the model. In this sense we consider our results as robust.

As for the limits of deterministic ray tracing, numerical investigations have been performed involving the sensitivity of a constructed time front due to perturbations of the environment (e.g. due to day to day evolution of a field of eddies). Even highly unstable rays are observed to be insensitive to perturbations in the environment in the sense that they still reside on the original time front. This work appears promising, and it will be continued in more detail during the following year. It is too preliminary to state anything further at this time.

RESULTS

Numerical results regarding the stability exponent distribution were reported at the 137th ASA meeting in Berlin. A manuscript describing the theoretical and numerical results is in preparation.

IMPACT/APPLICATION

The impact of the above work will be more fully realized after semiclassical treatments are utilized to infer the intensity distribution for broadband acoustic pulses. However, the results thus far are promising in that they indicate a measure for the apportion of nearly stable rays that could be useful for tomographic inversion. The source frequency and bandwidth will determine what scales of the ocean structure are relevant to incorporate in the numerical simulations, and this then determines the range dependence of the apportion of these nearly stable rays.

TRANSITIONS

None.

RELATED PROJECTS

This work is related to the data analysis effort of the North Pacific Pacific Acoustic Laboratory project led by P. Worcester and R. Spindel, and is a collaborative effort with S. Tomsovic and M. Brown.

REFERENCES

M. A. Wolfson, and F. Tappert, “Study of horizontal multipaths and ray chaos due to ocean mesoscale structure”, J. Acoust. Soc. Am. , in press.