

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 1999		2. REPORT TYPE		3. DATES COVERED 00-00-1999 to 00-00-1999	
4. TITLE AND SUBTITLE The Optical Properties of the Maritime Aerosol and their Correlation to the Electrical Conductivity of the Marine Atmosphere				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Postgraduate School,CIRPAS,3240 Imjin Road, Hangar 510,Marina,CA,93933				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 2	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

The Optical Properties of the Maritime Aerosol and their Correlation to the Electrical Conductivity of the Marine Atmosphere

Haflidi H Jonsson
Naval Postgraduate School/CIRPAS
3240 Imjin Road, Hangar 510
Marina, CA 93933
phone (831) 384-2776 fax (831) 384-3277 email hjonsson@nps.navy.mil
Award Number: N0001499AF00002
<http://nps.navy.mil>

LONG-TERM GOAL

The long term goal is to have a capability of simultaneously measuring aerosol properties, optical properties, and electrical properties from an aircraft in the marine boundary layer. This involves integration of CN counters, particle spectrometers, nephelometers, Gerdien condenser, and radon detector onto the CIRPAS Twin Otter airplane, along with a suitable data acquisition system.

OBJECTIVES

The Scientific or Technical Objectives of this effort are to empirically seek a relationship between the electrical conductivity of the marine atmosphere and its optical properties, such as extinction at various wavelengths. As a result a technique may evolve for estimating optical extinction on bases of a conductivity measurement.

APPROACH

The approach is to synchronously measure extinction at three wavelengths using TSI Nephelometer, and electrical conductivity using Gerdien condenser, and correlate the data. Measurements of particle size and concentration are to be measured simultaneously for calculation of extinction using Mie code for validation of the Nephelometer measurements and to support extrapolation to other wavelengths. Simultaneous measurements of ionization rates by means of the radon detector will be used to constrain the conductivity measurements in coastal areas where continental air containing radioactive agents may be present to varying degrees.

WORK COMPLETED

Aerosol spectrometers, PCASP, FSSP-100, and CAPS, were integrated onto the CIRPAS Twin Otter this summer, along with TSI CN and Ultrafine particle counters. Software was developed to both log and reduce data and calculate optical properties. A three color TSI Nephelometer was also integrated onto the Twin Otter. Software was developed to log its measurements, but data reduction routines are still to be developed. The Gerdien condenser is under development and a Radon detection system has been ordered. The Aerosol instruments and the Nephelometer were flown this summer during the DECS experiment yielding much data that are presently being analyzed and processed.

RESULTS

It is too early to draw any conclusions from the work thus far. As preliminary results from the DECS mission, however, it is clear that both the aerosol measurements and the nephelometer measurements are well enough along to warrant integration of the electrical component. Size distributions based on frequent calibration appear fairly consistent between the spectrometers, and cover the optically active size range ($D_p > 0.1 \mu\text{m}$). Preliminary viewing of the Nephelometer data similarly indicates that a good data set was obtained. Data reduction, however, is in progress, and analyses have not started yet.

IMPACT/APPLICATIONS

Depending on the results of this research, an alternative technique may result for evaluating optical properties of the marine boundary layer. If a tight correlation may be established between conductivity and extinction, then the simple, and robust measurement of conductivity may yield quantitative information on extinction.

TRANSITIONS

As the results still are preliminary, and the electrical component of the payload still has not been implemented, at this point the primary results sought are not available. However, collaborators during the DECS experiment are using the particle and optical measurements for validation of satellite sensors, for validation of radar observations, for study of aerosol source strength in the marine boundary layer, for study of roles of aerosol particles in cloud dynamics, and for study of formation and perpetuation of rifts in stratus decks.

RELATED PROJECTS

The measurements obtained in this project are also valuable in projects such as those outlined in the last item. Also, however, the results will enhance the value of a century long record of conductivity measurements that exists.