

Development of a National Littoral Ocean Observing and Prediction System: Field Estimation via Interdisciplinary Data Assimilation: Turbulence Characterization from an AUV

Edward R. Levine

Naval Undersea Warfare Center, Division Newport

Code 8211

Newport, RI 02841-1708

phone: (401) 832-4772 fax: (401) 832-2146 email: levineer@tech.npt.nuwc.navy.mil

Award#: N0001499WX30275, N0001499WX30334, N0001499WX30430

<http://www.deas.harvard.edu/%7eleslie>

LONG-TERM GOAL

My long term scientific goal is to understand coastal mixing processes, utilizing turbulence measurements obtained from small Autonomous Underwater Vehicle (AUV) based sensors, and to contribute to the improvement of subgrid characterization in combined coastal ocean observation/prediction networks.

OBJECTIVES

Within the context of the Cape Cod Bay/Mass. Bay based National Ocean Partnership Program (NOPP) coupled ocean observation/modeling system, I use AUV-based turbulence measurements to quantify mixing in shallow water physical process studies (gyres, fronts, boundary layers). This includes identifying regions of enhanced mixing, determining the horizontal spatial scale of mixing events, defining the role of boundary layers, and parameterizing results for coastal predictive model testing studies of subgrid scale processes.

APPROACH

My approach is to integrate an optimum turbulence sensor suite into a small, logistically simple, AUV, with input from the ocean turbulence and modeling communities. Then, I establish this small AUV as a viable platform for coastal turbulence research. Towards this end, I obtain horizontal profiles of dissipation rate, temperature microstructure, 3-dimensional small scale velocity, finescale vertical shear of horizontal current, and stratification in the coastal environment.


Subsequently, I studied mixing in the context of the multi-scale measurements surrounding the Littoral Ocean Observation and Prediction System (LOOPS) site in Cape Cod Bay/Mass. Bay. I sampled adaptively using a continental shelf model, the HOPS model (Lozano et al, 1996).

The sensors provided data for estimates of eddy diffusivity profile (Gargett and Moum (1995), eddy viscosity profile (using the truncated TKE equation), Richardson number, and fluxes [using the correlation technique]. These data enable us to evaluate to tune and improve filter parameters in the HOPS numerical model.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 1999		2. REPORT TYPE		3. DATES COVERED 00-00-1999 to 00-00-1999	
4. TITLE AND SUBTITLE Development of a National Littoral Ocean Observing and Prediction System: Field Estimation via Interdisciplinary Data Assimilation: Turbulence Characterization from an AUV				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Undersea Warfare Center, Division Newport, Code 8211, Newport, RI, 02841				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 5	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

WORK COMPLETED

We electrically and mechanically integrated a turbulence sensor package into the REMUS AUV (Levine and Lueck, 1999) (Fig 1). Sensors include two shear probes, an ultra-fast thermistor, an upward and downward looking ADCP, two vertically separated CTDs, and an ADV-O. Preliminary field trials were conducted in Narragansett Bay to test sensor/platform synergy and software viability.



1. The REMUS AUV instrumented with turbulence sensors


Utilizing these techniques, we conducted scientific studies during varied circulation patterns in the LOOPS region of study in Cape Cod Bay during September 1998, including an upwelling event. Harvard model forecasts concentrate on a multiscale examination of the patchiness of the biological/physical regime that supports zooplankton layers associated with right whale feeding in Cape Cod Bay (relate patchiness to dispersion processes). In the field experiment, high quality data were obtained from all sensors, and data analysis is proceeding well.

RESULTS

Using model-based adaptive sampling, the AUV was deployed along a trajectories through components of Cape Cod Bay general circulation, including the upwelling region and the gyre center. These measurements were made synoptically with those from other platforms which characterize larger scale

structures in nearby Cape Cod Bay and the larger Mass. Bay influences. Model predictions which include assimilated data from the wide variety of sampling platforms is also available for comparison, including shipboard, satellite and Odyssey AUV data acquisition .The turbulence sensor instrumented REMUS provided the smallest of the nested scales

For the Cape Cod Bay data, results indicate that the modified REMUS AUV was a viable platform for turbulence data acquisition in the coastal ocean, with good data obtained from all sensor systems. The shear probe data are processed to remove noise associated with vehicle vibrations. This process is done using data from accelerometers located in the probe pressure case directly behind the probe mounts, utilizing the techniques of Levine and Lueck (1999). Consistently, comparisons of computed autospectra agree well with the Nasmyth “universal spectrum” (Oakey, 1982) out to wavenumbers close to the physical size of the sensing tip of the shear probes. An example of the Cape Cod Bay turbulence estimation is shown in Fig 2. For a 9 m depth transit near Provincetown harbor, time series of mixing parameter estimates show dissipation rates of 10^{-9} to $10^{-8} \text{ W kg}^{-1}$, eddy diffusivities of 10^{-6} to $10^{-5} \text{ m}^2 \text{ s}^{-1}$, eddy viscosities of 10^{-6} to $10^{-5} \text{ m}^2 \text{ s}^{-1}$, and Richardson numbers of 10^{-1} to 10^0 .



2. Northern Cape Cod Bay mixing parameters, Sept. 24, 1998

IMPACT/APPLICATION

The AUV-based turbulence measurements provide a unique horizontal profiling view of the variability of the mixing environment that cannot be obtained by more conventional sampling measurements, and this approach can be further exploited in yo-yoed horizontal sections. These techniques will be invaluable in upwelling process studies in which competing alternatives are testing in HOPS to parameterize subgrid processes according to the Shapiro filter tuning of Lermusiaux, (1997) or other methods (Chassignet and Verron, 1998)

TRANSITIONS

Our AUV sensor technologies, hardware and software, are being considered for inclusion as tactical oceanography payloads for the Manta UUV Initiative.

RELATED PROJECTS

Our AUV-based turbulence measurement system is also being utilized in NOPP studies with the Rutgers University led project at LEO-15, where measurements were also made in the Mid-Atlantic Bight in July 1998 and July 1999. The system is also being utilized in NOPP FRONT studies on the New England continental shelf during 1999-2001.

REFERENCES

E. P. Chassignet and J. Verron. 1998. Ocean Modeling and Parameterization, Kluwer Academic Publishing,

A. E. Gargett and J. N. Moum. 1995. Mixing effects in tidal fronts: results from direct and indirect measurements of density flux. J. Phys. Ocean. , 25, 2583-2608.

E. R. Levine and R. G. Lueck, 1999. Turbulence measurements with an autonomous underwater vehicle. Journal of Atmospheric and Oceanic Technology, Special Issue on Ocean Turbulence Measurement, 16, 11, part 1, 1533-1544.

P.F.J. Lermusiaux. 1997. Error Subspace Data Assimilation Methods for Ocean Field Estimation: Theory, Validation and Applications. PhD Thesis. May 1997. Harvard University, Cambridge, Massachusetts.

C. J. Lozano, A. R. Robinson, H. G. Arango, A. Gandopadhyay, N. Q. Sloan, P. J. Haley, Jr., and W. G. Leslie. 1996. An interdisciplinary ocean prediction system: assimilation strategies and structured data models. In Modern Approaches to Data Assimilation in Data Modeling, P. Malanotte-Rizzoli, ed., Elsevier Oceanography Series, Elsevier Science, The Netherlands, 413-452.

N. S. Oakey. 1982. Determination of the rate of dissipation of turbulent energy from simultaneous temperature and velocity shear measurements. J. Phys. Ocean., 12, 256-271.

PUBLICATIONS

Levine, E. R., R. G. Lueck, 1998: A small AUV-based turbulence measurement system for NOPP combined coastal observation/prediction networks. EOS, Trans. Am. Geophys. Un., 1998 Ocean Sciences meeting, San Diego, Ca, Feb, 1998.

Levine, E. R., R. G. Lueck, 1999: Turbulence measurements with an autonomous underwater vehicle. Journal of Atmospheric and Oceanic Technology, Special Issue on Ocean Turbulence Measurement, 16, 11, part 1, 1533-1544.

Levine, E. R., R. G. Lueck, R. R. Shell, and P. Licis, 1999: Coastal turbulence estimates and physical process studies utilizing a small AUV. Invited paper at 1999 Spring AGU meeting, Boston, MA, abstract in. suppl. to April 17 EOS, Trans. Am. Geophys. Un., S192.

Levine, E. R., R. G. Lueck, R. R. Shell, and P. Licis, 1999: Coastal turbulence estimates and physical process studies utilizing a small AUV, Proceedings, Eleventh International Symposium on Unmanned Untethered Vehicle Technology (UUST99), Durham, NH. 94-102.

Robinson, A. R., J. G. Bellingham,, C. Chrysostomidis, T. D. Dickey, D. V. Holliday, E. R Levine, N. Patrikalakis, D. L. Porter, B. J. Rothschild, H. Schmidt, K. Sherman, D. K. Atwood, 2000: Realtime forecasting of the multiscale, interdisciplinary coastal ocean with the Littoral Ocean Observing And Predicting System (LOOPS). Invited paper at 2000 Ocean Sciences Meeting, Special session on Coastal Ocean Dynamics and Prediction, Jan 2000, San Antonio. TX.