



NAVAL UNDERWATER SYSTEMS CENTER
NEW LONDON LABORATORY
NEW LONDON, CONNECTICUT 06320

Technical Memorandum

A FORTRAN COMPUTER PROGRAM TO
EVALUATE AND PLOT THE
STATISTICS OF THE
MAGNITUDE-SQUARED COHERENCE FUNCTION

Date: 5 February 1986

Prepared by:

Helen A. Duling
Helen A. Duling
Electronics Engineering
and Computer Applications
Division
Surface Ship Sonar
Department

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

REFERENCE ONLY

Report Documentation Page

*Form Approved
OMB No. 0704-0188*

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 05 FEB 1986		2. REPORT TYPE Technical Memo		3. DATES COVERED 05-02-1986 to 05-02-1986	
4. TITLE AND SUBTITLE A FORTRAN Computer Program to Evaluate and Plot the Statistics of the Magnitude-Squared Coherence Function				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Helen Duling				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Underwater Systems Center, New London, CT, 06320				8. PERFORMING ORGANIZATION REPORT NUMBER TM No. 851188	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES NUWC2015					
14. ABSTRACT This document contains computer listings for two FORTRAN computer programs. The first calculates the probability density function associated with the estimated magnitude-squared coherence function and the second calculates the cumulative distribution function associated with the estimated magnitude-squared coherence function.					
15. SUBJECT TERMS FORTRAN					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 16	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

y001

ABSTRACT

This document contains computer listings for two FORTRAN computer programs. The first calculates the probability density function associated with the estimated magnitude-squared coherence function and the second calculates the cumulative distribution function associated with the estimated magnitude-squared coherence function.

ADMIMISTRATIVE INFORMATION

This memorandum was prepared by Helen A. Duling, code 33142, Systems Analysis and Applications Group.

The author of the memorandum is located at the New London Laboratory, Naval Underwater Systems Center, New London, Connecticut 06320.

ACKNOWLEDGEMENT

Dr. G. Clifford Carter of code 3314 is responsible for providing me with the necessary documents and information which enabled me to investigate and calculate the cumulative distribution and probability density functions associated with the estimation of the magnitude-squared coherence function.

I. INTRODUCTION

The purpose of this memorandum is to document the FORTRAN code used to calculate the probability density function and the cumulative distribution function associated with the estimated mean-squared coherence function, and to define the variables used in calculation.

II. CALCULATIONS

The first order probability density function (PDF) for the estimate of the magnitude-squared coherence function (MSC) given the true value of the MSC and the number of independent segments processed, n , can be written as (equation 4.4 in (1))

$$P(|\hat{\gamma}|^2 | n, |\gamma|^2) = (n-1) \left[\frac{(1-|\gamma|^2)(1-|\hat{\gamma}|^2)}{(1-|\gamma|^2|\hat{\gamma}|^2)^2} \right]^n.$$

$$\frac{(1-|\gamma|^2|\hat{\gamma}|^2)}{(1-|\hat{\gamma}|^2)^2} \cdot {}_2F_1(1-n, 1-n; 1; |\gamma|^2|\hat{\gamma}|^2)$$

where

$|\hat{\gamma}|^2$ = estimated MSC = ESTCOH

$|\gamma|^2$ = actual MSC = COH

${}_2F_1(-m, b; c; z)$ = hypergeometric function

Note ${}_2F_1(-m, b; c; z)$ can be expressed as (equation 15.4.1 in (2))

$${}_2F_1(-m, b; c; z) = \sum_{n=0}^m \frac{(-m)_n (b)_n}{(c)_n} \cdot \frac{z^n}{n!}$$

The first-order cumulative distribution function for the estimate of the MSC, given the true value of MSC and the number, n , of independent segments processed, can be written as (equation 4.6 in (1)),

$$P(|\hat{\gamma}|^2 | n, |\gamma|^2) = |\hat{\gamma}|^2 \cdot \left[\left(\frac{1-|\gamma|^2}{1-|\gamma|^2|\hat{\gamma}|^2} \right)^n \sum_{k=0}^{n-2} \left(\frac{1-|\hat{\gamma}|^2}{1-|\gamma|^2|\hat{\gamma}|^2} \right)^k \right] \\ {}_2F_1(-k, 1-n; 1; |\gamma|^2|\hat{\gamma}|^2)$$

Note that the hypergeometric function $F(-1, 1-N; 1; z)$ can be expressed as (equation 8 in (3)),

$${}_2F_1(-1, 1-N; 1; z) = \sum_{k=0}^1 T_k$$

where

$$T_k = \frac{(-1)_k (1-N)_k z^k}{(1)_k k!}$$

$$T_0 = 1$$

$$\frac{T_k}{T_{k-1}} = \frac{(k-1-1)(k-1+1-N) \cdot z}{k^2}$$

III. EXAMPLE CALCULATION

The following is an example calculation corresponding to the specific values :

$$\begin{aligned} \text{MSC} &= 0.3 \\ n &= 32 \end{aligned}$$

The outputs of the FORTRAN programs are tabulated in Tables 1 and 2; and shown graphically in Figures 1 and 2.

```

cccccccccccccccccccccccccccccccccccccccccccccccccccccccccccc
c
c PROBABILITY DENSITY FUNCTION Verification c
c file : PDF.FOR c
c Helen A. Duling c
c c
cccccccccccccccccccccccccccccccccccccccccccccccccccccccccccc
c NUSC c
c Scientific and Engineering Studies c
c Coherence Estimation c
c c
c Purpose : The purpose of this program is to verify the c
c Probability Density Function found on page 28., TR4343 c
c Estimation of the Magnitude Squared Coherence Function c
c (Spectrum) by G.C.Carter . The PDF is calculated given c
c n = 32, magnitude squared coherence function = 0.3 . c
c The estimated c value ( magnitude squared coherence c
c function ) varies from 0 to 1. c
c c

```

```

REAL PDF,TEMP1,TEMP2,COH
REAL Z,HSUM,ESTCOH,TERM4
INTEGER N,I,TERM1,TERM2,L

```

```

OPEN (UNIT=3, FILE='VERIFY2',STATUS='NEW')

```

```

cccccccccccccccccccccccccccccccccccccccccccccccccccccccccccc
c Initialization - set constants c
cccccccccccccccccccccccccccccccccccccccccccccccccccccccccccc

```

```

N          = 32
COH        = 0.3
ESTCOH     = 0.0
TEMP1      = 0.0
TEMP2      = 0.0
PDF        = 0.0

```

```

cccccccccccccccccccccccccccccccccccccccccccccccccccccccccccc
c Format statements c
cccccccccccccccccccccccccccccccccccccccccccccccccccccccccccc

```

```

1          FORMAT (10x,a)
2          FORMAT (1x)
3          FORMAT (20x,a,7x,a)
4          FORMAT (22x,F7.5,9x,F7.5)
5          FORMAT (20x,a)
6          FORMAT (20X,A,1X,I2,A,1X,F2.1)

```

```

WRITE (3,1) 'Probability Density Function Calculation'
WRITE (3,2)
WRITE (3,6) 'Given : n = ',N,' and c = ',COH
WRITE (3,2)
WRITE (3,3) 'c estimate', 'PDF value'
WRITE (3,2)
WRITE (3,3) ' _____ ', ' _____ '
WRITE (3,2)

```

c ESTCOH is varied from 0 through 1 in increments of 0.025

```

DO I=1,40,1
ESTCOH = (I*0.025)
TEMP1 = (((1-COH)*(1-ESTCOH))/((1-(ESTCOH*COH)**2))**N)
TEMP2 = ((1-(COH*ESTCOH))/((1-COH)**2))
TERM1 = N-1
TERM2 = 1-N
TERM4 = COH*ESTCOH

CALL HYPER (TERM1,TERM2,TERM4,HSUM)
PDF = ((N-1)* TEMP1 * TEMP2 * HSUM)

WRITE (3,4) ESTCOH,PDF
WRITE (3,2)
PDF = 0.0
TEMP1 = 0.0
TEMP2 = 0.0
END DO

END

```

C SUBROUTINE - computes the hypergeometric function

```

SUBROUTINE HYPER (L, TERM2,Z,HSUM)

INTEGER L,K,TERM2
REAL T

HSUM = 0.0
T=0.0
DO K = 0,L
  IF (K .EQ. 0) THEN
    T = 1.0
  ELSE
    T = (((K-1-L)*(K-1+TERM2)*Z)*T)/(K**2)
  ENDIF

  HSUM = HSUM + T
END DO

RETURN

END

```

```

CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
C
C CUMULATIVE DISTRIBUTION FUNCTION Verification
C file : CDF.FOR
C Helen A. Duling
C
CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
C NUSC
C Scientific and Engineering Studies
C Coherence Estimation
C
C Purpose : The purpose of this program is to verify the
C Cumulative Distribution Function found on page 33. of
C TR4343 Estimation of the Magnitude Squared Coherence
C Function (Spectrum) by G. Clifford Carter.
C The PDF is calculated given n = 32, and magnitude squared
C coherence function = 0.3
C The estimated c value (magnitude squared coherence
C function) varies from 0 to 1.
C
CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC

```

```

REAL CDF, TEMP, SUM, COH, ESTCOH,HSUM
REAL PARTIAL, Z,TERM4
INTEGER N, K, KK, I,L,TERM1,TERM2

```

```

OPEN (UNIT=3, FILE = 'VERIFY1',status='new')

```

```

CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
C Initialization - set constants C
CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
      N      = 32
      COH    = 0.3
      ESTCOH = 0.0
      TEMP   = 0.0
      PARTIAL = 0.0
      CDF    = 0.0

```

```

CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
C Format statements C
CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC

```

```

1      FORMAT(10x,a)
2      FORMAT(1x)
3      FORMAT(20x,a,9x,a)
4      FORMAT(22x,F7.5,1x,F18.5)
5      FORMAT(20x,a)
6      FORMAT(20X,A,1X,I2,A,1X,F2.1)

```

```

WRITE(3,1) 'Cumulative Distribution Function Calculation'
WRITE(3,2)
WRITE(3,6) 'Given : n = ',N,' and c = ',COH
WRITE(3,2)
WRITE(3,3) 'c estimate', 'CDF value'
WRITE(3,2)
WRITE(3,3) ' _____ ', ' _____ '
WRITE(3,2)

```

C ESTCOH is varied from 0 through 1 in increments of 0.025

```

DO I=1,40,1
  ESTCOH = (I*0.025)
  TEMP = ((( 1-COH)/(1-(ESTCOH * COH ))) ** N )
DO KK=1,N-1
  K=KK-1
  SUM = 1.0
  IF (ESTCOH .NE. 1.0) THEN
    SUM = ( ((1.0-ESTCOH)/(1.0 - (COH * ESTCOH))) ** K )
  ENDIF

  TERM1 = K
  TERM2 = 1-N
  TERM4 = COH*ESTCOH
  CALL HYPER(TERM1,TERM2,TERM4,HSUM)
  PARTIAL = PARTIAL + (SUM * HSUM)
END DO
IF (ESTCOH .EQ. 1.0) THEN
  CDF = 1.0
ELSE
  CDF = (ESTCOH * TEMP * PARTIAL)
ENDIF

WRITE (3,4) ESTCOH,CDF
WRITE (3,2)
CDF = 0.0
PARTIAL = 0.0
TEMP = 0.0

END DO
END

```

C SUBROUTINE - computes the hypergeometric function

```

SUBROUTINE HYPER (L, TERM2,Z,HSUM)

INTEGER TERM2,K,L
REAL T

HSUM = 0.0
T = 0.0
DO K = 0,L
  IF (K .EQ. 0) THEN
    T = 1.0
  ELSE
    T = (((K-1-L)*(K-1+TERM2)*Z)*T)/ (K**2)
  ENDIF
  HSUM = HSUM + T
END DO

RETURN
END

```

Probability Density Function Calculation

Given : $n = 32$ and $c = .3$

c estimate	PDF value
-----	-----
0.05000	0.07430
0.10000	0.46916
0.15000	1.41735
0.20000	2.76195
0.25000	3.87229
0.30000	4.09393
0.35000	3.32142
0.40000	2.06627
0.45000	0.97083
0.50000	0.33455
0.55000	0.08077
0.60000	0.01276
0.65000	0.00120
0.70000	0.00006
0.75000	0.00000
0.80000	0.00000
0.85000	0.00000
0.90000	0.00000
0.95000	0.00000
1.00000	0.00000


Table 1

Cumulative Distribution Function Calculation

Given : $n = 32$ and $c = .3$


c estimate	CDF value
0.05000	0.00062
0.10000	0.00737
0.15000	0.03634
0.20000	0.11169
0.25000	0.24973
0.30000	0.43991
0.35000	0.64271
0.40000	0.81155
0.45000	0.92067
0.50000	0.97444
0.55000	0.99403
0.60000	0.99906
0.65000	0.99991
0.70000	0.99999
0.75000	1.00000
0.80000	1.00000
0.85000	1.00000
0.90000	1.00000
0.95000	1.00000
1.00000	1.00000

Table 2



PDF versus estimated coherence

Figure 1



CDF versus estimated coherence

Figure 2

IV. CONCLUSION

The magnitude-squared coherence function can be used for signal detection and passive sonar parameter estimation. To exploit this function it is necessary to estimate the quantity. The statistics of the estimate have been well documented, see reference (2) Carter, 1972; however, the computer software is complex and involves a number of subtleties because the hypergeometric function consists of combinations of very large and very small numbers in ways that preclude a simple straight-forward programming of the equations. Moreover, if you follow the procedure outlined in this memorandum, which on the surface is very straight-forward and use the computer software listed, then one can evaluate these complex numerical problems with little or no numerical overflow or underflow problem in the parameter range of interest.

A computer program was written and tested to evaluate the probability density function and cumulative distribution function associated with the magnitude-squared coherence function.

This memorandum presents the formulas and FORTRAN programs tested for the particular case when the magnitude squared coherence equals .3 and the number of independent segments processed is 32.

The results of the sample test case are presented in tabular and graphical form in addition to the actual program listing.

REFERENCES

1. "Estimation of the Magnitude-Squared Coherence Function (Spectrum)," Carter, G.C., NUSC Technical Report, 19 May 1972.
2. "Handbook of Mathematical Functions," Abramowitz and Stegun, U.S. Department of Commerce, National Bureau of Standards, Applied Mathematics Series.55, 1964.
3. "Receiver Operating Characteristics for a Linearly Thresholded Coherence Estimation Detector," Carter, G.C., IEEE Transactions on Acoustics, Speech, and Signal Processing, February 1977.

TM No. 851188

A FORTRAN COMPUTER PROGRAM TO EVALUATE AND PLOT THE
STATISTICS OF THE MAGNITUDE-SQUARED COHERENCE FUNCTION

Helen A. Duling

Systems Analysis and Applications Division

Surface Ship Sonar Department

TM No. 851188

13 January 1986

UNCLASSIFIED

DISTRIBUTION LIST

Internal

Codes

3314	(4 copies)
3314	(K. Andronowitz, K. Briotti, A. Brown, E. Eby, A. Failone, V. Gonzalez, E. Martins, D. Lerro, W. Rahr, S. Sutherland)
3314	H.Duling (3 copies)
3315	
3334	
3334	(D. Klingbeil)
33B	(M. Cloutier)
0211	(R. Bernier)
021311	(NLON Library - 3 copies)
021312	(NPT Library)

Total 26