

UNCLASSIFIED

AD NUMBER	
ADA800756	
CLASSIFICATION CHANGES	
TO:	unclassified
FROM:	restricted
LIMITATION CHANGES	
TO: Approved for public release; distribution is unlimited.	
FROM: Distribution authorized to DoD only; Foreign Government Information; APR 1945. Other requests shall be referred to British Embassy, 3100 Massachusetts Avenue, NW, Washington, DC 20008.	
AUTHORITY	
DSTL, AVIA 6/9859, 30 Oct 2009; DSTL, AVIA 6/9859, 30 Oct 2009	

THIS PAGE IS UNCLASSIFIED

Reproduction Quality Notice

This document is part of the Air Technical Index [ATI] collection. The ATI collection is over 50 years old and was imaged from roll film. The collection has deteriorated over time and is in poor condition. DTIC has reproduced the best available copy utilizing the most current imaging technology. ATI documents that are partially legible have been included in the DTIC collection due to their historical value.

If you are dissatisfied with this document, please feel free to contact our Directorate of User Services at [703] 767-9066/9068 or DSN 427-9066/9068.

**Do Not Return This Document
To DTIC**

Reproduced by
AIR DOCUMENTS DIVISION



HEADQUARTERS AIR MATERIEL COMMAND
WRIGHT FIELD, DAYTON, OHIO

The
U.S. GOVERNMENT

IS ABSOLVED

FROM ANY LITIGATION WHICH MAY
ENSUE FROM THE CONTRACTORS IN-
FRINGING ON THE FOREIGN PATENT
RIGHTS WHICH MAY BE INVOLVED.

REEL - C

371

A.T.I.

11 707

RESTRICTED

RESTRICTED

REPORT No: AERO.2028

327030

SUITABLE FOR CONTROLLED DISTRIBUTION

BRITISH RESTRICTED Equals
UNITED STATES RESTRICTED

ATI No.

11707

ROYAL AIRCRAFT ESTABLISHMENT

Farnborough, Hants.

*E/RAE. Aero. 2028
E 4162*

ROLLING MOMENT DUE TO SIDESLIP

PART I.

THE EFFECT OF DIHEDRAL

Air Documents Division, T-2
AMC, Wright Field
Microfilm No.

by

RC-371 F 11707 I. LEVACIC, Ph.D.

TECH REPORT
LOG NO. 600-2-6

ATTENTION IS CALLED TO THE PENALTIES ATTACHING
TO ANY INFRINGEMENT OF THE OFFICIAL SECRETS ACT

THIS DOCUMENT IS THE PROPERTY OF H.M. GOVERNMENT

IT IS INTENDED FOR THE USE OF THE RECIPIENT ONLY, AND FOR COMMUNICATION TO SUCH OFFICERS UNDER
H.M. AS MAY REQUIRE TO BE ACQUAINTED WITH THE CONTENTS OF THE REPORT IN THE COURSE OF THEIR
DUTIES. THE OFFICERS EXERCISING THIS POWER OF COMMUNICATION WILL BE HELD RESPONSIBLE THAT SUCH
INFORMATION IS IMPARTED WITH DUE CAUTION AND RESERVE.

ANY PERSON OTHER THAN THE AUTHORISED HOLDER, UPON OBTAINING POSSESSION OF THIS DOCUMENT, BY
FINDING OR OTHERWISE, SHOULD FORWARD IT, TOGETHER WITH HIS NAME AND ADDRESS, IN A CLOSED ENVELOPE
TO:-

THE SECRETARY, MINISTRY OF SUPPLY,
THAME'S HOUSE, MILLBANK, LONDON S.W.1

LETTER POSTAGE NEED NOT BE PREPAID; OTHER POSTAGE WILL BE REFUNDED.

ALL PERSONS ARE HEREBY WARNED THAT THE UNAUTHORISED RETENTION OR DESTRUCTION OF THIS
DOCUMENT IS AN OFFENCE AGAINST THE OFFICIAL SECRETS ACT 1911-1920.

1 to Report No. 5146-46
Military Attaché, London

Class No. 533.6:013.4 : 629.13.014.314

Report No. Aero. 2028

Report No. Aero. 2028

April, 1943.

ROYAL AIRCRAFT ESTABLISHMENT, FARNBOROUGH

Rolling moment due to sideslip
Part I. The effect of dihedral - (C_v)

- by -

I. Levačić, Ph.D.

SUMMARY

This is the first of three reports dealing with the rolling moment derivative due to sideslip. In this report the effect of dihedral is considered; the second report will be concerned with the effect of sweepback, and the third will deal with wing-body interference and the effect of the tail unit. The main outcome of this first part is as follows:

1. The effect of dihedral in sideslip is equivalent to that of a skew-symmetric change in the incidence distribution in unyawed flight, such as is caused by equal up and down movements of the ailerons. The theory of the rolling moment caused by aileron movement is well developed, and is readily transformed to apply to the case of dihedral in sideslip.

2. For wings of elliptic plan form the rolling moment is shown to be proportional to the dihedral and sideslip angles (assumed small), to a function of the dihedral span (Fig. 2) and to a function of the aspect ratio (Fig. 6a). The form of this latter function is the same as that controlling the change (with aspect ratio) of the lift curve slope in straight unyawed flight, except that it relates to an effective aspect ratio equal to half of the geometric aspect ratio.

3. For tapered wings the same conclusions are found to apply, and in fact for rough estimates the effect of taper may be ignored and wings of normal plan form can be treated as elliptical. More accurately, the effect of dihedral span and the variation of the constant of proportionality, i.e. C_v/r , with taper can be obtained from Figs. 5 and 4.

4. Comparison of the theoretical deductions with the available experimental results shows very satisfactory agreement (Fig. 4); this comparison indicates that sweepback and interference due to the presence of a fuselage or nacelles have negligible effects on the contribution to C_v due to wing dihedral.

5. The contribution to C_v caused by wing flexure under the aerodynamic loads in flight is shown to be simply expressible in terms of tip

Report No. Aero. 2028

deflection, and, in practice this effect is only slightly dependent on wing taper and can be readily determined for the type of flexure that normally occurs (nearly parabolic); (Figs. 8 and 9).

INDEX
Part I

Summary
Notation

1. Introduction
 2. Effective change of incidence and rolling moment due to full span dihedral in sideslip
 3. Rolling moment in sideslip due to uniform part span dihedral
 - 3.1. Elliptic wing
 - 3.2. Effect of aspect ratio and two-dimensional lift curve slope (elliptic wing)
 - 3.3. Tapered wings. Effect of dihedral span, aspect ratio and two-dimensional lift curve slope
 4. Effect of spanwise variation in dihedral
 - 4.1. General
 - 4.2. Wing divided into various spanwise parts having different constant dihedral angles
 - 4.2.1. Elliptic wing
 - 4.2.2. Tapered wings
 - 4.3. Dihedral effect of wing flexure under the aerodynamic loads in flight
 - 4.3.1. Elliptic wing
 - 4.3.2. Tapered wings
 5. Comparison with experiment
 6. Conclusions, summary of main formulae and example
 - 6.1. Conclusions
 - 6.2. Summary of main formulae
 - 6.3. Example
- List of references

Appendix I

1. Rolling moment due to a skew symmetric incidence distribution of constant magnitude (full and part span)
 - 1.1. Elliptic wing
 - 1.2. Tapered wings

Appendix II

1. Relationship between a wing with parabolic flexure ($n = 2$) and a wing of the same plan form with constant dihedral and having the same tip deflection (tapered wings).

NOTATIONDimensions, angles and velocities

s	ft.	Semi-span of the wing
c	ft.	Wing chord at a station along the semi-span
c_0	ft.	Wing chord at the root
c_t	ft.	Wing chord at the tip
S	sq.ft.	Wing area
R		Geometric aspect ratio; $R = \frac{4s^2}{S}$
τ		Wing taper ratio; $\tau = \frac{c_t}{c_0}$ (see Fig. 1a)
y		Position along the lateral (Y) axis expressed as a fraction of the semi-span
y_d		Position along the lateral (Y) axis, where the uniform dihedral angle begins, expressed as a fraction of the semi-span; $y_d = 1 - \frac{s_d}{s}$
s_d	ft.	Length measured from the tip to the position at the beginning of a uniform dihedral angle; $s_d = s(1 - y_d)$; see Fig. 1b.
s_d/s		Dihedral span ratio; $s_d/s = 1 - y_d$, see Fig. 1b.
δ_z	ft.	Flexural deflection at a local station along the semi-span; see Fig. 1c.
δ_{z1}	ft.	Flexural deflection of the wing tips.
η_s		Distance from rolling axis or lateral centre of pressure due to skew symmetric loading expressed as a fraction of the semi-span.
n		Index of the simple power law of flexural deflection.
α	rad.	Effective geometric wing incidence.
α_0	rad.	Constant geometric incidence of the whole wing.
α_s	rad.	Part span (or full span) skew symmetric incidence distribution of constant magnitude.
γ	rad.	Local dihedral angle.
Γ	rad.	Part span or full span constant dihedral angle.
Γ_δ	rad.	Dihedral angle corresponding to the same tip deflection as that of a flexed wing; $\Gamma_\delta = \delta_{z1}/s$ (see Fig. 1c).
β	rad.	Angle of sideslip; positive when the starboard tip is forward.

w	ft./sec.	Velocity component parallel with the z axis.
V	ft./sec.	Resultant wing velocity.
p	sec ⁻¹	Angular velocity in roll.
$\dot{\gamma}/V$		Change in the local wing tip incidence due to rate of roll.

Force and moment coefficients, derivatives, components of $\dot{\gamma}/V$ etc.

C_L	Lift coefficient; $C_L = \frac{\text{Lift}}{\frac{1}{2}\rho V^2 S}$
c_L	Local lift coefficient.
a_{∞}	Rate of change of the lift coefficient with incidence for an infinite wing; $a_{\infty} = \partial C_L / \partial \alpha$
a	The same as above for finite aspect ratio and symmetric distribution of loading.
a_s	Function representing aspect ratio effect on rolling moment of finite span wing due to a skew symmetric loading distribution.
C_L	Rolling moment coefficient; $C_L = \frac{R.M.}{\frac{1}{2}\rho V^2 S^2}$
$\dot{C}_L$	Rate of change of rolling moment coefficient with angle of sideslip; $\dot{C}_L = \frac{\partial C_L}{\partial \beta}$, where β is in radians.
$\dot{C}_{L_1}$	$\dot{C}_L$ due to full span dihedral distribution.
$(\dot{C}_L)_Y$	Contributions to $\dot{C}_L$ due to:-
$(\dot{C}_L)_\Gamma$	General dihedral distribution.
$(\dot{C}_L)_\delta$	Constant dihedral distribution.
or	
$(\dot{C}_L)_\Gamma_\delta$	tip deflection due to wing flexure.
η_Y	Dihedral efficiency.
Γ	Circulation at local wing section.

1. Introduction

The value of the rolling moment derivative of an aircraft in sideslip is of first importance in assessing its lateral stability characteristics. There can be no doubt, therefore, of the value of a reliable method for predicting ℓ_v in the design stage of an aircraft. Such methods as have been previously developed have been largely empirical, and have not covered all the factors that are known today to be of importance. The approach that has been adopted here is to make the fullest practical use of theory and, by means of the resulting formulae, to interpret the available experimental data. In this way it is believed all the important parameters are adequately considered.

The subject readily divides itself under three main headings; each is considered in a separate report denoted as Parts I, II and III. These three parts are as follows:

- Part I - The effect of dihedral - (ℓ_v)
- Part II - The effect of sweepback.
- Part III - The effect of wing body arrangement and tail unit.

This first report therefore deals with the effect of dihedral. In paragraphs 2 and 3 elliptic and tapered wings with constant full span dihedral are considered. The effect of uniform part span dihedral for elliptic and tapered wings is considered in paragraphs 3.1. and 3.3. The general case of a variable dihedral along the span is treated in paragraph 4; this includes the case of a wing divided into various spanwise parts each having a different constant dihedral. It also includes the case of dihedral due to wing flexure under the aerodynamic loads in flight. In addition to a summary of the main conclusions the main formulae are collected in paragraph 6.2. and an example is given to illustrate their use.

Acknowledgement

Acknowledgement is due to Mr. A.D. Young for the considerable help given in discussion of the theoretical background to the investigation and in the writing of the report.

2. Effective change of incidence and rolling moment due to full span dihedral in sideslip

It is easily shown (see for example ref.9) that, if a wing with dihedral is put into a sideslip, there is a change in the local effective angle of incidence, which on the starboard side is equal but of opposite sign to the corresponding change on the port side. Such a change in the effective incidence distribution may be conveniently referred to as skew-symmetric. Adopting the usual conventions of sign, a positive angle of sideslip with positive dihedral causes an increase of incidence on the starboard wing and a decrease of incidence on the port wing. This incidence change ($\Delta\alpha$) is easily shown to be related to the angle of sideslip β and local dihedral angle γ by the formula

$$\left| \tan(\Delta\alpha) \right| = \tan \beta \cdot \sin \gamma, \quad \dots\dots\dots 1$$

or $\Delta\alpha \approx \beta \cdot \gamma$; if β and γ are small

This skew-symmetrical change of effective incidence will result in equal and opposite changes of lift on the port and starboard wings, and hence in a rolling moment. To arrive at a rough estimate of this rolling moment, the following rather crude assumptions have frequently been made 9, 10, 11.

(a) Changes in induced downwash at the wings due to the skew symmetric changes in effective incidence are negligible.

(b) The rate of change of lift coefficient with incidence for each half wing for the skew symmetric incidence distribution is the same as that for the wing in normal straight unyawed flight.

(c) Any distortion of the trailing vortices and changes in the flow over the tips due to the three dimensional character of oblique flow are neglected.

If these assumptions are applied to the case of a wing of aspect ratio A with full span constant dihedral Γ , then the lift on each half of the wing, when expressed as a coefficient, is

$$\frac{\beta \Gamma s^2}{8} \int_0^1 a \frac{dy}{s} = \frac{A}{2} \beta \Gamma, \quad \dots\dots\dots 2$$

where a is the lift curve slope of the wing of aspect ratio A in straight unyawed flight. If η is the distance of the lateral centre of pressure of this lift from the rolling axis (expressed as a fraction of the semi-span), then the rolling moment coefficient is

$$-C_l = \frac{A}{2} \eta \beta \Gamma, \quad \dots\dots\dots 3$$

and hence

$$-\frac{C_{l1}}{\Gamma} = \frac{1}{\Gamma} \frac{\partial C_l}{\partial \beta} = \frac{A}{2} \eta.$$

If we take $\eta = 0.5$, and $A = 4.3$ as representative values for a rectangular wing of aspect ratio 6.0, then equation 3 gives

$$-\frac{C_{l1}}{\Gamma} \approx 1.1.$$

However, the results of experiments summarised in Fig. 4 (curve E) show that the actual value of $-\frac{C_{l1}}{\Gamma}$ for a rectangular wing is about 0.6.

Similarly, the estimated value for an elliptic wing (taking $\eta_{all} = 4/\pi$), derived from equation 3, is also about 25% too high when compared with the experimental value for tapered wings approximating the elliptic plan form.

The above crude theory can, however, be readily improved upon; to do this we discard assumptions (a) and (b) above. This is tantamount to assuming that the effect of sideslip on the lift distribution on a wing with dihedral is exactly equivalent to that caused by a skew symmetric change of effective incidence in unyawed flight (such as, for example, is caused by equal and opposite aileron movement). This

latter case was considered by Munk² for an elliptic wing, and by Hartshorn⁵ for elliptic and tapered wings. The theory for an elliptic wing with full span uniform dihedral Γ is reproduced in Appendix I, where it is shown that the rolling moment coefficient due to sideslip is given by

$$-\frac{C_{l_{\dot{\gamma}}}}{\Gamma} = \frac{a_s}{2} \frac{4}{3\pi},$$

where

$$a_s = \frac{1}{\frac{1}{a_{\infty}} + \frac{2}{\pi R}}$$

If we consider, for example, a wing of aspect ratio 6.0 for which $a_{\infty} = 5.5$, the theoretical value of $-\frac{C_{l_{\dot{\gamma}}}}{\Gamma}$ is now

$$-\frac{C_{l_{\dot{\gamma}}}}{\Gamma} = 0.738.$$

The mean experimental value corresponding to a taper ratio $r \approx 0.35$ is about 0.71 (see Fig. 4, curve E). Thus, we find that the value given by equation 4 is only about 5% higher than the experimental value. The tests on tapered wings from which the experimental values shown in Fig. 4 have been derived have all been made at small Reynolds numbers. It is not certain whether this may not be responsible for some small reduction of the measured rolling moment due to dihedral in sideslip as compared with what may be expected at full scale Reynolds numbers. Clearly, a scale effect on local lift curve slope will be accompanied by a scale effect on $C_{l_{\dot{\gamma}}}$. It appears, therefore, that the theory, based on the flow associated with unyawed flight and the same skew symmetric incidence distribution, can be used with confidence in predicting dihedral effects in sideslip.

If we compare equation 4 with equation 3 it will be seen that we can conveniently regard a_s as an effective lift curve slope for a skew symmetric incidence distribution and $4/3\pi$ as the corresponding value of η_p (or the non-dimensional distance of the lateral centre of pressure from the rolling axis). This view point can be adopted only for the purpose of assessing the rolling moment derivative; in actual fact a_s as given by equation 4 is not the true theoretical lift slope nor is $4/3\pi$ the true theoretical value of η_p . The calculations of Hartshorn⁵ show that the true theoretical values of the lift curve slope and the lateral centre of pressure for a full span skew symmetric load distribution on an elliptic wing are approximately

$$a_s(\text{true}) = \frac{1}{\frac{1}{a_{\infty}} + \frac{3}{\pi R}},$$

and

$$\eta_p(\text{true}) = 0.50.$$

However, a point of very real importance emerges from this comparison. The value of a , the lift curve slope in straight unyawed flight, is given by

$$a = \frac{1}{\frac{1}{a_\infty} + \frac{1}{\pi AR}} \quad \dots\dots\dots 6$$

..... The effective value of a , given by equation 4 is therefore the same as that of a , (cf. equation 6) corresponding to an aspect ratio one half of the true aspect ratio, whilst the true theoretical value of a_∞ , (as given by equation 5), is the same as that of a for an aspect ratio one third of the true aspect ratio. The true lift curve slope for each half wing for a uniform full span skew-symmetric change of incidence is therefore not the same as the lift curve slope for straight symmetrical unyawed flight (as was assumed in the crude theory^{9,10,11}), but corresponds to the lift curve slope when the aspect ratio is reduced to about one third of its true value¹². This fact will undoubtedly be of importance in any general analysis of data dealing with other derivatives arising from skew-symmetric loading distributions e.g. $\dot{\phi}$ and $\dot{\psi}$.

3. Rolling moment in sideslip due to uniform part span dihedral

3.1. Elliptic wing

We have seen that in the case of uniform full span dihedral the experimental results agreed very well with the theory based on the assumption that the dihedral in sideslip was equivalent to a full span skew symmetric incidence change in straight unyawed flow. It is reasonable, therefore to extend this theory to the case of uniform part span dihedral, the theory then being identical with that developed by Munk² and Hartshorn⁵ for part span ailerons. The relevant parts of

¹² Rotta has developed a theory for an elliptic wing in sideslip which leads to the following results for the lift curve slope and lateral centre of pressure

$$a_n = \frac{1}{\frac{1}{a_\infty} + \frac{2.47}{\pi AR}}$$

and

$$\eta_b = \frac{\pi}{6} = 0.526.$$

This leads to a value of $-C_y$ about 18% higher than the experimental value. It may be noted however, that Rotta's theory is based on the assumptions that the downwash is effectively constant and the trailing vortices suffer no distortion. These assumptions lead to reasonable results when applied to symmetric loading problems, but are of doubtful validity when applied to skew-symmetrical loading problems.

the theory are reproduced in Appendix I where it is shown that the rolling moment coefficient is given by

$$C_L = \frac{\rho}{2} \Gamma \frac{a_s}{3\pi} (1 - y_d^2)^{3/2}, \quad \dots\dots\dots 7$$

or

$$\frac{C_L}{\Gamma} = \frac{a_s}{2} \frac{4}{3\pi} (1 - y_d^2)^{3/2}, \quad \dots\dots\dots 8$$

where

$$a_s = \frac{1}{\frac{1}{a_\infty} + \frac{2}{\pi R}}$$

and y_d = distance along span where dihedral begins (see Fig. 1b).

For a full span dihedral we have $y_d = 0$, and

$$\frac{C_{L1}}{\Gamma} = \frac{a_s}{2} \frac{4}{3\pi},$$

and, hence,

$$\frac{C_{L1}/\Gamma}{C_{L1}/\Gamma} = (1 - y_d^2)^{3/2}. \quad \dots\dots\dots 9$$

The function $(1 - y_d^2)^{3/2}$ is shown in Fig. 2. From the form of equation 9 this function may be regarded as a measure of the rolling moment due to the dihedral extending from the point y_d to the wing tip. In Fig. 3 is shown the function denoted

$$r_y = -\frac{\partial}{\partial y} (1 - y^2)^{3/2} = 3y (1 - y^2)^{1/2}. \quad \dots\dots\dots 10$$

This function is a measure of the contributions to the rolling moment coefficient of an element of dihedral at the point y , and hence may be regarded as a dihedral efficiency as far as rolling moment is concerned. It will be seen that this efficiency reaches a maximum of $y = 0.7$.

The only experimental results available for comparison with equation 9, are the results of some tests made by Shortal¹⁵ on rectangular wings with well rounded tips. His results for C_{L1}/C_{L1}

are shown plotted in Fig. 2. It will be seen that the agreement with the theoretical curve (equation 9) is remarkably close; this suggests that not only is the theoretical curve reliable but the ratio C_{L1}/C_{L1}

is only slightly affected by taper. The effect of taper will be described in more detail later.

3.2. Effect of aspect ratio and two-dimensional lift curve slope (elliptic wing)

From the form of equation 8 we see that the aspect ratio and two-dimensional lift curve slope (a_{∞}) occur only in the term a_{∞} . If $\ell_v(R, a_{\infty})$ denote the value of ℓ_v for a given value of the aspect ratio R and a given value of a_{∞} , then we can write

$$\frac{\ell_v(R, a_{\infty})}{\ell_v(6, a_{\infty})} = \frac{1 + \frac{2 a_{\infty}}{6 \pi}}{1 + \frac{2 a_{\infty}}{R \pi}} = \frac{F(R, a_{\infty})}{F(6, a_{\infty})}, \quad \text{say.} \quad \dots\dots\dots 11$$

We are here using as a convenient measure the rolling moment corresponding to an aspect ratio of 6.0. If we assume that, as an average value for most normal aerofoil sections, $a_{\infty} = 5.5$, then we have

$$\frac{F(R, 5.5)}{F(6, 5.5)} = \frac{1.584}{1 + \frac{2.5}{R}} \quad \dots\dots\dots 12$$

The ratio $F(R, 5.5)/F(6, 5.5)$ given by equation 12 is shown in Fig. 6a. For comparison the corresponding ratio for the lift curve slope of a wing in straight unyawed flight with symmetrical loading is shown dotted in the same figure.

We can allow for the fact that a_{∞} varies with the type of aerofoil section used by computing the ratio $F(R, a_{\infty})/F(6, 5.5)$ for a range of values of a_{∞} and R . In other words, we can refer wings of all aspect ratios and values of a_{∞} to a standard wing of aspect ratio 6 and for which $a_{\infty} = 5.5$. Thus we readily find that

$$\frac{F(R, a_{\infty})}{F(6, 5.5)} = \frac{\frac{1}{5.5} + \frac{1}{3\pi}}{\frac{1}{a_{\infty}} + \frac{2}{R\pi}} = \frac{0.286 a_{\infty}}{1 + \frac{0.657 a_{\infty}}{R}} \quad \dots\dots\dots 13$$

The curves of this ratio corresponding to values of a_{∞} of 5.0 and 6.0 (in addition to the standard value of 5.5) are shown in Fig. 6b. For any given wing section the value of a_{∞} can be determined either experimentally or by an empirical method such as is given in ref. 24.

3.3. Tapered wings. Effect of dihedral span, aspect ratio and two-dimensional lift curve slope

Hartshorn's calculations⁵ on the rolling moment accompanying a part span skew symmetric incidence distribution include the case of the rectangular wing ($\tau = 1.0$), and we also have available the results of calculations by Pearson⁶ on tapered wings for which τ varies from 0.25 to 1.0. The theory does not lend, as in the case of the elliptic wing to a formula for the rolling moment in which the effects of the span of the skew symmetric incidence distribution (i.e. dihedral span) and aspect ratio can be explicitly separated. A graphical analysis of the computed results of Pearson and Hartshorn demonstrates, however, that these effects are substantially separable. In Fig. 5 the ratio

$\frac{C_L}{C_D} \frac{b}{c}$ is plotted against dihedral span for the extreme taper ratios

considered, the corresponding curve for the elliptic wing is shown dotted. It will be seen that there is little difference between the various curves and for most normal taper ratios, or where very great accuracy is not desired, the curve for the elliptic wing can be reliably used. In Fig. 7 the calculated values of the ratio $F(R, 5.5)/F(6, 5.5)$ are plotted against aspect ratio for values of

the dihedral span corresponding to $y_d = 0, 0.4$ and 0.6 , and the corresponding curve for the elliptical wing is also shown. It will be seen that the values of this ratio for the tapered wings depart very little from the curve for the elliptic wing except possibly for the rectangular wings, at large aspect ratios (12 or higher), and with small dihedral span, i.e. $y_d \ll 0.6$. For all practical purposes therefore it may be taken that the ratio $\frac{F(R, 5.5)}{F(6, 5.5)}$ is the same for

tapered wings as for an elliptic wing. In other words, it appears from this analysis that the effect of dihedral span and aspect ratio are approximately the same for all wings of normal plan form whether elliptical or tapered. It seems reasonable to suppose that the same conclusion applies as far as the effect of a_{00} is concerned.

4. Effect of spanwise variation in dihedral

4.1. General

We have seen how, for an elliptic wing with constant full or part span dihedral Γ , each spanwise element Δy contributes in sideslip the element of the rolling moment derivative

$$\Delta C_{\ell} = \frac{\Delta C_L}{\beta} = -\eta_Y \Gamma \frac{a_0}{2} \frac{1}{3\pi} \Delta y$$

where (see Fig. 3)

$$\eta_Y = 3Y(1-Y^2)^{1/2}.$$

We have called η_Y the dihedral efficiency.

Since the lifting line theory on which these formulae are based is a linear one, i.e. it assumes a linear relation between the local lift coefficient and the local incidence at any point along the span, the total rolling moment of a wing may be obtained as the sum total of the rolling moments due to the spanwise elements of the wing. In other words, the contribution of an element to the rolling moment due to the changes produced by this element in the spanwise loading distribution, is independent of the contributions produced by the remainder of the wing. This is true in general whatever the spanwise dihedral distribution of an elliptic wing. Hence, the rolling moment derivative in sideslip of an elliptic wing with spanwise dihedral distribution $\Gamma(y)$ is given by

$$\begin{aligned} -C_{\ell} &= -\frac{\partial C_L}{\partial \beta} = \frac{a_0}{2} \frac{1}{3\pi} \int_0^1 \eta_Y \Gamma(y) dy \\ &= \frac{a_0}{2} \frac{1}{3\pi} \int_0^1 Y(y) 3Y(1-Y^2)^{1/2} dy \dots\dots\dots 14 \end{aligned}$$

4.2. Wing divided into various spanwise parts having different constant dihedral angles

4.2.1. Elliptic wing

We will consider a wing divided into three parts; the method can readily be extended to a wing divided into any number of parts. Let γ_1 , γ_2 and γ_3 be the dihedral angles², and y_{d1} , y_{d2} and y_{d3} the spanwise ordinates at the end of each part (see Fig. 1d). Then

$$\begin{aligned} -\ell_v &= -\frac{\ell}{8\pi} = \frac{a_s}{2} \frac{4}{3\pi} \int_0^1 \gamma(y) 3y(1-y^2)^{1/2} dy \\ &= \frac{a_s}{2} \frac{4}{3\pi} \left\{ \int_0^{y_{d1}} \gamma_1 3y(1-y^2)^{1/2} dy + \int_{y_{d1}}^{y_{d2}} \gamma_2 3y(1-y^2)^{1/2} dy \right. \\ &\quad \left. + \int_{y_{d2}}^{y_{d3}} \gamma_3 3y(1-y^2)^{1/2} dy \right\} \\ &= \frac{a_s}{2} \frac{4}{3\pi} \left\{ \gamma_1 \left[1 - (1-y_{d1}^2)^{3/2} \right] + \gamma_2 \left[(1-y_{d1}^2)^{3/2} - (1-y_{d2}^2)^{3/2} \right] \right. \\ &\quad \left. + \gamma_3 \left[(1-y_{d2}^2)^{3/2} - (1-y_{d3}^2)^{3/2} \right] \right\} \\ &= \frac{a_s}{2} \frac{4}{3\pi} \left\{ \gamma_1 + (1-y_{d1}^2)^{3/2} (\gamma_2 - \gamma_1) + (1-y_{d2}^2)^{3/2} (\gamma_3 - \gamma_2) \right\}, \quad \dots\dots\dots 15 \end{aligned}$$

since in the case considered $y_{d3} = 1.0$. The functions $(1-y_{d1}^2)^{3/2}$ and $(1-y_{d2}^2)^{3/2}$ can be read off the curve of Fig. 2. We can write equation 15 in the form

$$\begin{aligned} \ell_v &= \left(\frac{\ell_{v1}}{\Gamma} \right)_{\text{ell.}} \frac{F(R, \infty)}{F(6, 5.5)} \left\{ \gamma_1 + (1-y_{d1}^2)^{3/2} (\gamma_2 - \gamma_1) \right. \\ &\quad \left. + (1-y_{d2}^2)^{3/2} (\gamma_3 - \gamma_2) \right\}, \quad \dots\dots\dots 16 \end{aligned}$$

² Any of γ_1 , γ_2 , γ_3 etc. can be negative, i.e. the corresponding part of the wing has anhedral.

where $\left(\frac{\ell_{v1}}{\Gamma}\right)_{\text{all}}$ refers to aspect ratio 6 and $a_{\infty} = 5.5$ and is therefore equal to 0.74. Equation 16 could be derived directly from equation 7.

4.2.2. Tapered wings

For tapered wings we similarly obtain

$$\begin{aligned} \ell_v = \left(\frac{\ell_{v1}}{\Gamma}\right)_{\tau} \frac{F(R, a_{\infty})}{F(6, 5.5)} \left\{ \gamma_1 + f(y_{d1}, \tau) (\gamma_2 - \gamma_1) + \right. \\ \left. + f(y_{d2}, \tau) (\gamma_3 - \gamma_2) \right\}, \quad \dots\dots\dots 17 \end{aligned}$$

where $f(y_d, \tau)$ is obtained from Fig. 5,

$$\left(\frac{\ell_{v1}}{\Gamma}\right)_{\tau} \text{ is given in Fig. 4 (curve B),}$$

and $\frac{F(R, a_{\infty})}{F(6, 5.5)}$ can be taken from the curves given in Fig. 6.

It will be appreciated that the above formulae (16 and 17) include the case where the wing tip has a dihedral angle different from that of the adjacent part of the wing (see Fig. 1d).

4.3. Dihedral effect of wing flexure under the aerodynamic loads in flight.

4.3.1. Elliptic wing

Let δ_z be the local displacement parallel to the Z axis (reversed) of the local quarter chord point due to the wing flexure under the aerodynamic loads in flight. In practice, it is found that the relation between δ_z and y is adequately expressed by

$$\delta_z = k_0 y^n,$$

where n varies between 1.6 and 2.0 (ref. 26).

If δ_{z1} is the displacement at the tip, then

$$\delta_z / \delta_{z1} = y^n. \quad \dots\dots\dots 18$$

The corresponding dihedral angle $\gamma(y)$ at the point y is given by

$$\gamma(y) = \frac{1}{n} \frac{\partial \delta_z}{\partial y} = \left(\frac{\delta_{z1}}{s}\right) n y^{n-1}. \quad \dots\dots\dots 19$$

Hence from equation 14 the rolling moment derivative in sideslip due to the wing flexure dihedral is

$$-\ell_v = -\frac{\partial C_l}{\partial \beta} = \frac{\delta a_1}{s} \frac{a_2}{2} \frac{4n}{\pi} \int_0^1 xy^n (1-y^2)^{1/2} dy.$$

If we write $\frac{\delta a_1}{s} = \Gamma_\delta$ (i.e. the constant full span dihedral angle associated with the same tip deflection) then

$$-\frac{\ell_v}{\Gamma_\delta} = \frac{a_2}{2} \frac{4n}{\pi} \int_0^1 xy^n (1-y^2)^{1/2} dy.$$

We have already seen that for constant full span dihedral

$$-\frac{\ell_{v1}}{\Gamma} = \frac{a_2}{2} \cdot \frac{4}{\pi},$$

hence we may write

$$\left(\frac{\ell_v}{\Gamma} \right)_{all} = n \int_0^1 xy^n (1-y^2)^{1/2} dy. \quad \dots\dots\dots 20$$

The values of the integral on the right hand side of equation 20 have been calculated for a range of values of n from 0 to 6.0 and the results are shown in Fig. 8. It will be seen that the variation of the value of this integral is small for n greater than 1.6, and for the range of values of n found in practice (1.6 to 2.0), the integral may be taken to be 1.18.

Hence

$$\frac{\ell_v}{\Gamma} \approx \frac{\ell_{v1}}{\Gamma} \quad 1.18. \quad \dots\dots\dots 21$$

For a wing of aspect ratio 6 and for which $a_{\infty} = 5.5$, we have seen that

$$\frac{\ell_{v1}}{\Gamma} = -0.74,$$

and hence for such a wing when flexed

$$\frac{\ell_v}{\Gamma_\delta} = -0.88,$$

or

$$-(\ell_v)_{all} = 0.88 \frac{\delta a_1}{s}. \quad \dots\dots\dots 22$$

For aspect ratios other than 6.0, the correction factor, as given in Fig. 6, should be applied. We have thus arrived at a formula giving the derivative directly in terms of the tip deflection.

4.3.2. Tapered wings

The above discussion applies strictly to wings of elliptical plan form, but we may expect, from the very small effect that taper was found to have in the case of constant dihedral, that equation 21 will be sufficiently valid for wings of normal taper ratios. As a check, calculations have been made of the ratio $\frac{l_v}{l_b}$ $\frac{l_{v1}}{l_1}$

for wings of taper ranging from 0.25 to 1.0 and of aspect ratios 4, 6 and 8, the flexure being assumed to be parabolic (i.e. $n = 2$). With a parabolic flexure the dihedral angle, and hence the change in effective incidence ($\Delta\alpha$) varies linearly with spanwise distance from the rolling axis. The theory is therefore identical with the theory for a wing rolling with constant angular velocity in which the helical character of the trailing vortices is ignored. Calculations for this latter case covering the taper ratios and aspect ratios quoted above are given in ref. 6. It is a simple matter therefore to apply the results of

these calculations to give us the ratio $\frac{l_v}{l_b} \frac{l_{v1}}{l_1}$. The details are

described in Appendix II. The variation of this ratio (denoted $f(\tau)_8$) is shown in Fig. 9. It will be seen that for values of $\tau > 0.5$ and for the range of aspect ratios considered the effect of taper and aspect ratio is small, and for most practical purposes equation 21, though derived for wings of elliptical plan form, may be used for tapered wings.

5. Comparison with experiment

A number of experimental results derived from wind tunnel tests on a variety of model wings and complete model aeroplanes, including two swept back wings, have been examined in the light of the theoretical results described above. In each case the measured value of $\frac{l_v}{l_b}$ was converted to the standard aspect ratio 6.0 and the standard value of $\alpha_{90} = 5.5$ by means of the curves of Fig. 6. The result was then converted to a full span dihedral by means of the curves of Fig. 2. The final value of $\frac{l_{v1}}{l_1}$ is plotted against τ in Fig. 4. It will be seen

that the scatter of the resulting points is gratifyingly small and a mean line (marked E) can be readily drawn through these points. This line can be represented by the empirical equation

$$\left(\frac{l_{v1}}{l_1}\right)_\tau = 0.65 + 0.17 \tau \quad \dots\dots\dots 23$$

The curve marked A (in Fig. 4) has been determined wholly from the theoretical calculations of Pearson⁶ and Hartshorn⁷. The small scatter of the experimental points and the close agreement between curves A and E provide a valuable confirmation of the theory.

Some remarks on the surprisingly small effect of taper ratios on rolling moment as indicated by the small slope of the line E, would not be out of place here. If we revert to the crude theoretical approach, in which, induced effects due to the skew symmetric incidence changes are neglected, and the change of lift with incidence is assumed

to be the same as for symmetrical loading, then it is easy to see that the rolling moment should be proportional to the first moment of the area of each half wing.

We then find that

$$\frac{(L_v)}{(L_v)_{\tau=1}} = 1 - \frac{2}{3}(1-\tau). \quad \dots\dots\dots 24$$

The curve marked B in Fig. 4 has been derived on the basis of this relation, and the marked disparity between the slopes of curve B and those of A or E will be apparent. It follows therefore, that the large effect of taper ratio, that one tends to expect on the basis of arguments similar to that of the crude theory, is almost entirely nullified by the accompanying induced changes of downwash, which are therefore much too important to be neglected.

6. Conclusions, summary of main formulae and example

6.1. Conclusions

6.1.1. The effect of dihedral in sideslip is equivalent to that of a skew-symmetric change in the incidence distribution in unyawed flight, such as is caused by a non-differential movement of the ailerons. The theory of the rolling moment caused by aileron movement is well developed, and readily transformed to apply to the case of dihedral in sideslip.

6.1.2. For wings of elliptic plan form the rolling moment is proportional to the dihedral and sideslip angles (assumed small), to a function of the dihedral span (Fig. 2) and to a function of the aspect ratio (Fig. 6a). The form of this latter function is the same as that controlling the change (with aspect ratio) of the lift curve slope in straight unyawed flight, except that it relates to an effective aspect ratio half of the geometric aspect ratio.

6.1.3. For tapered wings the same conclusions apply, and in fact for rough estimates the effect of taper may be ignored and wings of normal plan form may be treated as elliptical. More accurately, the effect of dihedral span and the variation of the constant of proportionality, i.e. $(C_{l_v})_1$, with taper can be obtained from Figs. 5 and 4.

6.1.4. Comparison of the theoretical deductions with the available experimental results shows very satisfactory agreement (Fig. 4); this indicates that sweepback and interference due to the presence of a fuselage or nacelles have negligible effects on the contribution to L_v due to wing dihedral.

6.1.5. The contribution to L_v caused by wing flexure under the aerodynamic loads in flight is simply expressible in terms of tip deflection, and in practice, this effect is only slightly dependent on wing taper and can be readily determined for the type of flexure that normally occurs (nearly parabolic); (Figs. 8 and 9).

6.2. Summary of main formulae

The main formulae for ℓ_v due to wing dihedral derived in this note are here summarised as follows:

6.2.1. Uniform full and part span dihedral

(i) For elliptic wing

$$-\frac{\ell_v}{\Gamma} = 0.74 (1 - y_d^2)^{3/2} \frac{F(R, \infty)}{F(6, 5.5)}$$

(ii) For tapered wings

$$-\frac{\ell_v}{\Gamma} = -\left(\frac{\ell_{v1}}{\Gamma}\right)_{\tau} f(y_d, \tau) \frac{F(R, \infty)}{F(6, 5.5)}$$

where,

$$-\left(\frac{\ell_{v1}}{\Gamma}\right)_{\tau} = 0.65 + 0.17 \tau \text{ (see Fig. 4),}$$

$f(y_d, \tau)$ is found from Fig. 5, and

$\frac{F(R, \infty)}{F(6, 5.5)}$ is a correction factor for aspect ratio and two dimensional lift curve slope and is given in Fig. 6.

6.2.2. Variable dihedral distribution $[\gamma(y)]$

(i) Elliptic wing (general)

$$-\ell_v = 0.74 \frac{F(R, \infty)}{F(6, 5.5)} \int_0^1 \gamma(y) 3y (1 - y^2)^{1/2} dy.$$

(ii) Elliptic wing (three spanwise parts of constant dihedral differing from each other)

$$-\ell_v = 0.74 \frac{F(R, \infty)}{F(6, 5.5)} \left\{ \gamma_1 + (1 - y_{d1}^2)^{3/2} (\gamma_2 - \gamma_1) + (1 - y_{d2}^2)^{3/2} (\gamma_3 - \gamma_2) \right\}.$$

- (iii) Tapered wings (three spanwise parts of constant dihedral differing from each other).

$$-L_v = -\left(\frac{l_{v1}}{\Gamma}\right) \frac{F(R, \infty)}{F(6, 5.5)} \left\{ \gamma_1 + f(\gamma_{d1}, \tau) (\gamma_2 - \gamma_1) + \right. \\ \left. + f(\gamma_{d2}, \tau) (\gamma_3 - \gamma_2) \right\}.$$

- (iv) Elliptic wing (flexed, where $1.6 \leq n \leq 5$)

$$-L_v = 0.88 \frac{F(R, \infty)}{F(6, 5.5)} \frac{\delta_{s1}}{s}.$$

- (v) Tapered wings (flexed)

Formula 5.2.2.(iv) above is in general accurate enough, but more precisely, when $n \geq 2$, we have

$$-L_v = -\left(\frac{l_{v1}}{\Gamma}\right) f(\tau)_0 \frac{F(R, \infty)}{F(6, 5.5)} \frac{\delta_{s1}}{s},$$

where $f(\tau)_0$ is given in Fig. 9.

6.3. Example

Suppose we require the rolling moment derivative $-L_v$ due to the total dihedral effect in straight (yawed) flight for the wing shape shown in Fig. 1d and with the following characteristics.

$b_1 = 22 \text{ ft.}$	$\gamma_1 = -5^\circ = -0.087 \text{ rad.}$
$b_2 = 54 \text{ ft.}$	$\gamma_2 = 3^\circ = 0.052 \text{ rad.}$
$b = 60 \text{ ft.}$	$\gamma_3 = 8^\circ = 0.140 \text{ rad.}$
$\tau = 0.3$	
$R = 8.0$	
$n = 5.7$	

For straight flight, i.e. $\frac{\text{aerodynamic load}}{\text{total weight}} = 1,$

$$\frac{\delta_{s1}}{s} = 0.015.$$

Then $y_{d1} = 0.367$ and $y_{d2} = 0.90$.

Formulae 5.2.2(iii) and (v) (for tapered wings) give the total effect on ℓ_v due to dihedral angles γ_1 , γ_2 and γ_3 and wing flexure.

$$\text{From Fig. 4 (curve E)} \left(\frac{\ell_{v1}}{\Gamma} \right)_{\tau} = -0.701,$$

$$\text{from Fig. 6} \frac{F(R, a_{\infty})}{F(6, 5.5)} = \frac{F(8, 5.7)}{F(6, 5.5)} = 1.105,$$

$$\text{from Fig. 5} f(y_{d1}, \tau) = 0.783, f(y_{d2}, \tau) = 0.097$$

$$\text{and from Fig. 9 } f(\tau)_8 = 1.15.$$

Hence, using the above formulae for tapered wings we have

$$\begin{aligned} -\ell_v &= - \left(\frac{\ell_{v1}}{\Gamma} \right)_{\tau} \frac{F(R, a_{\infty})}{F(6, 5.5)} \\ &\cdot \left\{ \left[\gamma_1 + f(y_{d1}, \tau) (\gamma_2 - \gamma_1) + f(y_{d2}, \tau) (\gamma_3 - \gamma_2) \right] + f(\tau)_8 \frac{\delta_{z1}}{s} \right\} \\ &= 0.701 \cdot 1.105 \left\{ \left[-0.087 + 0.783 (0.052 + 0.087) + \right. \right. \\ &\quad \left. \left. + 0.097 (0.14 - 0.052) \right] + 1.15 \cdot 0.015 \right\} \\ &= \underline{0.037} \end{aligned}$$

If expressions 5.2.2(ii) and (iv) corresponding to an elliptic wing are used instead of those for tapered plan form, the following result is obtained

$$\begin{aligned} -\ell_v &= 0.74 \frac{F(R, a_{\infty})}{F(6, 5.5)} \left\{ \gamma_1 + (1 - y_{d1}^2)^{3/2} (\gamma_2 - \gamma_1) + (1 - y_{d2}^2)^{3/2} (\gamma_3 - \gamma_2) \right. \\ &\quad \left. + 1.18 \frac{\delta_{z1}}{s} \right\} = 0.041. \end{aligned}$$

It will be appreciated that the difference of about 10% between the above estimates of ℓ_v would not be present if a wing with a taper ratio of about 0.5 had been considered instead of 0.3

References

<u>No.</u>	<u>Author</u>	<u>Title, etc.</u>
1	Relf and Landells	Forces and Moments on an aerofoil having a dihedral angle. R & M No. 152 1914.
2	Munk	Elements of the wing section theory and of the wing theory. N.A.C.A. Report No. 191. 1924.
3	Munk	On the distribution of lift along the span of an aerofoil with displaced ailerons. N.A.C.A. Tech. Note No. 195. 1924.
4	Scarborough	Some problems on the lift and rolling moment of airplane wings. N.A.C.A. Report No. 200 1925.
5	Hartshorn	Theoretical relationship for a wing with unbalanced ailerons. R & M No. 1259. 1929.
6	Pearson	Theoretical span loading and moments of tapered wings produced by aileron deflection. N.A.C.A. Tech. Note No. 589. 1937.
7	Pearson and P.T. Jones	Theoretical stability and control characteristics of wings with various amounts of taper and twist. N.A.C.A. Report No. 635. 1938
8	Betta	Aerodynamic forces on a wing fitted with a lateral plate (with some notes on the effect of the fuselage on the rolling moment and lateral force during sideslip). R.T.P. Translation No. 2039, or Ingenieur-Archiv, Vol. 13, No. 3, pp. 119 - 131. 1942.
9	Bairdow	Applied aerodynamics First edition; pp. 275 and 276. 1920.
10	Betz	Aerodynamic theory, by W.F. Durand - Vol. IV, Div. T IV, Sections 2 and 3, pp. 97 and 102. 1934.
11	R.M. Jones	Aerodynamic Theory, by W.F. Durand - Vol. V, Div. N III, Sections 7, 8 11 and 12. pp. 59 to 62. 1934.
12	Glauert	The elements of aerofoil and airscrew theory. Cambridge, At the University press. 1926.
13	Swanson	Jet-boundary corrections to a yawed model in a closed rectangular wind tunnel. N.A.C.A. Tech. Report No. 6969. 1943.
14	Blenk	Göttingen Sechskomponentenmessungen an Flügeln mit V-Torn, Pfeilform und Verwindung. Luftfahrtforschung, Vol. 3, p. 27. 1929.

References (contd.)

<u>No.</u>	<u>Author</u>	<u>Title, etc.</u>
15	Shortal	Effect of tip shape and dihedral on lateral-stability characteristics. N.A.C.A. Report No. 548. 1935.
16	Irving, Batsen and Warsap	Model experiments on the rolling moment due to sideslip of tapered wing monoplanes. A.R.C. 4151. 1939.
17	Irving	Note on the estimation of rolling moment due to sideslip (ℓ_y). R.A.E. Report No. B.A. 1625. 1940.
18	Bamber and House	Wind-tunnel investigation of effect of yaw on lateral-stability characteristics. I-Four, N.A.C.A. 23012 wings of various plan forms with and without dihedral. N.A.C.A. Technical Note No. 703. 1939.
19	Hoerner	Kräfte und Momente strömungsströmter Tragflügel. Lff. 16, Lff. 4. 1939.
20	Trounce, Becker and Wright	Wind tunnel tests on the stability of tailless gliders. Part I - V wing plan forms. R.A.E. Report No. Aero. 1969. 1944.
21	Teplitz	Effect of sweep and dihedral on stalling and lateral characteristics of wing-fuselage combination of a model of the XA-26 airplane with partial and full-span flaps. N.A.C.A., N.C.R. No. 14E20. 1944.
22	Weich, Soule and Gough	A flight investigation of the lateral control characteristics of short wide ailerons and various spoilers with different amounts of wing dihedral. N.A.C.A. Report No. 494. 1934.
23	Irving	Notes on the relationship between rolling and yawing moments due to sideslip. R.A.E. Report No. B.A. 1652. 1941.
24	Naylor and Lyons	An analysis of the lifting characteristics of aerofoils and controls with special reference to methods of estimation for design use. R.A.E. Report No. Aero. 1840. 1943.
25	Kulorycki	Variation of dihedral angle and ℓ_y measured in flight on Lancaster III. A. & A. E.E. Report Res. 1205. 1944.
26	Levačić and Whitby	The effect of flexural deflection of wings in flight on the rolling moment due to sideslip. R.A.E. Technical Note No. Aero. 1492. 1944.

Attached:

Appendices I and II


Fig. 1	Dwg. No.	16448
" 2 and 3	" "	16458
" 4 and 5	" "	16468
" 6a	" "	16478
" 6b	" "	16488
" 7	" "	16498
" 8 and 9	" "	16508

Circulation:

C.R.D.	
D.S.R.	
D.D.S.R.L.	(Action copy)
D.D./R.D.T.	
A.D./R.D.T.L.	
S.R.L.	
A.D.R.D.L.L.	(2)
A.D.R.D.L.2.	(2)
R.T.P. (T.I.B.)	(6+1)
R.T.P.	(110)
A. & A.E.E.	(2)
A.R.C.	(40)

Appendix I1. Rolling moment due to a skew symmetric incidence distribution of constant magnitude (full and part span)1.1. Elliptic wing

No originality can be claimed for the following theory, Munk², Scarborough⁴ and Hartshorn⁵ are in the main responsible for its development. Its salient features are reproduced here for the sake of completeness. It is believed, however, that the application of the theory to the determination of the rolling moment due to dihedral in sideslip is somewhat novel.



Consider an elliptic wing of span $2s$ and maximum chord c_0 . We define the parameter θ by the relation

$$y = -s \cos \theta. \quad \dots\dots 25a$$

$$c = c_0 \sin \theta, \text{ for an elliptic wing,} \quad \dots\dots 25b$$

where c is the local chord corresponding to y the spanwise ordinate (expressed as a fraction of the semi-span).

We assume the circulation $\Gamma(\theta)$ is given by the Fourier series

$$\Gamma(\theta) = 4sV \sum A_n \sin n\theta. \quad \dots\dots 26$$

Then it is readily shown, as in standard text books, (e.g. ref. 12), that the downwash at the wing w is given by

$$w \sin \theta = V \sum n A_n \cdot \sin n\theta. \quad \dots\dots\dots 27$$

The basic relation connecting the local lift coefficient C_L and circulation at any spanwise station is

$$K(\theta) = C_L \frac{\rho}{2} V. \quad \dots\dots\dots 28$$

But C_L is related to the local incidence ($\alpha - w/V$) by

$$C_L = a_\infty \left(\alpha - \frac{w}{V} \right), \quad \dots\dots\dots 29$$

where α is the effective geometric incidence.

If we suppose α to be composed of a part span skew asymmetric distribution of constant magnitude superposed on a constant incidence α_0 , we can write

$$\alpha = \alpha_0 + f(\theta) \Delta\alpha,$$

where $f(\theta) = 1.0$ from $\theta = 0$ to $\theta = \phi$, say,

$= 0$ from $\theta = \phi$ to $\theta = \pi - \phi$,

$= -1.0$ from $\theta = \pi - \phi$ to $\theta = \pi$.

$\dots\dots\dots 30$

From 28 and 29 we have

$$K(\theta) = \frac{\rho V}{2} a_\infty \left(\alpha - \frac{w}{V} \right),$$

and substituting for w and $K(\theta)$ from equations 26 and 27, we find

$$\sum A_n \sin n\theta (n\mu_0 + 1) = \mu_0 \alpha \sin \theta,$$

$$\text{where } \mu_0 = \frac{a_\infty \alpha_0}{8a}. \quad \dots\dots\dots 31$$

Hence

$$\begin{aligned}
 \int_0^\pi 2 A_n \sin n\theta (\mu_0 + 1) \sin n\theta d\theta &= \int_0^\pi \mu_0 a \sin \theta \sin n\theta d\theta \\
 &= \int_0^\pi \mu_0 a_0 \sin \theta \sin n\theta d\theta + \\
 &+ \int_0^\pi \mu_0 f(\theta) \Delta z \sin \theta \sin n\theta d\theta.
 \end{aligned}$$

Therefore: for $n = 1$

$$A_1 (n \mu_0 + 1) \frac{\pi}{2} = \mu_0 a_0 \frac{\pi}{2},$$

and for $n \neq 1$

$$\begin{aligned}
 A_n (n \mu_0 + 1) \frac{\pi}{2} &= \frac{\mu_0 \Delta z}{2} \left[\frac{\sin (n-1) \phi}{n-1} - \frac{\sin (n+1) \phi}{n+1} + \right. \\
 &\quad \left. + \frac{\sin (n-1) (\pi-\phi)}{n-1} - \frac{\sin (n+1) (\pi-\phi)}{n+1} \right].
 \end{aligned}$$

$$\text{Hence } A_1 = \frac{\mu_0}{(\mu_0 + 1)} a_0, \quad A_3 = A_5 = \dots = 0,$$

$$A_{2n} = \frac{2}{\pi} \frac{\mu_0 \Delta z}{(2n \mu_0 + 1)} \left[\frac{\sin (2n-1) \phi}{2n-1} - \frac{\sin (2n+1) \phi}{2n+1} \right].$$

.....32

The local ϕ_L at any point

$$= \frac{2 K(\theta)}{oV} = \frac{8z}{o} \sum A_n \sin n\theta,$$

*In general, for any combination of symmetric and skew symmetric incidence distributions, the odd terms derive from the symmetric and the even terms from the skew symmetric distributions.

hence the rolling moment coefficient is

$$\begin{aligned}
 -\frac{s^2}{8} \int_0^1 c_L \frac{\partial y}{\partial s} dy &= -\frac{1}{8s} \int_0^{\frac{\pi}{2}} \left(\frac{\partial s}{\partial \theta} \sum A_n \sin n\theta \right) y s^2 \circ \frac{dy}{d\theta} d\theta \\
 &= \frac{4s^2}{8} \int_0^{\frac{\pi}{2}} \left(\sum A_n \sin n\theta \right) \sin 2\theta d\theta \\
 &= \frac{\pi}{4} A_2 R \quad \dots\dots\dots 33
 \end{aligned}$$

$$= \frac{R \mu_0 \Delta \alpha}{2(2\mu_0 + 1)} \left[\sin \phi - \frac{\sin 3\phi}{3} \right] \quad \dots\dots\dots 34$$

But we can write

$$\mu_0 = \frac{a_{\infty}}{\pi R}$$

hence

$$\begin{aligned}
 \frac{R \mu_0}{2(2\mu_0 + 1)} &= \frac{1}{2\pi} \left[\frac{1}{\frac{1}{a_{\infty}} + \frac{2}{\pi R}} \right] \\
 &= \frac{a_{\infty}}{2\pi}, \quad \text{say} \quad \dots\dots\dots 35
 \end{aligned}$$

$$\text{Also } \left(\sin \phi - \frac{\sin 3\phi}{3} \right) = \frac{4}{3} \sin^3 \phi$$

$$= \frac{4}{3} (1 - y_d^2)^{3/2}$$

Hence, the rolling moment coefficient is

$$c_L = \frac{a_{\infty}}{2} \frac{4 \Delta \alpha}{3\pi} (1 - y_d^2)^{3/2} \quad \dots\dots\dots 36$$

For a wing with dihedral Γ in side-slip, the side-slip angle being β , the change in incidence is given by

$$|\tan(\Delta\alpha)| = \tan \beta \sin \Gamma, \quad \dots\dots\dots 37$$

$$\text{or } \Delta\alpha \approx \beta \Gamma$$

if β and Γ are small and measured in radians,

Hence, from 36

$$-\frac{l_v}{\Gamma} = -\frac{\partial l}{\partial \beta} \Big|_{\Gamma} = \frac{a_s}{2} \frac{h}{3\pi} (1 - y_d^2)^{3/2}. \quad \dots\dots\dots 38$$

For a full span dihedral $y_d = 0$, and hence

$$-\frac{l_{v1}}{\Gamma} = \frac{a_s}{2} \frac{h}{3\pi}. \quad \dots\dots\dots 39$$

It follows that

$$\frac{l_v}{\Gamma} \Big/ \frac{l_{v1}}{\Gamma} = (1 - y_d^2)^{3/2} \quad \dots\dots\dots 40$$

The function $(1 - y_d^2)^{3/2}$ therefore is the ratio of the rolling moment in sideslip due to part span dihedral to that due to full span dihedral. It is plotted in Fig. 2. The quantity a_s determines the aspect ratio effect, and is shown in Fig. 6.

1.2. Tapered wings

The above theory for elliptic wings is readily extended to tapered wings (see for example refs. 5, 6 and 7) and the details need not be reproduced here. The rolling moment coefficient can again be derived in the form of equation 33 above,

$$-C_l = \frac{\pi}{4} \frac{A_2}{\Delta\alpha} R \Delta\alpha, \quad \dots\dots\dots 41$$

where $\frac{A_2}{\Delta\alpha}$ cannot now be expressed in a simple analytic form, as

was possible above, for the elliptic wing, but must be determined numerically. Using the calculations of refs. 5, 6 and 7 the curves of Fig. 5 and Fig. 7 have been derived for the effects of dihedral span and aspect ratio. In each case it will be seen that for normal taper ratios the curves are very close to those derived above for a wing of elliptical plan form.

Appendix II

2. Relationship between a wing with parabolic flexure ($n = 2$) and a wing of the same plan form with constant dihedral and having the same tip deflection (tapered wings)

For a wing with parabolic flexure, the deflection δ_z at the spanwise position y is given by

$$\frac{\delta_z}{\delta_{z1}} = y^2. \quad \dots\dots\dots 42$$

Hence, the local dihedral angle $\gamma(y)$ is given by

$$\gamma(y) = \frac{1}{s} \frac{\partial \delta_z}{\partial y} = 2 \frac{\delta_{z1}}{s} y = 2 \Gamma_\delta y, \quad \dots\dots\dots 43$$

where $\Gamma_\delta = \delta_{z1}/s. \quad \dots\dots\dots 44$

In addition the corresponding change in effective incidence is

$$\Delta \alpha(y) = \gamma(y) \beta = 2 \Gamma_\delta y \beta. \quad \dots\dots\dots 45$$

Consider the same wing without flexure but with a linear skew symmetric change in distribution of incidence due to, say, rolling at constant angular velocity p . Then the change in the effective incidence at the spanwise station y due to the roll is

$$\Delta \alpha_p(y) = \frac{p y V}{V} \quad \dots\dots\dots 46$$

Hence, the distributions of the changes in effective incidence in the two cases are identical if we have

$$\Delta \alpha_{p1} = \frac{p s}{V} = 2 \Gamma_\delta \beta, \quad \dots\dots\dots 47$$

where $\Delta \alpha_{p1}$ is the change in the effective local incidence at the tip due to rolling.

Pearson has developed the analysis of tapered wings rolling with uniform angular velocity p , on the assumption that the distortion of the trailing vortices could be neglected, reducing the problem therefore to that of the wing in straight unyawed flight with a linear skew symmetric change in the incidence distribution. In ref. 6 it is shown that the rolling moment coefficient satisfies the equation

$$C_L = \frac{\pi}{4} R \left[\frac{\Delta \alpha_{p1}}{\Delta \alpha_{p1}} \right] \Delta \alpha_{p1}, \quad \dots\dots\dots 48$$

where A_2' is the coefficient of $\sin 2\theta$ in the Fourier series assumed in the analysis to describe the circulation distribution.

We have seen that similarly for a wing with a constant dihedral angle Γ_δ , the rolling moment coefficient in sideslip is given by

$$C_{l_r} = \frac{\pi}{4} R \left[\frac{A_2}{\Gamma_\delta \beta} \right] \Gamma_\delta \beta, \quad \dots\dots\dots 49$$

where A_2 is, likewise, the coefficient of $\sin 2\theta$ in the corresponding circulation Fourier series. If we write

$$\frac{A_2}{\Gamma_\delta \beta} = F_2, \quad \text{and} \quad \frac{A_2'}{\Delta a_{P_1}} = F_2',$$

then the ratio of the rolling moments in the two cases is

$$\frac{F_2'}{F_2} \frac{\Delta a_{P_1}}{\Gamma_\delta \beta}.$$

If we now replace the rolling wing by the wing with the equivalent parabolic flexure, i.e. replace Δa_{P_1} by $2 \Gamma_\delta \beta$ (equation 45), then the ratio of the rolling moment becomes


$$\left(\frac{l_{v_2}}{\Gamma_\delta \beta} \right) \frac{2 F_2'}{F_2} = f(\tau)_\delta, \quad \text{say.} \quad \dots\dots\dots 50$$

This ratio is therefore the ratio of the rolling moment coefficient for unit sideslip of a parabolically flexed wing to the rolling moment coefficient for unit sideslip of the unflexed wing with full span constant dihedral giving the same tip displacement. From the calculations of ref. 6 the ratio $2 F_2'/F_2$ was determined for taper

ratios of 0.25, 0.50, 0.75 and 1.0 and for aspect ratios of 4, 6 and 8 and the results are shown in Fig. 9.


FIG. 1.

(a)
TAPERED WING.
TAPER RATIO
 $T = \frac{C_t}{C_0}$




(b)
WING WITH PART SPAN
CONSTANT
DIHEDRAL.


PROJECTION OF THE QUARTER CHORD
LINE ON THE PLANE NORMAL TO THE
LONGITUDINAL WIND AXIS.




(c)
FLEXED WING.



(d)
THREE SPANWISE PARTS
OF CONSTANT DIHEDRAL
DIFFERING FROM
EACH OTHER.



DETAIL OF THE WING
TIP WITH UPPER SURFACE
STRAIGHT. (VIEWED
IN ELEVATION)



NOTATION FOR WING WITH DIHEDRAL AND FLEXURE.




FIG. 2.

EFFECT OF A PART SPAN CONSTANT DIHEDRAL DISTRIBUTION ON $\frac{lv/r}{lv_1/r}$ FOR AN ELLIPTIC WING.





FIG. 3.

VARIATION OF THE DIHEDRAL EFFICIENCY η_y ALONG THE SEMI-SPAN FOR AN ELLIPTIC WING.

FIG. 4



TAPER EFFECT COMPARISON BETWEEN THEORY AND EXPERIMENT (REDUCED TO STANDARD CONDITION, I.E. $R = 6$ AND $\alpha_{\infty} = 5.5$; $y_d = 0$)

FIG. 5






FIG. 6a




CORRECTION FACTOR FOR ASPECT RATIO, $\frac{F(R, 5.5)}{F(6, 5.5)}$, FOR SKEW SYMMETRIC LOAD DISTRIBUTION (ELLIPTIC WING)

FIG. 6b



CORRECTION FACTOR FOR ASPECT RATIO $\frac{F(R, a_\infty)}{F(6, 6.6)}$ FOR SKEW SYMMETRIC LOAD DISTRIBUTION (ELLIPTIC WING.)


FIG. 7.



CORRECTION FACTOR FOR ASPECT RATIO $\frac{F(RR, \infty)}{F(G, 5.5)}$, FOR SKEW SYMMETRIC LOAD DISTRIBUTION ON ELLIPTIC AND LINEARLY TAPERED WINGS.


FIGS. 8 & 9

FIG 8



CHANGES IN $\frac{l_w}{r_d}$ WITH η EXPRESSED AS A FRACTION OF $\frac{l_v}{r}$.

FIG. 9



CALCULATED TAPER EFFECT ON l_v DUE TO FLEXURE FOR A WING WITH PARABOLIC DEFLECTION. (i.e., $n = 2$)

REEL - C

371

A.T.I.

11707

RESTRICTED

TITLE: Rolling Moment Due to Sideslip - Part I - The Effect of Dihedral

ATI- 11707

REVISION (None)

ORIG. AGENCY NO.
Aero-2028PUBLISHING AGENCY NO.
(Same)

AUTHOR(S) : Levacic, I.

ORIG. AGENCY : Royal Aircraft Establishment, Farnborough, Hants

PUBLISHED BY : (Same)

DATE	DOC. CLASS.	COUNTRY	LANGUAGE	PAGES	ILLUSTRATIONS
April' 45	Restr.	Gt. Brit.	English	37	graphs

ABSTRACT:

Theory of rolling moment caused by aileron deflection is applied to the case of dihedral effect in sideslip, since this effect is shown to be equivalent to that of a skew-symmetric change in the incidence distribution in unyawed flight. Rolling moment for wings of elliptic and tapered plan form is shown to be proportional to the dihedral and sideslip angles, to a function of dihedral span, and to a function of aspect ratio.

DISTRIBUTION: Copies of this report obtainable from CADO

DIVISION: Aerodynamics (2)

SECTION: Wings and Airfoils (6)

SUBJECT HEADINGS: Wings - Rolling moment (99177.5)

ATI SHEET NO.: R-2-B-177

Central Air Documents Office
Wright-Patterson Air Force Base, Dayton, Ohio

AIR TECHNICAL INDEX

RESTRICTED

RESTRICTED

TITLE: Rolling Moment Due to Sideslip - Part I - The Effect of Dihedral

ATI- 11707

REVISION (None)

AUTHOR(S) : Levacic, I.

ORIG. AGENCY : Royal Aircraft Establishment, Farnborough, Hants

ORIG. AGENCY NO.
Aero-2028

PUBLISHED BY : (Same)

PUBLISHING AGENCY NO.
(Same)

DATE	DOC. CLASS.	COUNTRY	LANGUAGE	PAGES	ILLUSTRATIONS
April' 45	Restr.	Gt. Brit.	English	37	graphs

(OVER)

ABSTRACT:

Theory of rolling moment caused by aileron deflection is applied to the case of dihedral effect in sideslip, since this effect is shown to be equivalent to that of a skew-symmetric change in the incidence distribution in unyawed flight. Rolling moment for wings of elliptic and tapered plan form is shown to be proportional to the dihedral and sideslip angles, to a function of dihedral span, and to a function of aspect ratio.

DISTRIBUTION: Copies of this report obtainable from CADO

DIVISION: Aerodynamics (2)

SECTION: Wings and Airfoils (6)

SUBJECT HEADINGS: Wings - Rolling moment (99177.5)

ATI SHEET NO.: R-2-6-177

Central Air Documents Office
Wright-Patterson Air Force Base, Dayton, Ohio

AIR TECHNICAL INDEX

RESTRICTED

SCP-1, AUTH: DOD DIR 5200.10, 29 June 60



Information Centre
Knowledge Services
[dstl] Porton Down,
Salisbury
Wilts
SP4 0JQ
22060-6218
Tel: 01980-613753
Fax 01980-613970

Defense Technical Information Center (DTIC)
8725 John J. Kingman Road, Suit 0944
Fort Belvoir, VA 22060-6218
U.S.A.

AD#: ADA800756

Date of Search: 30 Oct 2009

Record Summary: AVIA 6/9859

Title: Rolling moment due to sideslip, pt 1: effect of dihedral
Availability Open Document, Open Description, Normal Closure before FOI Act: 30 years
Former reference (Department): 2028
Held by The National Archives, Kew

This document is now available at the National Archives, Kew, Surrey, United Kingdom.

DTIC has checked the National Archives Catalogue website (<http://www.nationalarchives.gov.uk>) and found the document is available and releasable to the public.

Access to UK public records is governed by statute, namely the Public Records Act, 1958, and the Public Records Act, 1967.

The document has been released under the 30 year rule.

(The vast majority of records selected for permanent preservation are made available to the public when they are 30 years old. This is commonly referred to as the 30 year rule and was established by the Public Records Act of 1967).

This document may be treated as UNLIMITED.