

UNCLASSIFIED

AD NUMBER
ADB004159
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies only; Test and Evaluation; MAY 1975. Other requests shall be referred to Ballistic Research Labs., Aberdeen Proving Ground, MD 21005.
AUTHORITY
BRL ltr, 13 Nov 1986

THIS PAGE IS UNCLASSIFIED

AD B00 4159

AUTHORITY:

USAIC Notice

13 Nov 86



THIS REPORT HAS BEEN DELIMITED
AND CLEARED FOR PUBLIC RELEASE
UNDER DOD DIRECTIVE 5200.20 AND
NO RESTRICTIONS ARE IMPOSED UPON
ITS USE AND DISCLOSURE.

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

L

MR 2480

BRL

AD

ADB004159

MEMORANDUM REPORT NO. 2480

QUASI-STATIC COMPRESSION STRESS-STRAIN
CURVES---III, 5083-H131 ALUMINUM

Ralph F. Benck
E. Allen Murray, Jr.

May 1975

Distribution limited to US Government agencies only; Test and
Evaluation; MAY 75. Other requests for this document must be
referred to Director, USA Ballistic Research Laboratories,
ATTN: AMXBR-SS, Aberdeen Proving Ground, Maryland 21005.

DDC
RECEIVED
MAY 30 1975
D

USA BALLISTIC RESEARCH LABORATORIES
ABERDEEN PROVING GROUND, MARYLAND

Destroy this report when it is no longer needed.
Do not return it to the originator.

Secondary distribution of this report by originating
or sponsoring activity is prohibited.

Additional copies of this report may be obtained
from the Defense Documentation Center, Cameron
Station, Alexandria, Virginia 22314.

The findings in this report are not to be construed as
an official Department of the Army position, unless
so designated by other authorized documents.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. JOINT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
BRL Memorandum Report No. 2480		
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
Quasi-Static Compression Stress-Strain Curves---III, 5083-H131 Aluminum		Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(s)
Ralph F. Benck E. Allen Murray, Jr.		
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
US Army Ballistic Research Laboratories Aberdeen Proving Ground, MD 21005		RDT&E Proj. No. 1T161102A33H
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
US Army Materiel Command 5001 Eisenhower Avenue Alexandria, VA 22333		MAY 1975
		13. NUMBER OF PAGES
		20
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)
		Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)		
Distribution limited to US Government agencies only; Test and Evaluation; May 1975. Other requests for this document must be referred to Director, USA Ballistic Research Laboratories, ATTN: AMXBR-SS, Aberdeen Proving Ground, Maryland 21005		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
DDC RECEIVED MAY 30 1975 RECEIVED D		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
armor Young's modulus penetrators stress-strain curves yield strength aluminum alloy Poisson's ratio		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		
This report presents the results of quasi-static compression tests performed at 22°C on 5083-H131 aluminum rod and plate. The yield strength, Poisson's ratio and Young's modulus are reported.		

TABLE OF CONTENTS

	Page
I. INTRODUCTION	5
II. TEST PROCEDURES.	5
III. RESULTS.	5
IV. CONCLUSION	8
DISTRIBUTION LIST.	15

I. INTRODUCTION

The quasi-static compression tests reported herein were conducted as part of the Core Materials Program of the Solid Mechanics Branch of the Terminal Ballistics Laboratory.

This report is the third^{1,2*} in a series characterizing the mechanical behavior of armor and armor penetrators. Such characterization will provide valuable information to designers of armor vehicles and armor penetrators and to those studying kinetics of armor penetration processes.

The present study presents the results of quasi-static compression tests of 5083-H131 aluminum rod and plate. The results consist of yield strength, average stress-strain curves, Poisson's ratio and Young's modulus.

II. TEST PROCEDURES

The apparatus, test procedures, and data reduction regimen used for the testing of the 5083-H131 samples have been reported previously¹. The test specimens were right circular cylinders, 9.5mm in diameter, machined from either a one-inch diameter rod or a one-inch thick plate. The specimens cut from the plate were 24mm long and were oriented such that their long axes were perpendicular to the surface of the plate. The specimens machined from the rod were 28.6mm long and were oriented such that their long axes were parallel to the axis of the rod. Samples of both the rod and plate were sent to Frankford Arsenal for chemical analyses. The rod and plate were not from the same heat of alloy. The temperature for the tests was approximately 22°C.

III. RESULTS

Quasi-static compression tests were performed on 6 rod specimens and 6 plate specimens. The average engineering stress-strain curves from these specimens are presented in Figure 1. The vertical error bands in Figure 1 indicate the + and - standard deviation in the stress.** The tests were terminated upon failure of one of the gages. Table I shows the maximum strains attained prior to gage failure and indicates that the six tests of the plate specimens terminated at approximately the same maximum strain. Therefore, the curve shown in Figure 1 for the plate specimens is the average of six tests. The terminations of the corresponding tests of the rod specimens were

*References are listed on page 12

**Bessel's correction for small samples was applied to the calculation of the standard deviation³.

more variable. Therefore, the number of tests used to derive the average values shown in Figure 1 for the rod specimens was dependent upon the strain, i.e. the average was based on six tests from 0.0 to 5.22 percent strain, four tests from 5.22 to 5.85 percent strain and two tests from 5.85 to 6.56 percent strain.

Figure 2 presents the longitudinal and circumferential stress-strain relationships for one specimen each of the rod and plate. Poisson's ratios calculated from the ratio of these longitudinal and circumferential strains are presented in Figure 3 up to a maximum strain of one percent. Figure 4 shows Poisson's ratio for the rod specimen up to the maximum strain attained (approximately five percent). Poisson's ratios for strains from one to five percent for all the rod and plate specimens were similar to that shown in Figure 4.

Poisson's ratio for the rod and plate is 0.32 in the elastic region, is unstable in the elastic-plastic region, and approaches 0.5 as strain increases.

TABLE I
STRAIN AT TERMINATION OF COMPRESSION TEST

SPECIMEN	ROD %	PLATE %
1	6.56	2.82
2	5.85	3.05
3	5.89	3.33
4	5.22	3.22
5	5.40	3.03
6	8.85	2.92

The average yield strength, Young's modulus, and Poisson's ratio for 5083-H131 aluminum rod and plate are presented in Table II. The values within the parentheses are the standard deviations determined from 6 tests. The yield strength is defined as that stress at which the specimens deviated 0.2 percent from proportionality of stress to strain.

The results of the chemical analyses of the plate and rod are shown in Table III.

TABLE II

MEASURED MATERIAL PROPERTIES
OF 5083-H131 ALUMINUM ALLOY

<u>PROPERTY</u>	<u>ROD</u>	<u>PLATE</u>
Average Yield Strength (megapascals)	273 (6.6)	314 (2.6)
Young's modulus (megapascals)	71.5 (1.0) $\times 10^3$	73.1 (0.3) $\times 10^3$
Poisson's ratio	0.32 (0.004)	0.32 (0.006)
Hardness (Brinell)	80	95

TABLE III

CHEMICAL ANALYSIS* OF ROD AND PLATE SAMPLES
OF 5083-H131 ALUMINUM ALLOY

<u>Element</u>	<u>Weight Percent</u>	
	<u>ROD</u>	<u>PLATE</u>
Copper	<0.1	<0.1
Silicon	0.05/0.15	0.05/0.15
Iron	0.2/0.4	0.2/0.4
Manganese	0.77 $\pm$ 0.02	0.72 $\pm$ 0.02
Zinc	<0.1	<0.1
Magnesium	4.81 $\pm$ 0.05	4.72 $\pm$ 0.05
Titanium	<0.05	<0.1
Others	<0.04	<0.04
Chromium	0.05/0.15	0.05/0.15
Nickel	<0.02	<0.02
Tin	None detected	None detected
Lead	<0.02	<0.02
Aluminum	Remainder	Remainder

*Analysis by Emission Spectroscopy - Frankford Arsenal,
Materials Laboratory, Technical Support Directorate.

CONCLUSION

A series of quasi-static compression tests has been completed on samples of 5083-H131 aluminum rod and plate. The data generated from these tests have been reduced and are in a form readily applicable for users.

It is concluded from the reproducibility shown that the results presented are an accurate partial description of the elastic and plastic properties of 5083-H131 aluminum bar and plate.

ACKNOWLEDGEMENTS

The authors would like to thank Dominick DiBerardo for instrumenting the samples and performing the compression tests.




Figure 1. Average Stress-Strain Curves for Compression Tests of 5083-H131 Aluminum Rod and Plate




Figure 2- Stress Strain Curves for One Specimen Each of 5083-H131 Aluminum Rod and Plate.




Figure 3 - Poisson's Ratio as a Function of Strain Up to a Max. Strain of One Percent
for One Specimen of 5083-H131 Aluminum Rod and Plate.

REFERENCES

1. E. A. Murray, Jr. and J. H. Suckling, BRL-MR 2399, "Quasi-Static Compression Stress-Strain Curves -- I, 1066 Steel", Ballistic Research Laboratories, Aberdeen Proving Ground, MD, January 1974.
2. E. A. Murray, Jr. BRL-MR - in preparation, "Quasi-Static Compression Stress-Strain Curves -- II, 7039 Aluminum", Ballistic Research Laboratories, Aberdeen Proving Ground, MD.
3. M. J. Moroney, Facts From Figures, 1964 Edition, Penguin Books Inc., Baltimore, MD, p. 226.
4. Taylor Lyman, Ed., Metals Handbook, 1948 Edition, The American Society for Metals, Cleveland, Ohio, p. 16.

DISTRIBUTION LIST

<u>No. of</u> <u>Copies</u>	<u>Organization</u>	<u>No. of</u> <u>Copies</u>	<u>Organization</u>
2	Commander Defense Documentation Center ATTN: DDC-TCA Cameron Station Alexandria, VA 22314	1	Director US Army Air Mobility Research and Development Laboratory Ames Research Center Moffett Field, CA 94035
1	Director Defense Advanced Research Projects Agency ATTN: Tech Info 1400 Wilson Boulevard Arlington, VA 22209	2	Commander US Army Electronics Command ATTN: AMSEL-RD AMSEL-HL-CT, S. Crossman Fort Monmouth, NJ 07703
2	Commander US Army Materiel Command ATTN: AMCDMA, Mr. N. Klein Mr. J. Bender 5001 Eisenhower Avenue Alexandria, VA 22333	2	Commander US Army Missile Command ATTN: AMSMI-R AMSMI-RBL Redstone Arsenal, AL 35809
1	Commander US Army Materiel Command ATTN: AMCRD, BG H.A. Griffith 5001 Eisenhower Avenue Alexandria, VA 22333	1	Commander US Army Tank Automotive Command ATTN: AMSTA-RHPL Warren, MI 48090
1	Commander US Army Materiel Command ATTN: AMCRD-T 5001 Eisenhower Avenue Alexandria, VA 22333	2	Commander US Army Mobility Equipment Research & Development Center ATTN: Tech Docu Cen, Bldg. 315 AMSME-RZT Fort Belvoir, VA 22060
1	Commander US Army Materiel Command ATTN: AMCRD-WN-RE, Mr. Corrigan 5001 Eisenhower Avenue Alexandria, VA 22333	1	Commander US Army Armament Command Rock Island, IL 61202
1	Commander US Army Aviation Systems Command ATTN: AMSAV-E 12th and Spruce Streets St. Louis, MO 63166	1	Commander US Army Electronic Proving Ground ATTN: Tech Lib Fort Huachuca, AZ 85613
		1	Commander US Army Watervliet Arsenal ATTN: Dr. F. Schneider Watervliet, NY 12189

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Commander US Army Harry Diamond Labs ATTN: AMXDO-TI 2800 Powder Mill Road Adelphi, MD 20783	1	Director US Army Ballistic Missile Defense Systems Office 1320 Wilson Boulevard Arlington, VA 22209
5	Commander US Army Materials and Mechanics Research Center ATTN: AMXMR-ATL AMXMR-T, J. Bluhm AMXMR-XH, J. Dignam AMXMR-XO, E. Hagge AMXMR-XP, Dr. J. Burke Watertown, MA 02172	1	Director US Army Advanced BMD Technology Center ATTN: CRDABH-5, Mr. W. Loomis P. O. Box 1500 Huntsville, AL 35809
1	Commander US Army Natick Laboratories ATTN: AMXRE, Dr. D. Sieling Natick, MA 01762	1	Commander US Army War College ATTN: Lib Carlisle Barracks, PA 17015
1	Deputy Assistant Secretary of the Army (R&D) Department of the Army Washington, DC 20310	1	Commander US Army Command and General Staff College ATTN: Archives Fort Leavenworth, KS 66027
1	HQDA (DAMA-ARP-P, Dr. Watson) Washington, DC 20310	1	Mathematics Research Center U.S. Army University of Wisconsin Madison, WI 53706
1	HQDA (DAMA-MS) Washington, DC 20310	3	Commander US Naval Air Systems Command ATTN: AIR-604 Washington, DC 20360
1	Commander US Army Research Office (Durham) Box CM, Duke Station Durham, NC 27706	3	Commander US Naval Ordnance Systems Command ATTN: ORD-0632 ORD-035 ORD-5524 Washington, DC 20360
1	Commander US Army Ballistic Missile Defense Systems Command ATTN: SENSC, Mr. Davidson P. O. Box 1500 Huntsville, AL 35804		

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Office of Naval Research Department of the Navy ATTN: Code 402 Washington, DC 20360	1	Director Environmental Science Service Administration U.S. Department of Commerce Boulder, CO 80302
1	Commander US Naval Surface Weapons Center ATTN: Code Gr-9, Dr. W. Soper Dahlgren, VA 22448	1	Director Jet Propulsion Laboratory ATTN: Lib (TDS) 4800 Oak Grove Drive Pasadena, CA 91103
1	Commander and Director US Naval Electronics Lab ATTN: Lib San Diego, CA 92152	1	Director National Aeronautics and Space Administration Manned Spacecraft Center ATTN: Lib Houston, TX 77058
3	Director US Naval Research Laboratory ATTN: Code 5270 Mr. F. MacDonald Code 2020, Tech Lib Code 7786, J. Baker Washington, DC 20360	1	Bell Telephone Laboratories ATTN: Tech Docu Svcs P. O. Box 2008 Ann Arbor, MI 48104
1	AFATL (DLR) Eglin AFB, FL 32542	1	Dupont Experimental Labs ATTN. Mr. J. Lupton Wilmington, DE 19801
1	AFATL (DLRD) Eglin AFB, FL 32542	2	President General Research Corporation ATTN: Lib Arlington, VA 22209
1	AFATL (DLRV) Eglin AFB, FL 32542	7	Sandia Laboratories ATTN: Mr. L. Davison Div 5163 Dr. C. Harness H. J. Sutherland Code 5133 Code 1721 Dr. P. Chen Albuquerque, NM 87115
1	RADC (EMTLD, Lib) Griffiss AFB, NY 13440		
1	AUL (3T-AUL-60-118) Maxwell AFB, AL 36112		
1	AFML (Mr. J. Halpin) Wright-Patterson AFB Ohio 45433		

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
5	Brown University Division of Engineering ATTN: Prof. R. Clifton Prof. H. Kolsky Prof. A. Pipkin Prof. P. Symonds Prof. J. Martin Providence, RI 02192	1	Harvard University Division of Engineering and Applied Physics ATTN: Dr. G. Carrier Cambridge, MA 02138
5	California Institute of Technology Division of Engineering and Applied Science ATTN: Dr. J. Milowitz Dr. E. Sternberg Dr. J. Knowles Dr. T. Coguhey Dr. R. Shield Pasadena, CA 91102	2	Iowa State University Engineering Research Lab ATTN: Dr. G. Nariboli Dr. A. Sedov Ames, IA 50010
4	Carnegie Mellon University Department of Mathematics ATTN: Dr. D. Owen Dr. M. E. Gurtin Dr. B. Coleman Dr. W. Williams Pittsburg, PA 15213	5	The Johns Hopkins University ATTN: Dr. J. Ericksen Dr. J. Bell Dr. R. Green Dr. C. Truesdell Dr. R. Pond 34th and Charles Streets Baltimore, MD 21218
2	Catholic University of America School of Engineering and Architecture ATTN: Prof. A. Durelli Prof. J. McCoy Washington, DC 20017	3	Lehigh University Center for the Application of Mathematics ATTN: Dr. E. Varley Dr. R. Rivlin Prof. M. Mortell Bethlehem, PA 18015
4	Cornell University Department of Theoretical Applied Mechanics ATTN: Prof. E. Cranch Prof. G. Ludford Prof. D. Robinson Prof. Y-H Pao Ithaca, NY 14850	1	Massachusetts Institute of Technology ATTN: Dr. R. Probstein 77 Massachusetts Avenue Cambridge, MA 02139
		1	Michigan State University College of Engineering ATTN: Prof. W. Sharpe East Lansing, MI 48823
		1	New York University Department of Mathematics ATTN: Dr. J. Keller University Heights New York, NY 10053

DISTRIBUTION LIST

<u>No. of</u> <u>Copies</u>	<u>Organization</u>	<u>No. of</u> <u>Copies</u>	<u>Organization</u>
1	North Carolina State University Department of Engineering Mechanics ATTN: Dr. W. Bingham P. O. Box 5071 Raleigh, NC 27607	1	Stanford Research Institute Poulter Laboratory 333 Ravenswood Avenue Menlo Park, CA 94025
2	Pennsylvania State University Engineering Mechanical Dept ATTN: Prof. Juanzemis Prof. N. Davids University Park, PA 16802	1	Stanford University ATTN: Dr. E. H. Lee Stanford, CA 94305
2	Forrestal Research Center Aeronautical Engineering Lab Princeton University ATTN: Dr. S. Lam Dr. A. Eringen Princeton, NJ 08540	1	Tulane University Dept of Mechanical Engineering ATTN: Dr. S. Cowin New Orleans, LA 70112
1	Purdue University Institute for Mathematical Sciences ATTN: Dr. E. Cumberbatch Lafayette, IN 47907	2	University of California ATTN: Dr. M. Carroll Dr. P. Naghdi Berkeley, CA 94704
2	Rice University ATTN: Dr. R. Bowen Dr. C. C. Wang P. O. Box 1892 Houston, TX 77001	1	University of California Dept of Aerospace and Mechanical Engineering Sciences ATTN: Dr. Y. C. Fung P. O. Box 109 La Jolla, CA 92037
1	Southern Methodist University Solid Mechanics Division ATTN: Prof. H. Watson Dallas, TX 75221	1	University of California Department of Mechanics ATTN: Dr. R. Stern 504 Hilgard Avenue Los Angeles, CA 90024
2	Southwest Research Institute Department of Mechanical Sciences ATTN: Dr. U. Lindholm Dr. W. Baker 8500 Culebra Road San Antonio, TX 78228	1	University of Delaware Department of Mechanical Engineering ATTN: Prof. J. Vinson Newark, DE 19711
		3	University of Florida Dept of Engineering Science and Mechanics ATTN: Dr. C. A. Sciammarilla Dr. L. Malvern Dr. E. Walsh Gainesville, FL 32601

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
2	University of Houston Department of Mechanical Engineering ATTN: Dr. T. Wheeler Dr. R. Nachlinger Houston, TX 77004	1	University of Notre Dame Department of Metallurgical Engineering and Materials Sciences ATTN: Dr. N. Fiore Notre Dame, IN 46556
1	University of Illinois Dept of Theoretical and Applied Mechanics ATTN: Dr. D. Carlson Urbana, IL 61801	1	University of Pennsylvania Towne School of Civil and Mechanical Engineering ATTN: Prof. Z. Hashin Philadelphia, PA 19105
2	University of Illinois at Chicago Circle College of Engineering Dept of Materials Engineering ATTN: Prof. A. Schulta D. T. C. T. Ting P. O. Box 4348 Chicago, IL 60680	4	University of Texas Department of Engineering Mechanics ATTN: Prof. H. Calvit Dr. M. Stern Dr. M. Bedford Prof. Ripperger Austin, TX 78712
1	University of Iowa ATTN: Dr. K. Valanis Iowa City, IA 50010	1	University of Washington Department of Mechanical Engineering ATTN: Prof. J. Chalupnik Seattle, WA 98105
4	University of Kentucky Dept of Engineering Mechanics ATTN: Dr. M. Beatty Prof. O. Dillon, Jr. Prof. P. Gillis Dr. D. Leigh Lexington, KY 40506	2	Yale University ATTN: Dr. B. Chu Dr. E. Onat 400 Temple Street New Haven, CT 96520
2	The University of Maryland Department of Mechanical Engineering ATTN: Prof. J. Yang Dr. J. Dally College Park, MD 20742		<u>Aberdeen Proving Ground</u> Marine Corps Ln Ofc Dir, USAMSAA
1	University of Minnesota Dept of Engineering Mechanics ATTN: Dr. R. Fosdick Minneapolis, MN 55455		