

UNCLASSIFIED

AD NUMBER
ADB209063
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to DoD only; Specific Authority; 11 Apr 96. Other requests shall be referred to Commander, Army Medical Research and Materiel Command, Attn: MCMR-RMI-S, Fort Detrick, Frederick, MD 21702-5012.
AUTHORITY
USAMRMC ltr dtd 21 Apr 97

THIS PAGE IS UNCLASSIFIED

AD _____

GRANT NUMBER: DAMD17-95-1-5063

TITLE: Symposium on Human Health and Global Climate Change

PRINCIPAL INVESTIGATOR: Valerie Setlow, Ph.D.

CONTRACTING ORGANIZATION: National Academy of Sciences
Washington, DC 20418

REPORT DATE: March 1996

TYPE OF REPORT: Final Proceedings

PREPARED FOR: Commander
U.S. Army Medical Research and Materiel Command
Fort Detrick, Frederick, MD 21702-5012

DISTRIBUTION STATEMENT: Distribution authorized to DOD only
(Specific Authority, 11 Apr 96). Other requests for this
document shall be referred to Commander, U.S. Army Medical
Research and Materiel Command, ATTN: MCMR-RMI-S, Fort Detrick,
Frederick, MD 21702-5012.

The views, opinions and/or findings contained in this report are
those of the author(s) and should not be construed as an official
Department of the Army position, policy or decision unless so
designated by other documentation.

19960422 100

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE March 1996	3. REPORT TYPE AND DATES COVERED Final Proceedings (1 Sep 95-1 Feb 96)		
4. TITLE AND SUBTITLE Symposium on Human Health and Global Climate Change		5. FUNDING NUMBERS DAMD17-95-1-5063		
6. AUTHOR(S) Valerie Setlow, Ph.D.				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) National Academy of Sciences Washington, DC 20418		8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Commander U.S. Army Medical Research and Materiel Command Fort Detrick, MD 21702-5012		10. SPONSORING/MONITORING AGENCY REPORT NUMBER		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Distribution authorized to DOD only (Specific Authority, 11 Apr 96). Other requests for this document shall be referred to Commander, U.S. Army Medical Research and Materiel Command, ATTN: MCMR-RMI-S, Fort Detrick, Frederick, MD 21702-5012.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200)				
14. SUBJECT TERMS Vector-Borne Infectious Diseases, Non-Vector, Heat Stress, Skin Cancer, Cataracts, Immune Suppression, Food Production, Nutritional Health, Water Quality, Air Pollution			15. NUMBER OF PAGES 70	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Limited	

Conference on Human Health and Global Climate Change

Summary of the Proceedings

National Science and Technology Council
and the
Institute of Medicine/National Academy of Sciences

Written by Paul B. Phelps for the Institute of Medicine

Valerie Setlow and Andrew Pope, *Editors*

NATIONAL ACADEMY PRESS
Washington, D.C. 1996

NATIONAL ACADEMY PRESS • 2101 Constitution Avenue, N.W. • Washington, DC 20418

NOTICE: The conference that is the subject of this summary was approved by the Governing Board of the National Research Council, whose members are drawn from the councils of the National Academy of Sciences, the National Academy of Engineering, and the Institute of Medicine.

This report has been reviewed by a group other than the authors according to procedures approved by a Report Review Committee consisting of members of the National Academy of Sciences, the National Academy of Engineering, and the Institute of Medicine.

The Institute of Medicine was chartered in 1970 by the National Academy of Sciences to enlist distinguished members of the appropriate professions in the examination of policy matters pertaining to the health of the public. In this, the Institute acts under both the Academy's 1863 congressional charter responsibility to be an adviser to the federal government and its own initiative, to identify issues of medical care, research, and education. Dr. Kenneth I. Shine is president of the Institute of Medicine.

This summary was prepared by Paul Phelps for the Institute of Medicine. It summarizes the presentations and discussions that occurred during a 2-day conference (September 11–12, 1995) that was organized and conducted in a collaborative effort between the Institute of Medicine, the National Academy of Sciences, and the National Science and Technology Council (NSTC), with support from several member agencies of the NSTC. The views summarized in this report are those of the conference participants and do not represent the views of the NSTC or the Institute of Medicine and National Academy of Sciences. This summary was reviewed for accuracy by the chairs of the individual sessions of the conference and by the chairs of the breakout group panels.

Funding for the conference was provided by the National Academy of Sciences, the Office of Science and Technology Policy, the National Science Foundation, the National Aeronautics and Space Administration, the National Oceanic and Atmospheric Administration, the Environmental Protection Agency, the Department of Defense, the National Institutes of Health's Fogarty International Center and the National Institute of Environmental Health Sciences, the Department of Agriculture, the Centers for Disease Control and Prevention, the Agency for International Development, and the Department of Energy.

Additional copies of this report are available in limited quantities from:

Division of Health Sciences Policy
Institute of Medicine
2101 Constitution Avenue, N.W.
Washington, DC 20418

Copyright 1996 by the National Academy of Sciences. All rights reserved.

Printed in the United States of America

The serpent has been a symbol of long life, healing, and knowledge among almost all cultures and religions since the beginning of recorded history. The image adopted as a logotype by the Institute of Medicine is based on a relief carving from ancient Greece, now held by the Staatliches Museum in Berlin.

Acknowledgments

The Conference on Human Health and Global Climate Change that is the subject of this summary was the product of a collaborative effort between the Institute of Medicine, the National Science and Technology Council (NSTC), and the National Research Council's Board on Atmospheric Sciences and Climate, Board on Sustainable Development, and Polar Research Board. It would not have been possible without the concerted efforts and contributions of many individuals and organizations. The conference planners and organizers are listed in Appendix B, including the NSTC Working Group, the sponsoring agencies, the IOM/NAS Steering Committee, and the responsible staff. The conference speakers, background paper authors, and session chairs deserve special recognition and thanks for their efforts and are listed in Appendix C. The approximately 300 conference participants were an important part of this activity, especially in stimulating discussion, providing ideas, and developing the strategies that were the products of the individual working group panels. These individuals are included in the list of conference registrants in Appendix C.

Of particular note, Eric Chivian, Bob Shope, and Mary Wilson are acknowledged for their contribution in both raising and discussing these issues with Vice President Albert Gore, Jr., in the formative stages of the conference's development and for their participation in the conference itself. We also would like to acknowledge Vice President Gore for his initiative in requesting that this conference take place, and for his contribution as a participant and speaker.

Contents

EXECUTIVE SUMMARY	1
BACKGROUND AND OVERVIEW	2
Greenhouse Warming, 5	
Ozone Depletion, 6	
POTENTIAL HUMAN HEALTH EFFECTS OF GLOBAL CLIMATE CHANGE.....	7
Infectious Disease, 8	
Vector-Borne Infectious Diseases, 8	
Non-Vector-Borne Infectious Diseases, 9	
Direct Effects, 9	
Heat Stress, 9	
Skin Cancer, Cataracts, and Immune Suppression, 12	
Indirect Effects, 13	
Food Production and Nutritional Health, 13	
Fresh Water Quality and Quantity, 13	
Air Pollution and Allergens, 13	
Weather Disasters and Rising Sea Level, 14	
Social and Demographic Dislocations, 14	
POLICY IMPLICATIONS.....	15
Panel Reports, 15	
Global Surveillance and Response, 16	
Disease Prevention, 17	
Education for the Medical and Public Health Communities, 19	
International Cooperation, 22	

CONTENTS

Research and Development Needs, 23
Public Outreach and Risk Communication, 24

SUMMARY OF PRIORITIES AND STRATEGIES 26

REFERENCES AND FURTHER READING 28

APPENDIXES

- A National Science and Technology Council (NSTC) Sponsoring Members, Interagency Working Group, Institute of Medicine (IOM) Steering Committee, and Staff, 30
- B Conference Agenda, 34
- C Speakers, Authors, Chairs, and Conference Registrants, 40
- D Abstracts of Conference Presentations, 56

Conference on Human Health and Global Climate Change: Summary of the Proceedings

EXECUTIVE SUMMARY

Observed changes in the Earth's climate over the past 100 years appear to be consistent with theoretical models of greenhouse warming, according to the participants in a recent scientific conference on Human Health and Global Climate Change, cosponsored by the National Science and Technology Council (NSTC) and the Institute of Medicine (IOM).¹ These models suggest that, without major changes in environmental policy, we could expect to see even greater changes in global climate over the next 100 years. These changes could produce alterations both in physical systems (e.g., higher temperatures, heavier rainfall, and rising sea level) and in ecosystems (e.g., forests, agriculture, marine ecologies, and the habitats of various insects and animals). In addition to the global changes associated with greenhouse warming, a continuing depletion of stratospheric ozone would increase the amount of ultraviolet radiation that reaches the Earth's surface, causing increased rates of skin cancer, cataracts, and immune suppression.

The focus of concern to the conference participants was the substantial risks to human health, including both direct risks (e.g., death in heat waves or floods, skin cancer) and indirect risks (e.g., changes in food production or the distribution and incidence of vector-borne diseases) that are believed to be associated with changes in global climate. The indirect risks appear to be the most difficult to cope with, particularly those posed by emerging and reemerging infectious diseases such as cholera, malaria, dengue fever, and Hantavirus. These risks are of particular concern in regions and populations that are already vulnerable due to crowding, malnutrition, poor sanitation, and political or economic instability.

The general agreement that emerged during the conference was that changes in the global climate could pose significant risks to human health. Much remains to be done to clarify the exact linkages between human activities, global climate change, and human health, but the lack of complete data should not be used as an excuse for inaction. Instead, the precautionary principle should apply: If the risk to public health is great, even if there is uncertainty, both policy and action should be biased in favor of precaution.

In discussing the policy implications of global climate change for human health in the United States and the international community, participants identified a number of actions that should be

¹The conference was held at the National Academy of Sciences on September 11–12, 1995, and was attended by more than 300 people (see Appendix C).

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

taken, including (a) the creation of a global surveillance and response network; (b) increased coordination among nations and scientific disciplines; (c) multidisciplinary research on the links between global climate change and human health; (d) improved environmental health training for health professionals; and (e) an outreach program to inform and educate the public about the effects of global climate change on human health. In the face of current fiscal constraints, these efforts must be based on identifying and linking together existing activities, facilities, organizations, and funding agencies.

BACKGROUND AND OVERVIEW

In October 1994, following a meeting with concerned scientists and medical experts (Eric Chivian, Bob Shope, and Mary Wilson), Vice President Gore asked the Office of Science and Technology Policy (OSTP) and the Council on Environmental Quality (CEQ) to organize a conference on the potential human health risks posed by global climate change, and strategies to address them—such as global health surveillance, public outreach, and education. Members of the NSTC, OSTP and CEQ formed a working group to develop a preliminary agenda for the conference and later requested that the IOM join in planning, organizing, and conducting the conference. (Appendix A presents a list of the sponsoring agencies, the IOM steering committee, and conference organizing staff.)

The purpose of the conference was twofold:

1. To bring together a diverse, interdisciplinary group of experts to address the potential effects of global climate change and ozone depletion on the current and future incidence of disease, heat stress, food and water supplies, and air pollution; and
2. To discuss initial strategies for improving research and development (R&D), global health surveillance systems, health care and disease prevention, medical and public health community education, international cooperation, and public outreach.

It is important to note that the focus of the conference was human health. Presenting evidence of whether or not global climate change is, has, or will occur, was not the primary focus. Participants were asked rather to work within an "if/then" type of scientific exercise: If global climate change occurs, what are the potential adverse human health effects and what strategies should be developed to address them?

The first day of the two-day conference was filled with scientific presentations and a plenary discussion on the current state of knowledge about global climate change and its potential risks for human health (see the agenda, Appendix B), including a presentation by Vice President Gore (see Box 1). On the second day, participants discussed health policy implications and potential intervention strategies in a series of panels. Each panel's findings were presented and discussed by the conference participants in a final plenary session. Approximately 300 scientists, health care providers, policymakers, academicians, federal and state officials, industry representatives, and others attended the conference and participated in developing the strategies (see Appendix C).

BOX 1 The Interplay of Climate Change, Ozone Depletion, and Human Health
Excerpts from Vice President Al Gore's remarks at the Conference on Human Health and Global Climate Change, September 11, 1995

... I've spoken before about the radical changes that have occurred in our environment just in my lifetime. As is often the case, when a fundamental change takes place, one can't point to a single causal factor to explain it. In this case, I've come to believe that this radical change in the relationship between civilization and the Earth has come about because of the confluence of three factors at the same time, the first being the population explosion, which is now adding the equivalent of one China's worth of people every ten years. The second change is the scientific and technological revolution, which has dramatically magnified the average impact that each of the billions of people on Earth can potentially have on the Earth's environment. And the third factor, the most subtle in some ways but the most important in other ways... there has been a change in thinking about our duty to consider the future consequences of our present actions and a sometimes willful assertion that we can't possibly have any meaningful impact on the Earth's environment, therefore we shouldn't think about it much less worry about it or study it in detail. Together, these three elements have combined to produce what scientists, what some of you would call a discontinuity: a fundamental change in the relationship between human civilization and the earth.

There is a scientific consensus on the most salient issues, a revisionist few notwithstanding: we know that human activities are causing the atmospheric concentrations of greenhouse gases to increase dramatically in the atmosphere. Carbon dioxide has increased nearly 30% since the industrial revolution, methane has more than doubled, and nitrous oxide has gone up by 15%. We also know that the current trends are leading to an even more rapid accumulation of greenhouse gases and that, as this trend continues, the concentration of greenhouse gases will continue to mount. Now in addition to the greenhouse gases, human activities have increased the atmospheric concentrations of sulfate aerosols -- the key ingredient in acid rain -- especially over industrialized areas in the Northern Hemisphere. In just the last century, the Earth's temperature has risen by about a half a degree Centigrade or one degree Fahrenheit. The nine warmest years this century have all occurred since 1980. There are plenty of other measures -- from the tree-ring record to the record in land-based glaciers -- that all demonstrate that the current period is by far the hottest that we have been able to measure. And the evidence is getting ever stronger that this warming now under way is not due to natural variability, but to human activities.

The real question is: "What will happen in the future?" Without climate change policies that limit global emissions of greenhouse gases, there is no doubt that the Earth's climate will change. It's not a question of will it change, it is a question of when, by how much, and where. The question of when is now being answered. It has already begun to change significantly. And the best evidence is consistent with a prediction that, in the lifetimes of people now living, we will commit the world to an increase of up to 3 and 4 degrees Centigrade -- up to 8 degrees Fahrenheit. The scientists warn us that change is coming.

How will global warming affect us? There are clearly profound implications at the regional level for food security, water supplies, natural ecosystems, loss of land due to sea level rise, and human health. A temperature increase of 2 to 8 degrees Fahrenheit is projected to double heat-related deaths in New York City, and triple the number of deaths in

Chicago, L.A. and Montreal. And an increase of 8 degrees Fahrenheit may be correlated with an increase in the heat/humidity index of 12 to 15 degrees. The very young, the elderly, and the poor will be the ones most at risk. So will those with chronic cardiovascular and respiratory diseases. The past summer's stunning number of deaths in Chicago -- a reported over 500 in just a few days -- make these hypotheses all too real.

Changing temperatures and rainfall patterns are predicted to also increase the spread of infectious diseases. Insects that carry disease organisms may now move to areas that were once too cold for them to survive. These new breeding sites and higher temperatures may also speed reproduction. Diseases we had hoped were just a memory in this country are suddenly a renewed threat. Cholera is resurgent in our hemisphere. After years of being contained in much of the world, Dengue Fever has returned to countries that had not seen the disease in 50 years. Malaria, too, is a global concern, and some of the new strains are more troubling than any that have been seen. Malaria already infects several hundred million people each year -- mainly in the Tropics. But this July, for the first time in 40 years, more than 100 people contracted malaria in a Russian city. And besides the return of old diseases, there are new ones to the U.S. scene, such as the hantavirus in the Southwest.

But, unfortunately, ignoring the news does not make it better. Closing your eyes to a problem doesn't make it vanish. You can't simply wish ozone holes away. So it astounds me, in light of all the data that has been collected over the years, that some are once again challenging the fact that there is ozone depletion. And what's even more amazing is that some people are listening. Ladies and gentlemen, we have an extraordinary international consensus: we have thousands and thousands of atmospheric measurements linking manmade CFCs to global ozone depletion.

We all know that depletion of the ozone layer increases the amount of UV-B radiation that reaches the Earth. And so now we have to confront the fact that the observed depletion of ozone of 5-10% in summertime, when people are outdoors a lot, will increase non-melanoma skin cancer in fair-skinned populations by about 10-20%.

In addition, there will be an increase in the incidence of cataracts and other eye lesions, and cataracts are already the third largest cause of preventable blindness in the U.S. These numbers would be much higher yet were it not for the success of the Montreal Protocol. We must not forget though, that even with that world-wide action, it will be until the middle of the next century before the ozone layer recovers.

Well, for the past 25 years, the United States has been committed to the bipartisan effort to protect the environment... President Clinton has... fought to make sure that the United States is at the forefront of a global environmental movement. We're striving to return greenhouse gas emissions to 1990 levels by the year 2000. We're striving to convince others to make as much progress as is possible. We're engaged in international negotiations to address this global problem. We're helping to develop treaties not only for the protection of our own nation, but for the health and welfare of the world community of which we are a part. We know that science is essential to our understanding of global problems.

Ladies and gentlemen, the role of the scientific community in articulating clearly the best accepted understanding of what we know and what we can say with sufficient confidence to enable the American people to take prudent measures to safeguard our future is absolutely critical.

GREENHOUSE WARMING

Without the naturally occurring "greenhouse effect," Earth would be too cold to sustain life as we know it. The greenhouse effect results from water vapor, carbon dioxide, and other trace gases in the atmosphere that trap solar heat as it is reradiated from the Earth's surface. The net effect is to keep the planet about 33°C (60°F) warmer than it would be otherwise. In the past century, however, human activities have added substantially to this effect by releasing additional greenhouse gases into the atmosphere, primarily through combustion of fossil fuels. Carbon dioxide concentrations have increased nearly 30 percent, nitrous oxide about 15 percent, and methane approximately 100 percent. The principal source of the emissions that produce the atmospheric concentrations has been the burning of fossil fuels (coal, oil, and gas), although agriculture and deforestation contribute a share.

There is a growing consensus in the scientific community that the increase in greenhouse gases has contributed to a warming of the earth's surface by between 0.3° and 0.6°C (0.5° and 1.1°F), on average, over the past 100 years (see Figure 1). In some regions, particularly in the industrialized areas of the Northern Hemisphere, this warming has been masked by increased concentrations of air pollutants such as sulfate aerosols, which reflect solar radiation (and thus serve to counter-balance, in part, the warming that might be seen otherwise). Nevertheless, the nine warmest years in this century have occurred since 1980, and there is considerable evidence to support this warming trend (see "References and Further Reading," p. 28): decreases in Northern Hemisphere snow cover and Arctic sea ice, the retreat of glaciers in all of the world's mountain ranges, and a measurable rise in average sea level—10 to 25 centimeters (4 to 10 inches) over the past 100 years—mainly due to thermal expansion of water.

While emissions of greenhouse gases will certainly continue in the future, the exact amounts will depend on population growth, economic development, energy technologies, and policy variables. Nevertheless, according to the participants, it seems reasonable to expect that global emissions of carbon dioxide will rise in the short term from the current level of approximately 6 billion tons of carbon per year, to between 8 billion and 15 billion tons per year in 2025, and could range from 5 billion to 36 billion tons per year by 2100. This would mean that atmospheric concentrations of carbon dioxide—which were 200 parts per million (ppm) during the last ice age and about 280 ppm in preindustrial times—could rise from today's 350 ppm to anywhere from 500 to 900 ppm by 2100.

The scientific community has growing confidence in the ability of computerized general circulation models to predict the climate impacts of such changes in greenhouse gases. These models, which provide an increasingly good fit between theory and observation of past global climate changes, indicate that, in a world with approximately twice the current concentration of carbon dioxide, the global mean temperature will increase by 1° to 4°C (2° to 7°F), with significant regional variations (e.g., somewhat less warming in the Northern Hemisphere due to air pollution). Average evaporation will also increase, and hence average precipitation, again with regional variations (more rain in some places, especially in winter, less rain in others, especially in summer). Sea level will rise by another 15 to 90 centimeters (6 to 35 inches) over the next 100 years.

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

Participants noted that the impact of such changes on natural and human systems will be mixed. Increased carbon dioxide concentrations would have a "fertilizer" effect for some plants, but not for others, leading to changes in natural plant communities and ripple effects on animal species. Overall, the balance would probably be tilted in favor of "weedy" species—those with higher rates of reproduction and dispersal—to the detriment of biological diversity. Tropical forest communities will be affected, and there will probably be some die-off in boreal forests as well. Temperature-related changes in the oceans will affect the world's coral reefs and ocean fisheries. Global agricultural production may be unchanged, although increased production in northern latitudes might be offset by decreases in tropical regions where many populations are already malnourished. Coastal populations may be dislocated by changes in sea level, and there will likely be increased numbers of other "ecological refugees" as well.

Ozone Depletion

A thin layer of ozone high in the atmosphere (the stratosphere) protects life on earth, shielding the surface by absorbing much of the ultraviolet radiation from the sun. However, surface ozone (in the lower atmosphere or troposphere) is a major component of urban smog and can also serve as a

FIGURE 1. Variations in average global temperature over the past 20,000 years and predictions for the next century. (McMichael, 1993)

SUMMARY OF THE PROCEEDINGS

greenhouse gas; the protective ozone layer resides some 10 to 40 kilometers, or 6 to 25 miles, above the Earth's surface. Solar energy recombines diatomic oxygen (O_2) into triatomic ozone (O_3); these molecules are broken down to O_2 by naturally occurring compounds containing nitrogen, hydrogen, and chlorine; and the cycle begins again. In the past 50 years human activities have added millions of tons of ozone-depleting chemicals to the atmosphere, primarily through the widespread use of chlorofluorocarbons (CFCs) in refrigerators, spray cans, foam insulation, and cleaning compounds.

In theory, these ozone-depleting chemicals rise up in the atmosphere and destroy the ozone layer faster than it is naturally restored. Indeed, in 1985, researchers reported dramatic declines in ozone concentrations over Antarctica during the southern spring. This seasonal "hole" in the ozone shield has grown larger and appeared earlier in subsequent years. Many other factors might contribute to these findings, including sunspot cycles and the isolation and extreme cold of the Antarctic weather system, but CFCs and other ozone-depleting compounds were clearly implicated.²

More recent measurements have confirmed that ozone depletion is in fact a global phenomenon, although it is less acute in the tropics and more pronounced toward the poles, particularly in the Southern Hemisphere. At present there is a 5 to 7 percent ozone depletion over the United States during the summer, when people are most likely to be outdoors; about 11 percent over southern temperate areas; and more than 50 percent over Antarctica. Every 1 percent decrease in ozone can lead to a 2 percent increase in nonmelanoma skin cancer. This phenomenon is expected to continue for the next decades, despite international efforts to ban CFCs and to phase out other ozone-destroying compounds. Peak ozone depletion will occur around the turn of the century; recovery is expected to occur over the following 50-year period.

POTENTIAL HUMAN HEALTH EFFECTS OF GLOBAL CLIMATE CHANGE

Conference participants noted that the anticipated human health risks caused by global climate change will not be localized; instead, they will occur on a large scale, impinging on entire populations. In addition to increasing the familiar, direct effects of climate (i.e., extreme weather events such as heatwaves and floods), global change will also involve a variety of indirect risks arising from the disturbance of natural systems (e.g., the ecology of infectious diseases, food production, and fresh water supplies). Forecasting these risks is a complex, uncertain task, and encompasses a long time horizon. (Box 2 summarizes a pair of presentations on El Niño as an analogue for long-term global climate change.)

The health effects of global climate change span a continuum from direct to indirect, as shown in Figure 3. In the long run, the indirect effects of disturbing natural systems may have greater cumulative impacts on human health, and most of those impacts will be adverse. As summarized in the most recent assessment of the United Nations Intergovernmental Panel on Climate Change (IPCC, 1995) and by various speakers during the first day of the conference, the most likely and most serious health risks and health effects of global climate change and ozone depletion would be adverse changes in the following:

²The 1995 Nobel Prize for Chemistry was awarded to Molina and Rowland for this research.

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

- heat stress;
- skin cancer, cataracts, and immune suppression;
- vector-borne infectious diseases;
- non-vector-borne infectious diseases;
- food production and nutritional health;
- water quality and quantity;
- air pollution and allergens;
- weather disasters and rising sea level; and
- social and demographic dislocations.

Infectious Disease

Climate influences the distribution, frequency, types, and severity of infectious diseases in humans. The interaction between climate and infectious diseases derives from the impact of climate on infectious organisms (such as bacteria and viruses), on the human host, and on vectors and reservoir hosts and their ecosystems. Climate change can increase the probability of contact between humans and infectious organisms.

Vector-Borne Infectious Diseases

Temperature and rainfall influence the abundance and distribution of insect vectors and animals—one source of infectious diseases in humans. Global climate change is likely to affect the geographic distribution of animals and insects and could expand transmission of infectious diseases carried by mosquitoes (e.g., malaria, dengue, and yellow fever) and other vectors, such as ticks, sandflies, and fleas. Altered distributions of vectors are likely to involve expansion of vector-borne diseases into new geographic areas and populations and disappearance from other areas. For a vector-borne disease to persist in an area, climatic conditions must support a complex interaction that may involve plants, animals, insects and human activities.

Extreme events, such as flooding and hurricanes, that lead to displacement of populations into crowded, temporary shelters, or movement into previously uncleared lands, could also contribute to an increase in vector-borne infections.

Vector-borne diseases are already a major cause of illness and death in tropical countries, where 2.4 billion people are at risk from malaria and 1.8 billion from dengue fever (see Table 1). The numbers of people at risk from these and other diseases will increase with warmer temperatures and humidity, particularly because these changes are occurring simultaneously with changes in human behavior that increase the dangers of infectious disease—most notably international travel, population growth, rapid urbanization, poor sanitation, and changes in land-use patterns that increase habitat or bring humans in contact with insect or rodent vectors. Climate-related migrations could also contribute to the dissemination of previously localized diseases. Several vector-borne diseases have been increasing rapidly in recent years, including some that were previously considered to be under control, such as dengue fever and malaria. Strong support for public health programs both domestically and internationally would help to reduce this risk.

SUMMARY OF THE PROCEEDINGS

Non-Vector-Borne Infectious Diseases

Changes in water temperature and the resulting proliferation of aquatic microorganisms would tend to increase the range and severity of cholera and other food- and water-related diseases that can cause epidemics of diarrhea and dysentery. Cholera epidemics are typically associated with seacoasts and rivers, for instance, where the cholera organism, *Vibrio cholerae*, survives by sheltering under the mucous coating of tiny invertebrates called copepods. These hosts, in turn, respond both to water temperature and to nutrients (fertilizer, wastewater) in stream runoff. Researchers are currently evaluating the connection between water temperature, coastal currents, algal blooms, and subsequent outbreaks of cholera like those in Peru in 1991 and Bangladesh in 1992.

Higher temperatures contribute to faster reproduction by disease organisms. Rates of genetic mutation also increase in times of stress. Furthermore, disease-causing organisms are remarkably resilient and can respond rapidly to changes in the physicochemical environment. Climatic and other environmental changes are contributing to the selection and emergence of genetic strains that are resistant to drugs and other controls.

Direct Effects on Human Health

Heat Stress

An increase in average temperature would probably be accompanied by an increase in the number and severity of extreme heatwaves in some areas. This would cause an increase in illness and death, particularly among the young, the elderly, the frail, and the ill, especially in large urban areas. Climate change would exacerbate an already large urban heat island effect that exists in many large cities. In fact, heat-related mortality may prove to be the largest direct health threat from global climate change. The deaths of 708 people that were attributed to a heatwave in Chicago in the summer of 1995 may be an extreme example, but it serves as a possible indicator of what might occur if climate change scenarios are correct.

Mid-latitude cities that experience irregular, but intense, heatwaves appear to be most susceptible—cities like St. Louis, Washington, D.C., and New York. Tropical and subtropical cities seem to be less susceptible, in part because populations have acclimatized to the regularity of hot weather (although a 1995 incident in New Delhi indicates the susceptibility of tropical populations as well). People in mid-latitude cities might also acclimatize, and air conditioning can mitigate perhaps 25 percent of heat-related mortality (while also requiring increased energy and refrigerant use, thereby increasing greenhouse gas emissions). In addition, summer mortality increases might be partially offset by declines in winter mortality. However, much of the research points to a substantial increase in weather-related mortality under climate change conditions. Despite these uncertainties, there is a clear need to develop an adequate warning system to alert the public and government agencies when oppressive air masses are expected—extended periods of extreme high temperature, light winds, high humidity, and intense solar radiation.

TABLE 1 Major Tropical Vector-Borne Diseases and the Likelihood of Change of Their Distribution with Climate Change

Disease	Vector	Population at Risk (million) ^a	No. of People Currently Infected or New Cases per Year	Present Distribution	Likelihood of Altered Distribution with Climate Change
Malaria	Mosquito	2,400 ^b	300–500 million	Tropics/Subtropics	+++
Schistosomiasis	Water Snail	600	200 million	Tropics/Subtropics	++
Lymphatic Filariasis	Mosquito	1,094 ^c	117 million	Tropics/Subtropics	+
African Trypanosomiasis (Sleeping Sickness)	Tsetse Fly	55 ^d	250,000–300,000 cases/yr	Tropical Africa	+
Dracunculiasis (Guinea Worm)	Crustacean (Copepod)	100 ^e	100,000/yr	South Asia/Arabian Peninsula/Central-West Africa	?
Leishmaniasis	Phlebotomine Sand Fly	350	12 million infected, 500,000 new cases/yr ^f	Asia/Southern Europe/Africa/Americas	+
Onchocerciasis (River Blindness)	Black Fly	123	17.5 million	Africa/Latin America	++
American Trypanosomiasis Bug (Chagas' disease)	Triatomine	100 ^g	18 million	Central and South America	+
Dengue	Mosquito	1,800	10–30 million/yr	All Tropical Countries	++
Yellow Fever	Mosquito	450	<5,000 cases/yr	Tropical South America and Africa	++

NOTE: + = likely, ++ = very likely, +++ = highly likely, and ? = unknown.

^aTop three entries are population-prorated projections, based on 1989 estimates. ^b WHO, 1995. ^c Michael and Bundy, 1995.

^d WHO, 1994a. ^e Ranque, personal communication. ^f Annual incidence of visceral leishmaniasis; annual incidence of cutaneous leishmaniasis is 1 million–1.5 million cases/yr (PAHO, 1994). ^g WHO, 1995c.

SOURCE: IPCC, 1995.

BOX 2. El Niño: Analogue for Long-Term Global Climate Change?

J. Michael Hall

*Director, Office of Global Programs, National Oceanic and Atmospheric
Administration*

and

Paul Epstein

Harvard Medical School

The El Niño southern oscillation (ENSO) may represent an analogue not only for larger-scale global climate change and its consequences, but also for the steps that might be taken to monitor and respond to global climate changes that threaten human health. Prevailing winds in the tropics create a pool of warm water in the western Pacific Ocean, a region that drives much of the atmospheric heating that controls the world's weather. Periodically, however, the trade winds relax or even reverse themselves, releasing this pool of warm water and setting in motion changes in water temperature, sea level, and coastal currents off South America that—because they happen around Christmas—are known by the name of "El Niño." This oscillation in atmospheric and ocean conditions, which normally happens every 3 to 7 years, causes not only the collapse of ocean fisheries in the eastern Pacific, but also characteristic changes in the weather in other regions, including drought in northeastern Brazil and increased precipitation in the southeastern United States (see Figure 2).

The international scientific community has linked a huge network of ocean buoys and remote-sensing satellites to observe and study the dynamics of the ENSO phenomenon. Interdisciplinary research and analysis have led to the creation of multisector models that can predict the occurrence and effects of these changes. The ENSO forecasts made by these models are already reliable enough to support major policy decisions. In both Peru and Brazil, for example, governments are making decisions about which crops to plant, and how many acres to cultivate, based on 12-month forecasts of ENSO-related rainfall. More research and refinement will be needed before these predictive models will be useful in regions outside the tropics and in sectors other than agriculture, including public health. Nevertheless, this predictive approach to short-term ENSO changes may have major relevance to the study of long-term changes in the global climate.

ENSO-related algal blooms off Peru, for instance, are part of what appears to be a global epidemic of algal blooms caused in part by warmer oceans everywhere. These blooms represent "environmental reservoirs" for microbes, such as *Vibrio cholerae*, the cause of cholera in humans. Similarly, insect and rodent populations also have increased following the mild, wet winters associated with El Niño, and this can have serious impacts in areas where these animals act as pests in agriculture or as vectors for diseases such as malaria and Lyme disease. Consequently, the ability to understand and anticipate the relations between global climate changes, environmental responses, and threats to human health may have significant value in developing early warning systems to protect vulnerable populations. Multidisciplinary, multisectoral research to develop reliable indicators could have extremely broad benefits for public health.

*Excerpts from a special briefing at the Conference on Human Health and Global Climate Change, September 11, 1995.

FIGURE 2. Pictorial representation of global climate impact anomalies due to ENSO. (Provided by NOAA, based on work of C. Ropelewski and collaborators)

Skin Cancer, Cataracts, and Immune Suppression

Ozone depletion can have both direct and indirect effects on ecological systems and human health. Increased exposure to ultraviolet radiation (especially UV-B) can have harmful effects on photosynthesis (on land and sea), with potentially disruptive impacts on food production and the stability of ecosystems. The most important direct human health effect would be an increase in nonmelanoma skin cancers, especially in fair-skinned populations. Such cancers are already a major problem in the United States, with about 1 million new cases per year. Furthermore, current models suggest a two percent increase in incidence for every one percent decrease in stratospheric ozone.

The current scenario for phaseout of CFCs predicts a 25 percent increase in skin cancer by 2050 at 50°N latitude, relative to the 1980 incidence. Melanoma is a less frequent but far more deadly skin cancer, whose relationship to UV-B exposure remains uncertain. Both types of skin cancer have a long lag time between exposure and disease; the effects of increased UV-B may not be seen until after 2050. Increased UV-B can also be expected to increase the frequency of cataracts, which can lead to blindness in all populations. Current estimates indicate a 0.3 to 0.6 percent increase in new cataract cases for every 1 percent decrease in stratospheric ozone. Ozone depletion may also contribute to the frequency, severity, and duration of some infectious diseases due to ultraviolet's ability to suppress the immune system. There are many uncertainties about the effect of UV-B on immune responses, although it appears that neither pigmentation nor sunscreens offer effective protection.

SUMMARY OF THE PROCEEDINGS

Indirect Effects on Human Health

Food Production and Nutritional Health

Global climate change would have mixed effects on the productivity of agriculture, livestock, and fisheries. In tropical and subtropical areas, global climate change may lead to droughts, flooding, and the emergence of new plant diseases, decreasing food production in many areas where food supplies are already insecure. Meanwhile, crop productivity may increase in other regions, mostly in the higher temperate latitudes such as Canada, Siberia, and Patagonia. However, agricultural projections are strongly dependent on assumptions about technological advances and patterns of consumption.

Over 800 million people are chronically undernourished today, particularly in the developing world, and malnutrition is an underlying cause of childhood mortality. With further population growth, malnutrition may increase the vulnerability of these populations to endemic diseases and epidemics. Some areas may need to change crops, planting practices, and diet, further increasing vulnerability during the period of transition. Such regions might be helped by advance warning of conditions that might cause crop failures.

Overall, models project the world may be able to produce enough food to feed future populations. However, changes in regional patterns of production could be significant, and in the long term, nutritional security can only be ensured through education and training, higher incomes, favorable market mechanisms, political stability, and population controls.

Fresh Water Quality and Quantity

Great spatial and temporal variability characterize water availability. Climate change may exacerbate such variations. Today 1 billion people lack access to clean and abundant drinking water, and even more are without adequate sanitation. Adjustments to water shortages can be managed where physical infrastructure (reservoirs, pipelines, and canals) and water management institutions exist. Increasing populations dependent on limited sources served by isolated systems are at more risk. Landscapes may erode or stabilize as precipitation alters vegetative cover, thus affecting runoff and transport of sediment and pollutants.

Air Pollution and Allergens

The same industrial processes that produce greenhouse gases will also produce increased urban air pollutants, and they too can pose major health risks. Levels of fine particulates (from fossil fuels and wood smoke) and ozone (from photochemical reactions) are known to be associated with higher levels of hospital admissions for respiratory diseases. Fine particulates also appear to be associated with admissions for heart disease and with general mortality. In the United States, where air pollution is relatively low compared with Mexico City and some Asian cities, it nevertheless contributes to 70,000 excess deaths and 1 million additional hospitalizations annually. In the future, as

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

global increases in energy production lead to higher levels of particulates, and increases in temperature and ultraviolet radiation accelerate the reactions that produce ozone and other secondary pollutants, the health effects of air pollution on a global scale could be staggering. Higher temperatures and humidity may also lead to higher concentrations of plant pollen and fungal spores that cause allergic disorders such as asthma and hay fever.

Weather Disasters and Rising Sea Level

El Niño is associated with increased rainfall and floods in some regions. Long-term climate change over the entire planet may result in an increase in extreme weather events, such as droughts, floods, and cyclones. These events could increase the number of deaths and injuries and the incidence of infectious diseases and psychological disorders, as well as causing indirect effects through food shortages and the proliferation of disease vectors.

A 40-centimeter rise in sea level would approximately double the number of people who are currently exposed to flooding each year in areas like Bangladesh. It could also contribute to the loss of coastal and delta farmland, as in Egypt, and to the destruction of food supplies. Rising sea level also increases the vulnerability of coastal cities, low-lying areas, and small islands to damage during storms.

Social and Demographic Dislocations

Global climate change would alter patterns of employment, wealth distribution, and population settlement throughout the world. Physical conflicts might also arise over depleted environmental resources such as farmland, surface water, and coastal fisheries. Biodiversity would also be affected (see Box 3). The greatest destabilizing effects would likely be experienced in areas of

FIGURE 3. Ways in which global climate change may affect human health. (Adapted from IPCC, 1995)

SUMMARY OF THE PROCEEDINGS

Africa which are already highly vulnerable. At the same time, populations may be moving out of tropical and coastal areas and into cooler wilderness areas where they will be exposed to new and unfamiliar health threats.

From another point of view, the difficulty of responding to global climate change lies in the rapid pace of the change—the projected rate of change is greater than has occurred on earth in the past 10,000 years. Although it appears that some of the global climate changes may be dealt with by the industrial world, adaptation will be more difficult in the developing world. The pace of global climate change may be complicated by an inadequate pace of institutional change.

POLICY IMPLICATIONS

At the end of the first day of the conference, presentations were made on potential policy implications for health surveillance, disease prevention, and health professional education. In addition, a special address was made by Brian Atwood, administrator of the Agency for International Development, on "Implications for International Cooperation" (see Box 4). These presentations served as background and introduction for the breakout and working group panel discussions that occurred on the second day; information from those presentations has been integrated into the panel reports that follow.

Panel Reports

The second day of the conference was organized around six concurrent breakout and working group panels that considered the policy implications of global climate change and human health. The six panels were: (1) Global Surveillance and Response, (2) Disease Prevention, (3) Education for the Medical and Public Health Communities, (4) International Cooperation, (5) Research and Development Needs, and (6) Public Outreach and Risk Communication.

These panels were asked to work from the assumption that global climate change would occur, and that its impacts on human health would be more or less as described in the foregoing discussion. Working from that assumption, the panels were charged with addressing the question, "What do we do about it?" That is, what strategic actions could, and should, be taken to anticipate adverse health effects before they occur and to reduce or mitigate those effects when they do occur? In addition, the panels were asked to identify both short-term (1 to 5 years) and long-term (5 to 25 years) strategies.

The following summaries reflect the individual group chairs' sense of the participants' discussion in their respective working groups, further illuminated by the material presented in plenary sessions on the preceding day.

*Global Surveillance and Response*³

The emergence of new diseases and the reemergence of familiar diseases represent a serious threat to many regions and, indeed, in a shrinking world, to the entire human species. In the future, therefore, it will be critical to have in place an integrated, worldwide surveillance and response mechanism for emerging infectious diseases. The purpose of such a system would be to shorten the time between the detection of the first case and the implementation of effective measures for treatment, prevention, and control. To the degree possible, therefore, it should also include surveillance for the various changes in climate and environment that may provide early warning signs of the possible outbreak of disease.

The vital elements of such a system are (a) a rapid and comprehensive communications network; (b) accurate, reliable, laboratory-based diagnosis capabilities in host countries or regional centers; and (c) a mechanism for rapid response. The functioning of this system would also be aided by heightened cooperation among national and international health organizations. In the end, the creation of an integrated, worldwide system to monitor the occurrence and emergence of disease could become the most important international health policy initiative of the twenty-first century.

The breakout panel reported that the most important problem in this area is the creation and maintenance of a critical mass of multidisciplinary expertise. Short-term strategies to address this problem include personnel exchanges, cross-training, and the establishment of a Vice Presidential Fellowship Program. Long-Term strategies include the encouragement of multidisciplinary training at all levels of relevant fields.

The panel also endorsed earlier reports calling for the creation of an international consortium to address climate-related issues. One difficulty in doing this is the need for political will and interagency and global coordination. A short-term strategy would be to compile an inventory of existing resources and facilities that might become part of the effort, including sites and projects studying the environment and climate that could provide remote-sensing data and other indicators for health surveillance. There was no consensus on which agency should serve as the focal point for this coordination within the United States, although the Centers for Disease Control and Prevention, the NAS, the IOM, and the interagency Committee on International Science Engineering and Technology (part of NSTC) were offered as candidates. There was agreement, however, that the United States could not carry out this mission alone; it will be necessary to work with the resources, facilities, and institutions of other countries and international organizations.

Finally, the importance of global surveillance and response was discussed as being critical to national security because military forces might need to be deployed to virtually any area of the world on short notice. Knowledge of emerging diseases and their potential impact on military operations is of great importance in the preparation of countermeasures to avoid such threats, reduce their impact, and provide a rapid response to outbreaks.

³Dr. Ruth Berkelman, deputy director, National Center for Infectious Diseases, Centers for Disease Control and Prevention, cochaired this panel and summarized their discussion and findings.

SUMMARY OF THE PROCEEDINGS

Strategies (see also Table 3).

Short-term strategies:

- Create and maintain a critical mass of multidisciplinary expertise.
- Commission the NAS or the IOM to conduct a study of the problem.

Long-term strategies:

- Encourage multidisciplinary training at all levels of relevant fields.

Disease Prevention⁴

The reemergence in the Americas of infectious diseases that had been controlled in the past, such as cholera, plague, and dengue, as well as the emergence of new infectious agents, such as Hanta and Guanarito viruses, *E. coli*:0:157, and *cryptosporidia*, have had a direct impact on health policy and prevention efforts. Over the past several years, governmental and nongovernmental organizations have been working closely to modify health policy to place more emphasis on disease prevention. A major concern of these efforts are the changing dynamics of disease transmission, which are influenced by migration, land use, and environmental degradation.

Many lines of action are being examined as ways to prevent diseases. One requirement for any response will be flexible management within the health sector closest to the vulnerable population to allow it to adapt to changing patterns of disease. In addition, the wide impact of infectious diseases such as AIDS requires a policy of increased intersectorial cooperation—that is, there must be fluid and open communication and management of health problems among health, environmental, and agricultural sections, supported by competent research that is based on careful policy analysis. Participants believed that policy reform, combined with broad public support gained by effective use of the mass media, will allow us to confront the health problems caused by global climate change and environmental degradation.

Policies for disease prevention and control usually involve three responses: (1) removal of the hazardous exposure, (2) early detection (and investigation of the occurrence of diseases), and (3) treatment and control measures, such as prophylactic therapy. Primary prevention might include vaccinating children or draining stagnant pools where mosquitoes breed. In dealing with the health effects of global climate change, however, it would require preventing and even reversing greenhouse warming itself. This kind of “preprimary” or “primordial” prevention would be desirable but was beyond the scope of this conference. Nevertheless, there are still many actions that might be taken to mitigate the health effects of global climate change, especially in terms of anticipating what those effects will be and which populations are most at risk.

Secondary prevention involves surveillance and early screening—the collection, analysis, and dissemination of pertinent data—and tertiary prevention involves responses—plans and facilities for rapid diagnosis and effective treatment to keep a disease from progressing. Secondary and tertiary

⁴Dr. Jonathan Patz, research associate, Johns Hopkins School of Public Health, cochaired this panel and summarized their discussion and findings.

BOX 3. Ecology, Epidemiology and Climate Change*

Thomas E. Lovejoy
Smithsonian Institution

Altered levels of greenhouse gases like CO₂ constitute an important environmental change by themselves in addition to those changes driven by the altered levels. Field studies of the effects of elevated CO₂ on natural communities are limited at this point. Bert Drake's two-species marsh community at the Smithsonian Environmental Research Center—the longest running field experiment—shows that plants with a C₄ photosynthetic pathway (e.g., a sedge) have a definite competitive edge over C₃-pathway species (e.g., a grass). Within a group of C₄ or C₃ plants, however, it is not possible to predict in advance how various species will respond to higher levels of CO₂. An initial study of part of a tree subjected to 2 months of elevated CO₂ in a Panamanian rainforest led to yellowing of its leaves and reduced photosynthesis. It appears that the excessive accumulation of carbohydrates inhibits photosynthesis, with consequent high irradiation stress, photodamage, and loss of chlorophyll. The rest of the tree seems incapable of drawing off the excess photosynthates. This is, of course, different from a tree experiencing a CO₂ increase occurring over years and decades or a tree that grows up in a high-CO₂ environment.

Of course, climate change will include not only CO₂ elevation but also changes in temperature regimes, rainfall, and other hydrological patterns. There are almost no field experiments yet that combine more than a single one of these factors. Nonetheless, it is clear from the above findings that it is a mistake to think of elevated CO₂ alone as a benign fertilizing factor for plants. Rather, it is important to recognize that elevated CO₂ and associated climate change will instigate a cascade of effects that will ripple through natural communities with hard-to-envision epidemiological consequences.

Paleoecological evidence relating to climate change during glacial/interglacial swings indicate rates of dispersal for plant species, especially trees, that are much slower (1/10th) than those projected by climate models. It is simply not known whether species could move faster. In addition, it is well known in North America and Europe, and to a lesser extent in the less studied tropics, that biological communities disassembled during those climate changes and different species moved at different rates and in different directions. Ultimately, species assembled in communities of different composition. The implications for epidemiology are difficult to envision, although worrisome.

Climate change, whether human or naturally driven, will take place in landscapes that have been highly modified by human activity. This will dramatically lower opportunities for dispersal and consequently generate considerable extinction of species—that is, a reduction in biological diversity.

What are the implications for human health? It is hard to be precise and to provide a lot of detail. Nonetheless, an abundance of changing relationships between species will undoubtedly affect epidemiology. Some changes, of course, may be beneficial, but the balance are likely to be detrimental because weedy species such as white-tailed deer will be favored over nonweedy species. It seems reasonable to anticipate epizootics and epidemics without any precedents.

In addition, loss of biodiversity will impoverish the potential of biotechnology to contribute to the wealth of nations and will similarly diminish the potential of the life sciences to contribute to human health, wealth, and well-being.

*Excerpts from a special briefing at the Conference on Human Health and Global Climate Change, September 11, 1995.

SUMMARY OF THE PROCEEDINGS

prevention strategies are needed in most if not all nations. However, the creation of a global surveillance and response capability will require unprecedented international collaboration, including a softening of the traditional boundaries between sectors, agencies, and nations. Nongovernmental organizations and the media also have a important role to play in educating the population, without frightening them, and possibly changing some of their more destructive behaviors (see "Public Outreach and Risk Communication," p. 24).

The breakout group recommended that prevention activities focus on anticipatory, rather than reactionary measures. It identified six priority areas that overlap and incorporate those of other breakout groups:

1. *targeted, integrated surveillance* that focuses on transitional zones and vulnerable populations;
2. *changes in medical education* that incorporate environmental health into curriculum and board exams;
3. *international cooperation* through information sharing and surveillance networks;
4. *methodological research* to evaluate prevention and intervention programs and to identify vulnerable populations, transition areas, and other risk factors;
5. *public education and outreach* aimed at policymakers as well as vulnerable populations, especially children and the elderly; and
6. *public health infrastructure* to conduct (a) research and (b) vaccine and exposure reduction programs.

Strategies (see also Table 3).

Short-term strategies:

- Compile an inventory of existing resources and facilities to study the environment and climate that could provide remote-sensing data and other indicators for health surveillance.

Long-term strategies:

- Refocus or develop the public health infrastructure.

Education for the Medical and Public Health Communities⁵

Despite increasing evidence that global climate change and ozone depletion may have serious consequences for human health, there is little understanding, both among policymakers and the public, of the extent of this potential threat. Physicians and public health professionals should be central figures in helping to promote an understanding of the health effects associated with climate

⁵Dr. Max Lum, director, Office of Health Communications, National Institute of Occupational Safety and Health, cochaired this panel and summarized their discussion and findings.

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

change, but they are by and large uninformed about the topic, as their education does not, in general, cover the relationship of global environmental change to human health.

Physicians, nurses, and other health professionals have a vital role to play in responding to the health effects of global climate change. At present, however, physicians do not receive adequate training in occupational and environmental medicine, much less in the medical problems arising from global climate change, such as tropical diseases appearing in temperature zones. In the United States, for example, although two-thirds of medical schools include occupational and environmental health in their curricula, the average student receives only 6 hours of exposure to these subjects over 4 years of study. The situation is somewhat better in schools of public health. Yet for both medical and public health students in the United States there is essentially no time available in the curriculum to address the potential human health consequences of global climate change. For most professionals their principal source of information on global environmental health are articles in the scientific literature and conferences sponsored by nonprofit organizations.

The breakout group agreed that health professionals should play a critical role in addressing the health effects of global climate change. The central questions panelists posed were (a) what do health professionals already know, (b) what do they want to know, and (c) what should they know. As a short-term strategy, the group recommended that the IOM and NAS conduct a study to identify core competencies and training mechanisms in the area of human health effects of global climate change, similar to a recent IOM study of environmental medicine (1995).

Global climate and health issues should be incorporated into medical board exams, reflecting the importance of this subject for the training of physicians. The IOM and NAS might also broker efforts to promote faculty development in this area and to create centers of excellence in medical schools that would develop curricula in human health and global climate change. The group also recommended conducting a study to identify existing government and industry programs that protect workers from the effects of ultraviolet exposure. Such an activity could also increase awareness of the hazards of stratospheric ozone depletion.

These efforts should be coordinated with those of professional, educational, and public service organizations. Health professionals should also help in developing educational materials and in presenting information to policymakers and the general public to help increase understanding of the health implications of environmental policies. These efforts should include the special needs of populations such as migrant workers and minorities that might not have adequate access to health care information. In the long term, it will be important to monitor the effectiveness of these and other programs and, more importantly, to disseminate their results.

Strategies (see also Table 3).

Short-term strategies:

- Have the IOM or NAS conduct a study to identify core competencies and training mechanisms in the area of global environmental health, similar to a recent IOM study of environmental medicine.
- Identify and study existing government and industry programs designed to protect workers from the effects of exposure to the sun.

BOX 4. Implications for International Cooperation*

Brian Atwood

U.S. Agency for International Development

By working closely with our developing country partners, the U.S. Agency for International Development is able to facilitate the subtle but critically important changes that raise awareness of the threats of climate change and help to shape preventative and responsive measures. Our work has informed other donors and encouraged them to invest in solutions we need. Developing countries in particular are on the precipice of global environmental change. They soon will be the leading source of greenhouse gas emissions, and the resulting climate change will take a heavy toll on their crowded coastal areas and fragile ecosystems. The extraordinary biological wealth of these countries is already threatened by poorly planned development that undercuts the natural capital they and we need for the future.

Energy consumption and one of its unwelcome by-products, pollution in the form of carbon emissions, are growing fastest in developing countries and in countries whose economies are in transition. Developing countries are also experiencing rapid rates of deforestation and ecosystem degradation, which eliminates a primary sink for greenhouse gases. For example, over the last decade, 154 million hectares of tropical forests, equivalent to more than three times the land area of France, have been lost to other uses. The rate of that loss of biomass, especially in developing countries, is alarming.

The resulting environmental degradations and misuse of natural resources create opportunities for new diseases, or old ones, to take hold. We use the phrase "emerging diseases," yet for millions of people the new viruses have already emerged, and they have already claimed the lives of loved ones. The word "emerging" simply does not convey the urgency we sense. Only yesterday we were convinced that science had overcome the assault of these infectious diseases. Advances in antibiotic drugs, vaccines against childhood diseases, and improved sanitation technology all seemed to be winning the day. The incidence of polio, whooping cough, and diphtheria were declining. Fast-acting antibiotics reduced the threat of meningitis and bacterial pneumonia. But we now know that our euphoria was premature. We did not take into account the extraordinary resilience of infectious microbes, which have a remarkable ability to evolve, adapt, and develop resistance to drugs. Thus, diseases that were once thought to be under control have reemerged. There are many of these reemerging diseases, and they just do not appear only in the developing world nowadays. We find them in New Mexico, in Minnesota, in Virginia, and in New York. Around the world there is a resurgence of cholera, malaria, and yellow fever, often in drug-resistant forms. And of course, there is HIV and AIDS.

We believe that global problems must be resolved at the local level. We know that these efforts must be aided by new breakthroughs in science and technology. Investment in research is essential if we are to keep up with the effects of ecological change. The battles we must fight against new microbes, new forms of crop blight, the spread of desertification, new forms of pestilence, and the rapid population growth make research more important than ever. We face a dynamic, rapidly accelerating set of new challenges, yet we are at risk of falling desperately behind the curve, as the changes we advertently and inadvertently introduce run far ahead of our resources and our knowledge base. Research is not like tap water. It cannot be turned off and on again without serious consequences. To be successful in these efforts,

Continued

*Excerpts from remarks at the Conference on Human Health and Global Climate Change, September 11, 1995.

BOX 4. Continued

governments must continue their support of the scientific community. This will require considerable efforts by federal agencies, by our university partners, and by nongovernmental organizations. The private sector is our natural partner. However, it does not cover the entire spectrum of research.

It is dangerous to assume that the unfettered hand of Adam Smith will lead to the investments we need to deal with international health and environmental threats to the United States. That will require a coherent and cost-effective foreign assistance program backed by sound policies and global cooperation. We are uniquely placed as a nation to help the rest of the world meet these challenges. Our quality of life in the next century will be determined in large measure by how we meet the global challenges of today. Science and technology give us the tools we will need to meet the challenges of tomorrow.

Long-term strategies:

- Monitor the effectiveness of these and other programs and, more importantly, disseminate their results.
- Incorporate questions about climate-related health issues on medical board examinations.

*International Cooperation*⁶

Global climate change is believed to cause a wide variety of deleterious effects including desertification, changes in agricultural patterns, and disease. These effects are both direct and indirect, and the causes may be either natural or manmade. To the extent that global climate change and its impacts are influenced by human activity, methods must be found to mitigate, adapt to, or respond to them. The U.S. government is obligated to exercise leadership at home and abroad to ensure that responses are appropriate and timely.

Every human being is vulnerable to the effects of global climate change, but the citizens of developing countries and regions face the most immediate dangers. In those areas, both climatic change and the need for responses to it may be greatest, but the available resources for addressing them is most limited. Clearly, the preventive and responsive measures we use to deal with global climate change and its effects must involve every affected person and operate society-wide.

The breakout panel reported that many of the necessary systems and networks for international cooperation are already in place—the United Nations Environmental Programme, the World Health Organization, UNICEF, and networks of collaborating centers. What is required is improved coordination among existing systems to place the health effects of global climate change on their respective agendas and to ensure a two-way flow of information among them. The panel found a particular need to improve the links between agencies and organizations that conduct climate forecasting, health planning, health surveillance, and the implementation of health programs.

⁶Dr. Rudi Slooff, Division of Environmental Health, World Health Organization, cochaired this panel and summarized their discussion and findings.

SUMMARY OF THE PROCEEDINGS

One short-term strategy would be to incorporate health effects monitoring and reporting into existing global climate change activities, such as the Framework Convention on Climate Change program and the United Nations-sponsored "Climate Agenda." Another strategy would be to look for the health effects of global climate change in the information already gathered for the ongoing U.S. Country Study Program. These efforts will be ineffective, however, unless they are accompanied by increased efforts to provide relevant information to national and international policymakers.

In the long term, the panel recommended that global climate change and health issues be incorporated into sustainable development planning, not only by individual nations, but also by the World Bank, the United Nations Development Program, the Food and Agriculture Organization, and similar organizations. By the same token, health and climate planning should be broadened to include related environmental issues such as biodiversity. This, in turn, requires that stakeholders have better access to the information gathered, analyzed, and disseminated by the global surveillance system discussed by other breakout panels.

Strategies (see also Table 3).

Short-term strategies:

- Incorporate health effects monitoring and reporting into existing global climate change programs.
- Look for the health effects of global climate change in the information already gathered for other programs.

Long-term strategies:

- Incorporate global climate change and health issues into sustainable development planning, not only by individual nations, but also by the World Bank, the United Nations Development Program, the Food and Agriculture Organization, and similar organizations.
- Broaden health and climate planning to include environmental issues such as biodiversity.

Research and Development Needs⁷

Rather than enumerate the many specific research topics that need to be addressed, the breakout panel emphasized the need for an integrated, interdisciplinary R&D program that will encourage collaboration among experts and organizations from a wide range of fields and disciplines. Achieving this will probably require a concerted effort to overcome the boundaries that currently separate scientific disciplines, research institutions, budgetary programs, funding agencies, and international sponsors. In the United States, for example, funding would probably come from a consortium of federal agencies rather than from a series of small, fragmented programs.

The research problems addressed by this program should include climatic variations that already pose health risks, as well as future effects of global climate change.

⁷Dr. David Rall, foreign secretary, Institute of Medicine, cochaired this panel and summarized their discussion and findings.

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

Strategies (see also Table 3).

Short-term strategies.

In the short term, the panel proposed that the program undertake pilot projects involving case studies that integrate three sets of variables:

1. *infectious diseases* (e.g., cholera, dengue, malaria, and Lyme disease);
2. *mechanisms of susceptibility* (e.g., UV-B and immune suppression, fine particulates, and cardiovascular or pulmonary disease); and
3. *global change drivers* that might exacerbate or mitigate these problems (e.g., population growth, economic development, and urbanization).

Possible models for these case studies are the Technical and Scientific Assessment and the United Nations Intergovernmental Panel on Climate Change. The case studies themselves could be performed by international organizations, by private groups, or by the IOM or NAS.

Long-term strategies.

The long-term goals of this program would be to identify and address gaps in current knowledge, and to disseminate and apply the lessons learned from the case studies.

*Public Outreach and Risk Communication*⁸

Despite a wealth of scientific studies and technical information, the general public is not well informed on the relationship between global climate change and human health. Several participants made the analogy to the difficulties of informing the public about the dangers of nuclear war: Such information is highly technical, far removed from the common experience, disconcerting to contemplate, and often undermined by a vocal opposition. As a result, the first step in any outreach campaign would be to assess the information (and disinformation) that is already available to determine what further steps might be appropriate.

The breakout panel endorsed the principles of risk communication that are embodied in the 10-step strategy outlined in Table 2. The primary long-term goals of this strategy are (1) involving the public by encouraging awareness and discussion, and (2) building bridges between the medical and environmental communities. In both cases, the panel recommended working through existing networks and infrastructures, initially targeting opinion leaders but making use of the full range of formal and informal intermediaries to reach broader audiences—not only churches and newspaper editors, for example, but also Boy/Girl Scouts and television weathermen, as well as medical associations, senior citizens' associations, and schools.

⁸Dr. William Farland, director, National Center for Environmental Assessment, Environmental Protection Agency, cochaired this panel and summarized their discussion and findings.

SUMMARY OF THE PROCEEDINGS

TABLE 2. Developing a Risk Communication Strategy for Global Climate Change

- Step 1: Review background information.** (What messages are already out there?)
- Step 2: Set communication objectives.** (What do we want to accomplish?) Example: Increase public awareness about the public health implications of global climate change.
- Step 3: Analyze and segment target audiences.** (Whom do we want to reach?) Example: Construct communications based on audience attitudes.
- Step 4: Develop and pretest message concepts.** (What do we want to say?)
- Step 5: Select communication channels.** (Where do we want to say it?)
- Step 6: Create and pretest messages and products.** (How do we want to say it?)
- Step 7: Develop a promotion plan.** (How do we get it used?)
- Step 8: Implement communication strategies and conduct a process evaluation.** (Let's do it!)
- Step 9: Conduct outcome and impact evaluations.** (How well did we do?)
- Step 10: Feedback to improve communication effectiveness.** (Where do we go from here?)
-

Strategies (see also Table 3). The panel identified the following short-term action items, which might serve as the foundation for long-term efforts:

- Identify, contact, and infuse existing networks with health concerns related to global climate change. Use these networks as a feedback mechanism to find out what further information the public wants or needs.
- Distill the information generated by the present conference for dissemination through journal articles, editorials, op-ed pieces, targeted brochures, public service announcements, informational videos, or a home page on the World Wide Web.
- Establish a volunteer group or forum to continue the communication activities suggested or actually begun during the present conference.
- Develop a response capability to counter disinformation.

SUMMARY OF PRIORITIES AND STRATEGIES

Participants voiced a clear message throughout the conference: Changes in global climate would pose substantial risks to human health, both in the near and long-term. They also hoped that their efforts would help mobilize opinion and action toward the implementation of strategies that would occur as far "upstream" as possible.

Conference participants identified and described a number of actions that could be taken to address these potential threats. These strategies are summarized in Table 3 and share certain common threads:

- identify and work with existing resources, facilities, networks, and information;
- encourage greater coordination and collaboration among relevant organizations, disciplines, nations, and funding agencies;
- create from these institutions and funding sources an integrated worldwide network for surveillance and response to indicators of global climate change and emerging diseases;
- support multidisciplinary research to determine linkages among global climate change, food production, and human health;
- provide appropriate training for researchers and health professionals, including the creation of centers of excellence and the enhancement of faculty; and
- establish information and outreach programs.

TABLE 3. Summary of Suggested Strategies Emanating from the Working Group Sessions

Implications for:	Short-Term Strategies	Long-Term Strategies
Global surveillance and response	Create and maintain a critical mass of multidisciplinary expertise. Commission the National Academy of Sciences (NAS) or the Institute of Medicine (IOM) to conduct a study of the problem.	Encourage multidisciplinary training at all levels of relevant fields.
Disease prevention	Compile an inventory of existing resources and facilities to study the environment and climate that could provide remote-sensing data and other indicators for health surveillance.	Refocus or develop the public health infrastructure.
Education for the medical and public health communities	Have the IOM or NAS conduct a study to identify core competencies and training mechanisms in the area of global environmental health, similar to a recent IOM study of environmental medicine.	Monitor the effectiveness of these and other programs and, more importantly, disseminate their results.
International cooperation	Identify and study existing government and industry programs designed to protect workers from the effects of exposure to the sun. Incorporate health effects monitoring and reporting into existing global climate change programs. Look for the health effects of global climate change in the information already gathered for other programs.	Incorporate questions about climate-related health issues on medical board examinations. Incorporate global climate change and health issues into sustainable development planning, not only by individual nations, but also by the World Bank, the United Nations Development Program, the Food and Agriculture Organization, and similar organizations. Broaden health and climate planning to include environmental issues such as biodiversity.
Research and development (R&D) needs	Create an integrated, interdisciplinary R&D program that would encourage collaboration among experts and organizations from a wide range of fields and disciplines. Such a program would undertake pilot projects involving case studies that integrate (a) infectious and other diseases; (b) mechanisms of susceptibility, and (c) global change drivers that might exacerbate or mitigate these problems.	Identify and address gaps in current knowledge, and disseminate and apply the lessons learned from the case studies.
Public outreach and risk communication	Establish a volunteer group or forum to continue the communication activities identified and discussed at this conference.	(a) Involve the public by encouraging awareness and discussion, and (b) build bridges between the medical and environmental communities.

REFERENCES AND FURTHER READING

The interested reader can find more detailed information about the topics covered by this conference by referring to the following publications:

- Centers for Disease Control and Prevention. 1994. *Addressing Emerging Infectious Disease Threats: A Prevention Strategy for the United States*. Atlanta: CDC.
- Chivian, Eric, Michael McCally, Howard Hu, and Andrew Haines (eds.). 1993. *Critical Condition: Human Health and the Environment*. Cambridge, MA: MIT Press.
- CISET (Committee on International Science, Engineering, and Technology) Working Group on Emerging and Re-emerging Infectious Diseases. 1995. *Infectious Disease: A Global Health Threat*. Washington, DC: National Science and Technology Council.
- Epstein, Paul R. 1995. *Course Reader: Global Climate Change, Ecology and Public Health*. Prepared for the NSTC-IOM Conference on Human Health and Global Climate Change, 11–12 September 1995.
- IOM (Institute of Medicine). 1995. *Environmental Medicine: Integrating a Missing Element into Medical Education*. Andrew M. Pope and David L. Rall (eds.). Washington, DC: National Academy Press.
- IOM. 1992. *Emerging Infections: Microbial Threats to Health in the United States*. Joshua Lederberg, Robert E. Shope, and Stanley C. Oaks, Jr. (eds.). Washington, DC: National Academy Press.
- IPCC (Intergovernmental Panel on Climate Change). 1995. *Climate Change 1995: Impacts, Adaptations and Mitigation of Climate Change: Scientific-Technical Analyses*. Contribution of Working Group II to the Second Assessment Report of the Intergovernmental Panel on Climate Change. Watson, R.T., M.C. Zinyowera, and R.H. Moss (eds.). Cambridge: Cambridge University Press.
- McMichael, Anthony J. 1993. *Planetary Overload: Global Environmental Change and the Health of the Human Species*. Cambridge, UK: Cambridge University Press.
- Michael, E., and D.A.P. Bundy. 1995. The global burden of lymphatic filariasis. In: *World Burden of Diseases*. C.J.L. Murray and A.D. Lopez (eds.). World Health Organization, Geneva.
- National Research Council. 1989. *Improving Risk Communication*. Washington, DC: National Academy Press.

SUMMARY OF THE PROCEEDINGS

- United Nations Environmental Program. 1994. *Environmental Effects of Ozone Depletion: 1994 Assessment*. Nairobi, Kenya: UNEP.
- Wilson, Mary Elizabeth, Richard Levins, and Andrew Spielman (eds.). 1994. *Disease in Evolution: Global Changes and Emergence of Infectious Diseases*. Albany: New York Academy of Sciences.
- WHO (World Health Organization). In press. *Climate and Health in a Changing World*. Geneva: WHO.
- WHO. Anthony J. McMichael et al. (eds.). In press. *Human Health and Global Climate Change*. Geneva: WHO.
- WHO. 1995. *Action Plan for Malaria Control 1995–2000*. Unpublished document.
- WHO. 1995. *Chagas Disease: Important Advances in Elimination of Transmission in Four Countries in Latin America*. WHO Press Office Feature No. 183, Geneva: WHO.
- WHO. 1994. *Progress Report Control of Tropical Diseases (CTD/MIP/94.4)*. Unpublished document.
- WHO. 1990. *Potential Health Effects of Climatic Change*. Geneva: WHO.

APPENDIX A

National Science and Technology Council (NSTC) Sponsoring Members, Interagency Working Group, Institute of Medicine (IOM) Steering Committee, and Staff

NSTC SPONSORING MEMBER AGENCIES

Centers for Disease Control and Prevention
Environmental Protection Agency
National Aeronautics and Space
Administration
National Institutes of Health
National Oceanic and Atmospheric
Administration

National Science Foundation
Pan American Health Organization
U.S. Department of Agriculture
U.S. Department of Defense
U.S. Department of Energy
U.S. Global Change Research Program
U.S. Agency for International
Development

NSTC INTERAGENCY WORKING GROUP

Maurice Averner, Advanced Life Support,
Life and Biomedical Sciences and
Applications Division, National
Aeronautics and Space
Administration, Washington, DC
Lois Beaver, Office of External Affairs,
Food and Drug Administration,
Rockville, MD
Rosina Bierbaum, Environment Division,
Office of Science and Technology
Policy, Executive Office of the
President, Washington, DC
Jim Buizer, Office of Global Programs,
National Oceanic and Atmospheric
Administration, Silver Spring, MD
Dennis Carroll, Office of Health and Nutri-
tion, Agency for International
Development, Washington, DC
Jack C. Chow, Division of International
Relations, Fogarty International

Center, National Institutes of Health,
Bethesda, MD
Robert Corell, Geosciences Division,
National Science Foundation,
Arlington, VA
Jackie Dupont, Agricultural Research
Service, U.S. Department of
Agriculture, Beltsville, MD
Elaine Esber, Center for Biologics Evalua-
tion and Research, Food and Drug
Administration, Rockville, MD
Gary Evans, Office of the Secretary, U.S.
Department of Agriculture,
Washington, DC
Mike Finley, Office of External Relations,
Pan American Health Organization,
Washington, DC
Karen Gallegos, Office of Global Programs,
U.S. Department of State, Washing-
ton, DC

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

- Luiz Galvao, Division of Health and Environment, Pan American Health Organization, Washington, DC
- Mary Gant, National Institute of Environmental Health Sciences, National Institutes of Health, Bethesda, MD
- Ann Grambsch, Climate Change Bureau, Office of Policy, Planning, and Evaluation, Environmental Protection Agency, Washington, DC
- Duane Gubler, Vector Borne Infectious Diseases Division, Centers for Disease Control and Prevention, National Center for Infectious Diseases, Fort Collins, CO
- Debbie Hanfman, Science Division, Office of Science and Technology Policy, Executive Office of the President, Washington, DC
- Col. Jerry Jaax, United States Army, Medical Research and Materiel Command, Ft. Detrick, MD
- Carla Kappell, Office of Energy, Environment, and Technology, Bureau of Global Programs, Field Support, and Research, Agency for International Development, Washington, DC
- Hiram Larew, Office of Policy and Evaluation, Agency for International Development, Washington, DC
- Orville Lavander, Nutrient Requirements and Functions Laboratory, Agricultural Research Service, U.S. Department of Agriculture, Beltsville, MD
- Alexandra Levitt, Office of Science, Technology and Health, U.S. Department of State, Washington, DC
- Ed Malloy, Office of Science, Technology, and Health, U.S. Department of State, Washington, DC
- Patrick McConnon, Centers for Disease Control and Prevention, Atlanta
- Mike McCracken, U.S. Global Change Research Program, Washington, DC
- Roscoe M. Moore, Development Support and African Affairs, Office of International Health, U.S. Department of Health and Human Services, Rockville, MD
- Jonathan Patz, Johns Hopkins School of Public Health, Environmental Protection Agency, Office of Policy, Planning, and Evaluation, Climate Change Division, Washington, DC
- Karen Peterson, Division of International Relations, Fogarty International Center, National Institutes of Health, Bethesda, MD
- Hernan Rosenberg, Office of External Relations, Pan American Health Organization, Washington, DC
- David Sandalow, Council on Environmental Quality, Executive Office of the President, Washington, DC
- Joel Scheraga, Climate Change Bureau, Office of Policy, Planning, and Evaluation, Environmental Protection Agency, Washington, DC
- Artie Shelton, Office of Allergy, Immunology and Oncology, U.S. Department of Veterans Affairs, Washington, DC
- Phillip L. Sims, Agriculture Research Service, U.S. Department of Agriculture, Beltsville, MD
- Anthony Soggi, U.S. Global Change Research Program, Washington, DC
- Macol Stewart, Office of Global Programs, National Oceanic and Atmospheric Administration, Silver Spring, MD
- Col. Ernie Takafuji, U.S. Army Medical Research Institute for Infectious Diseases, Fort Detrick, MD

APPENDIX A

David Thomassen, Office Health and Environment Research, Office of Energy Research, U.S. Department of Energy, Washington, DC

Beth Viola, Council on Environmental Quality, Executive Office of the President, Washington, DC

Robert Watson, Environment Division, Office of Science and Technology Policy, Executive Office of the President, Washington, DC

Catherine Woteki, Science Division, Office of Science and Technology Policy, Executive Office of the President, Washington, DC

INSTITUTE OF MEDICINE/NATIONAL ACADEMY OF SCIENCES STEERING COMMITTEE

David P. Rall (*Chair*), IOM foreign secretary, and director (Retired), National Institute of Environmental Health Sciences, Washington, DC

Eric Barron, Earth System Science Center, Pennsylvania State University, University Park, PA; *Board on Atmospheric Sciences and Climate*

Deborah Cotton, assistant professor, Infectious Disease Unit, Massachusetts General Hospital, Boston; *Board on Health Sciences Policy*

Philip J. Landrigan, Ethel H. Wise, professor and chairman, Department of Community Medicine, Mount Sinai School of Medicine, New York City; *Board on Sustainable Development*

Diane M. McKnight, U.S. Geological Survey, Water Resources Division, Boulder, CO; *Polar Research Board*

INSTITUTE OF MEDICINE/NATIONAL ACADEMY OF SCIENCES STEERING COMMITTEE

Bill Colglazier, executive officer, National Academy of Sciences, National Research Council

Linda DePugh, administrative assistant, Division of Health Sciences Policy, Institute of Medicine

Human Health and Global Climate Change, Division of Health Sciences Policy

Karen Hein, executive officer, Institute of Medicine

John Perry, staff director, Board on Sustainable Development, National Academy of Science

Loren Setlow, director, Polar Research Board, National Academy of Sciences

Valerie Setlow, director, Division of Health Sciences Policy, Institute of Medicine

Kenneth Shine, president, Institute of Medicine

William Sprigg, director, Board on Atmospheric Sciences and Climate, David

David Westbrook, manager, Federal Contracts, National Academy of Sciences
National Academy of Sciences

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

OFFICE OF SCIENCE AND TECHNOLOGY POLICY

Rosina Bierbaum, senior policy analyst

Jack Gibbons, assistant to the president for science and technology

Brett Orlando, intern

Jason Randall, intern

Robert Watson, associate director for environment

APPENDIX B

Conference Agenda

Conference on Human Health and Global Climate Change
*The National Science and Technology Council, the Institute of Medicine, and the
National Academy of Sciences*

September 11–12, 1995

National Academy of Sciences
Main Auditorium
2101 Constitution Avenue, N.W.
Washington, DC 20418

AGENDA

MONDAY, SEPTEMBER 11, 1995

7:30–9:00 a.m. **REGISTRATION**

9:00–9:10 a.m. **WELCOMING REMARKS**

Kenneth I. Shine, M.D.
President, Institute of Medicine

John H. Gibbons, Ph.D.
Assistant to the President for Science and Technology

9:10–9:50 a.m. **PANEL I: OVERVIEW**
Kenneth I. Shine, M.D. (Chair)
President, Institute of Medicine

The Science and Impacts of Climate Change and Ozone Depletion
Robert Watson, Ph.D.
Associate Director for the Environment, Office of Science and Technology Policy,
Executive Office of the President

Climate Change and Human Health Risks
Anthony McMichael, Ph.D.
Professor of Epidemiology, London School of Hygiene and Tropical Medicine

9:50–10:10 a.m. **QUESTION AND ANSWER SESSION**

10:10–11:10 a.m. **PANEL II: CLIMATE CHANGE AND INFECTIOUS DISEASES**

Mary E. Wilson, M.D. (Panel Chair)
Assistant Professor, Harvard University

Vector-Borne Diseases

Duane Gubler, Sc.D.
Centers for Disease Control and Prevention

Marine Ecosystems

Rita Colwell, Ph.D., M.S.
President, American Association for the Advancement of Science

Emerging and Reemerging Diseases

Steven Morse, Ph.D.
Assistant Professor of Virology, Rockefeller University

11:10–12:00 p.m. **QUESTION AND ANSWER SESSION**

12:00–12:30 p.m. **LUNCH (Provided in the Great Hall)**

12:30–1:00 p.m. **SPECIAL BRIEFING**

El Niño: Analogue for Long-Term Climate Change

J. Michael Hall, Ph.D.
Director, Office of Global Programs, National Oceanic and Atmospheric Administration

Paul Epstein, M.D., M.P.H.
Harvard Medical School

1:00–1:30 p.m. **PANEL III: DIRECT HEALTH EFFECTS FROM CLIMATE CHANGE
AND OZONE DEPLETION**

Terri Damstra, Ph.D. (Panel Chair)
Deputy Director, National Institute of Environmental Health Sciences

Climate Change and Heat Stress

Larry Kalkstein, Ph.D.
Professor of Geography, University of Delaware

*Ozone Depletion and Its Health Effects: Skin Cancer, Cataracts, and
Immune Suppression*

Margaret Kripke, Ph.D., M.A.
Professor and Chairman, University of Texas M.D. Anderson Cancer Center

1:30–2:00 p.m. **QUESTION AND ANSWER SESSION**

APPENDIX B

- 2:00-2:45 p.m. **PANEL IV: INDIRECT HEALTH EFFECTS OF CLIMATE CHANGE**
- Andrew Haines, M.D. (Panel Chair)**
Professor of Primary Care, University of London Medical School
- Impacts on Nutritional Health*
David Oot, Ph.D.
Director, Office of Nutrition and Health, United States Agency for International Development
- Impacts on Fresh Water Quality and Quantity*
Reds Wolman, Ph.D., M.A.
Professor of Geography, Johns Hopkins University
- Impacts on Air Quality*
Joel Schwartz, Ph.D.
Professor of Environmental Epidemiology, Harvard University
- 2:45-3:15 p.m. **QUESTION AND ANSWER SESSION**
- 3:15-3:30 p.m. **COFFEE BREAK**
- 3:30-4:00 p.m. **SPECIAL ADDRESS**
- Implications for International Cooperation*
Mr. J. Brian Atwood
Administrator, United States Agency for International Development
- 4:00-4:30 p.m. **INTRODUCTION OF KEYNOTE SPEAKER**
John H. Gibbons, Ph.D.
Assistant to the President for Science and Technology
- KEYNOTE ADDRESS**
The Interplay of Climate Change, Ozone Depletion, and Human Health
Albert Gore, Jr., Vice President of the United States
- 4:30-5:15 p.m. **PANEL V: POLICY IMPLICATIONS**
- Anne Solomon, M.P.A. (Panel Chair)**
Deputy Assistant Secretary for Science, Technology and Health, Department of State
- Implications for Global Health Surveillance and Response*
Stephen Joseph, M.D., M.P.H.
Assistant Secretary for Health Affairs, Department of Defense
- Implications for Disease Prevention*
Sir George A.O. Alleyne, M.D.
Director, Pan American Health Organization

Implications for Education in the Medical and Public Health Communities

Eric Chivian, M.D.

Chair, Physicians for Social Responsibility

- 5:15-5:45 p.m. **QUESTION AND ANSWER SESSION**
- 5:45-6:00 p.m. **WRAP UP, INSTRUCTIONS FOR THE NEXT DAY**
- 6:00 p.m. **ADJOURN**
- 6:15 p.m. **RECEPTION—GREAT HALL**

TUESDAY, SEPTEMBER 12, 1995

- 7:00-8:00 a.m. **CONTINENTAL BREAKFAST-NAS GREAT HALL**
- 8:00-9:00 a.m. **BREAKOUT SESSION COCHAIRS CONVENE TO DISCUSS GOALS AND STRATEGIES**
- 9:00-9:15 a.m. **MORNING PLENARY**

Charge to Breakout Groups

Bernard Goldstein, M.D. (Chair)

- 9:15-12:30 p.m. **BREAKOUT GROUP SESSIONS**

GROUP 1: IMPLICATIONS FOR GLOBAL HEALTH SURVEILLANCE AND RESPONSE

Ruth Berkleman, M.D. (Government Cochair)

Deputy Director, National Center for Infectious Diseases, Centers for Disease Control and Prevention

Demisse Habte, M.D. (Nongovernment Cochair)

Director, Centre for Health and Population Research

GROUP 2: IMPLICATIONS FOR DISEASE PREVENTION

Sheila Newton, Ph.D. (Government Cochair)

Coordinator for Environment, Disease Prevention and Health Promotion, Department of Health and Human Services

Jonathan Patz, M.D., M.P.H. (Nongovernment Cochair)

Johns Hopkins University

APPENDIX B

**GROUP 3: IMPLICATIONS FOR EDUCATION OF THE
MEDICAL AND PUBLIC HEALTH COMMUNITIES**

Max Lum, Ed.D., M.P.A. (*Government Cochair*)
Director, Office of Health Communications, National Institute of Occupational
Safety and Health

Bernard Goldstein, M.D. (*Nongovernment Cochair*)
Chair, Department of Environmental and Community Medicine,
Robert Wood Johnson School of Medicine

**GROUP 4: IMPLICATIONS FOR INTERNATIONAL
COOPERATION**

Rafe Pomerance (*Government Cochair*)
Deputy Assistant Secretary for the Environment and Development,
State Department

Rudi Slooff, Ph.D. (*Nongovernment Cochair*)
Division of Environmental Health, World Health Organization

GROUP 5: IMPLICATIONS FOR RESEARCH AND DEVELOPMENT NEEDS

Robert Corell, Ph.D. (*Government Cochair*)
Chair, Subcommittee on Global Change Research and Development, United States Global
Change Research Program

David P. Rall, M.D., Ph.D. (*Nongovernment Cochair*)
Foreign Secretary, Institute of Medicine

**GROUP 6: IMPLICATIONS FOR PUBLIC OUTREACH AND RISK
COMMUNICATION**

Bill Farland, Ph.D. (*Government Cochair*)
Director of National Center for Environmental Assessment,
Environmental Protection Agency

Thomas Malone, Ph.D. (*Nongovernment Cochair*)
Director of Sigma Xi Center's Human Development Program

12:30–1:00 p.m.

LUNCH (PROVIDED IN THE GREAT HALL)

1:00–1:30 p.m.

SPECIAL ADDRESS

Biodiversity, Climate Change, and Human Health
Thomas Lovejoy, Ph.D.
Counselor to the Secretary for Biodiversity and Environmental Affairs,
Smithsonian Institution

1:30–3:30 p.m.

CLOSING PLENARY

Bernard Goldstein, M.D. (*Plenary Chair*)

Chair, Department of Environmental and Community Medicine,
Robert Wood Johnson School of Medicine

Breakout group Cochairs report on strategies for addressing potential health effects of global climate change developed during their discussions.

3:00–4:00 p.m.

OPEN DISCUSSION

4:00 p.m.

ADJOURN

APPENDIX C

Speakers, Authors, Chairs, and Conference Registrants

SPEAKERS

George A.O. Alleyne
Director
Pan American Health Organization

J. Brian Atwood
Administrator
United States Agency for International
Development

Eric Chivian
Physicians for Social Responsibility

Rita Colwell
President
American Association for the
Advancement of Science

Terri Damstra
Acting Deputy Director
International Programs
National Institute of Environmental
Health Sciences

Paul Epstein
Harvard Medical School

John H. Gibbons
Assistant to the President for
Science and Technology

Bernard Goldstein
Director
Environmental and Occupational Health
Sciences Institute
UMDNJ-Robert Wood Johnson Medical
School

Albert Gore, Jr.
Vice President
United States of America

Duane Gubler
Director
Division of Vector Borne Infectious
Diseases
Centers for Disease Control and Prevention

Demisse Habte
Director
Centre for Health and Population Research

Andrew Haines
Professor of Primary Care
University of London Medical School

J. Michael Hall
Director
Office of Global Programs
National Oceanic and Atmospheric
Administration

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

Stephen Joseph
Assistant Secretary for Health Affairs
U.S. Department of Defense

Larry Kalkstein
Department of Geography
University of Delaware

Margaret Kripke
Department of Immunology
Anderson Cancer Center

Thomas E. Lovejoy
Secretary for Biodiversity and
Environmental Affairs
Smithsonian Institution

Max Lum
Associate Director for Health
Communications
National Institute for Occupational
Safety and Health

Anthony McMichael
Department of Epidemiology and
Population Science
London School of Hygiene and Tropical
Medicine

Steven Morse
Associate Professor
Rockefeller University

David Oot
Director
Office of Nutrition and Health
United States Agency for International
Development

Ari Patrinos
Associate Director
Office of Health and Environmental
Research
U.S. Department of Energy
David Rall
Foreign Secretary
Institute of Medicine

Joel Schwartz
Associate Professor
Environmental Epidemiology Program
Harvard University School of Public Health

Kenneth I. Shine
President
Institute of Medicine

Rudi Slooff
Division of Environmental Health
World Health Organization

Anne Soloman
Deputy Assistant Secretary of Science
Technology and Health
U.S. Department of State

Robert Watson
Associate Director for the Environment
Office of Science and Technology Policy
Executive Office of the President

Mary E. Wilson
Assistant Professor
Harvard University

M. Gordon "Reds" Wolman
Professor of Geography
Johns Hopkins University

APPENDIX C

AUTHORS

John M. Balbus-Kornfeld
Assistant Professor of Medicine
George Washington University

Ann Bostrom
School of Public Policy
Georgia Institute of Technology

Eric Chivian
Assistant Clinical Professor
Department of Psychiatry
Harvard Medical School

Paul R. Epstein
Professor
The Cambridge Hospital
Harvard University Medical School

Duane Gubler
Director
Division of Vector Borne Infectious
Diseases
Center for Disease Control and Prevention

James A. Harrell
Deputy Director
Office of Disease Prevention and
Health Promotion
Public Health Service

Hiram Larew
Policy Specialist
Agency for International Development

Jonathan A. Patz
Research Associate
Johns Hopkins School of Public Health

Warren T. Piver
Adjunct Professor
National Institute of Environmental
Health Sciences

Marla Salmon
Director
Division of Nursing
Department of Health and Human Services

Rudi Slooff
Division of Environmental Health
World Health Organization

Tim Tinker
Health Education Specialist
Agency for Toxic Substances and
Disease Registry

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

CHAIRS

Ruth L. Berkleman
Deputy Director
National Center for Infectious Disease
Centers for Disease Control and Prevention

Robert W. Corell
Subcommittee on Global Change
Research and Development
U.S. Global Change Research Program

Terri Damstra
Acting Deputy Director
International Programs
National Institute of Environmental
Health Sciences

William H. Farland
Director
National Center for Environmental
Assessment
Environmental Protection Agency

Bernard D. Goldstein
Director
Environmental and Occupational Health
Sciences Institute
Robert Wood Johnson Medical School

Demisse Habte
Director
Center for Health and Population Research

Andrew Haines
Professor of Primary Health Care
University College of Middlesex

Max Lum
Director
Office of Health Communications
National Institute of Occupational
Safety and Health
Thomas F. Malone

Founding Director
The Sigma Xi Scientific Research Society

Sheila A. Newton
Coordinator for the Environment
Office of Disease Prevention and Health
Promotion, Public Health Service

Jonathan A. Patz
Research Associate
Johns Hopkins School of Public Health

Rafe Pomerance
Deputy Assistant Secretary for
Environment and Development
U.S. Department of State

David P. Rall
Foreign Secretary
Institute of Medicine

Kenneth I. Shine
President
Institute of Medicine

Anne K. Solomon
Deputy Assistant Secretary for
Science, Technology and Health
U.S. Department of State

Rudi Slooff
Division of Environmental Health
World Health Organization

Mary E. Wilson
Assistant Professor
Harvard University

APPENDIX C

CONFERENCE REGISTRANTS

Philip H. Abelson American Association for the Advancement of Science	Judith Bale National Research Council	Ruth L. Berkleman Centers for Disease Control and Prevention
Frank Addivino University of Maryland	John M. Balbus-Kornfeld George Washington University	David Bernstein Universal Healthwatch
Sir George A.O. Alleyne Pan-American Health Organization	William Bancroft U.S. Army Medical Research and Materiel Command	Brent Berwager Center for Health and Population Affairs
Arlene F. Anderson U.S. Department of Energy	David Banks American Petroleum Institute	Rosina Bierbaum Office of Science and Technology Policy
Neil Anderson National Science Foundation	Eric J. Barron Pennsylvania State University	Eugene W. Bierly American Geophysical Union
Sherrod Anderson U.S. Department of Transportation	Gerald S. Barton National Oceanic and Atmospheric Association	David Blockstein Institute for the Environment
Joan L. Aron Johns Hopkins School of Hygiene and Public Health	James R. Beall U.S. Department of Energy	Paul M. Bloom Tufts University
J. Brian Atwood Agency for International Development	Lois Ann Beaver Food and Drug Administration	Fred Blosser Environmental Protection Agency
Maurice Averner National Aeronautics and Space Administration	Melinda A. Beck University of North Carolina	Genia D. Bohrer National Institute of Environmental Health Sciences
Sue Bachtel Office of Science and Technology Policy	Dan Becker Sierra Club	John Borazzo Agency for International Development
D. James Baker National Oceanic and Atmospheric Association	Yvette Benjamin Institute of Medicine	Ann Bostrom Georgia Institute of Technology

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

Colin L. Bradford, Jr. Agency for International Development	Willine Carr Grantmakers in Health	Rita R. Colwell University of Maryland
Lynn Bradley Association of State and Territorial Health Officers	Dennis Carroll Agency for International Development	Nugent Conn Liberty Tree Alliance
David Brandling-Bennet Pan American Health Organization	James C. Cecil The Pentagon	Elizabeth Cook World Resources Institute
Bryna Brennan Pan American Health Organization	D.W. Chen Health Resources and Services Administration	Leslie B. Cordes Agency for International Development
Mary J. Brooks Greencool	Shouquan Cheng University of Delaware	Anthony Cortese Consortium for Environmental Education in Medicine
Allen Buckingham American Association of Retired Persons	Mary Ann Childs Universal Healthwatch, Inc.	Robert W. Corell U.S. Global Change Research Program
Jim Buizer National Oceanic and Atmospheric Administration	Eunyong Chung U.S. Agency for International Development	Lisa Cruz-Avalos Nurse Consultant
Joy E. Carlson Children's Environmental Health Network	Christopher Chyba Princeton University	Owen Cylke Tata Energy and Resources Institute
Gregory R. Carmichael Center for Global and Regional Environment	Eric Chivian Harvard University Medical School	John Daly Agency for International Development
Fran Carr Agency for International Development	David L. Clark University of Wisconsin, Madison	Terri Damstra National Institute of Environmental Health Sciences
Michael D. Carr U.S. Department of Interior	Emery T. Cleaves Geological Society of America	David Danzig Sierra Club
	Daniel G. Colley Centers for Disease Control and Prevention	

APPENDIX C

Frances R. Davidson U.S. Agency for International Development	Meg Doskin Physicians for Social Responsibility	Tom Eng U.S. Senate
Tudor T. Davies Environmental Protection Agency	Thomas F. Downham II American Academy of Dermatology	Paul R. Epstein Harvard University Medical School
Joe Davis Environmental Health Center	Robert Drew American Petroleum Institute	Dawn Erlandson Friends of the Earth
Molly Davis U.S. Agency for International Development	Bernadette Dunham American Veterinary Medical Association	Christine Ervin U.S. Department of Energy
Edward C. DeFabo George Washington University	Col. Michael A. Dunn Office of Assistant Secretary of Defense Health Affairs	Elaine C. Esber Food and Drug Administration
Henrietta DeGroot U.S. Department of Transportation	Christine Durbak World Information Transfer	Ruth A. Etzel Centers for Disease Control and Prevention
Linda DePugh Institute of Medicine	Robert Eagelman Population Action International	Gary R. Evans U.S. Department of Agriculture
Dennis J. Devlin Exxon Biomedical Sciences, Inc.	Anthony S. Earl Center for Clean Air Policy	William H. Farland Environmental Protection Agency
Angela Phillips Diaz Office of Science and Technology Policy	William E. Easterling University of Nebraska	Kevin Fay International Climate Change Partnership
Vanessa Dixon American Association of Retired Persons	Sylvia Edgerton U.S. Department of Energy	Warren Ferster Space News
Andrew Dobson Princeton University	James A. Edmonds Pacific Northwest Laboratory	Ralph Ted Field National Association of Physicians for the Environment
Jordana Dolowich Council on Environmental Quality	Laura Efros Office of Science and Technology Policy	George Fisher John Hopkins University
	Gary B. Ellis National Institutes of Health	

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

Lora E. Fleming University of Miami	Martha Geores University of Maryland	Robert H. Gray University of Michigan
Dana A. Focks U.S. Department of Agriculture	Brigitta Gerwen Netherlands National Institute of Public Health	Gina C. Green The Nature Conservancy
Loren B. Ford Environmental Protection Agency	Herman Gibb Environmental Protection Agency	Harry L. Greene II Massachusetts Medical Society
Michael Fosberg U.S. Department of Agriculture, Forest Service	John H. Gibbons The White House	Nancy Greenspan Environmental Network
Marvin Frazier U.S. Department of Energy	Lewis E. Gilbert Columbia University	Priscilla C. Grew University of Nebraska, Lincoln
Kenneth Frederick Resources for the Future	William H. Glaze University of North Carolina	Francesca T. Grifo Center for Biodiversity and Conservation Museum of Natural History
Clifford J. Gabriel American Institute of Biological Sciences	Patricia Glick Sierra Club	John T. Grupenhoff National Association of Physicians for the Environment
Ashok Gadgil Lawrence Berkeley National Laboratory	Lynn R. Goldman Environmental Protection Agency	Duane J. Gubler Centers for Disease Control and Prevention
Steven K. Galson Environmental Protection Agency	Bernard D. Goldstein University of Medicine and Dentistry of New Jersey and Robert Wood Johnson Medical School	Audrey Haar Coal and Synfuels Technology
Mary M. Gant National Institute of Environmental Health Sciences	Robert Gordon Institute of International Education	Craig Haas Environmental Protection Agency
David Gardiner Environmental Protection Agency	Anne Grambsch Environmental Protection Agency	Demisse Habte Center for Health and Population Research
Bronson Gardner Global Climate Coalition	Erick Gray Universal Healthwatch, Inc.	

APPENDIX C

Andrew Haines University College of Middlesex	Robert Harris National Aeronautics and Space Administration	Rachel M. Hopp Hopp and Associates
Scott A. Hajost International Union for Conservation of Nature and Natural Resources-U.S.	Polly Harrison Institute of Medicine	William H. Hooke National Oceanic and Atmospheric Administration
Davie Hales Agency for International Development	John K. Hartsock University of Maryland	Sarah Horrigan Office of Management and Budget
J. Michael Hall National Oceanic and Atmospheric Administration	Peter I. Hartsock National Institute on Drug Abuse	Thomas Hourigan U.S. Agency for International Development
Scott B. Halstead U.S. Navy	Joseph Huang Scientist	Sharon Hrynkow National Institutes of Health
Todd Halvorsen National Institute of Environmental Health Sciences	Abraham Haspel U.S. Department of Energy	Drusilla Hufford Environmental Protection Agency
Mark Hammond British Embassy	Cheryl A. Hayden American Academy of Dermatology	Jeffrey A. Hunker U.S. Department of Commerce
Mark Handel National Research Council	Raymond Hayes Howard University College of Medicine	S. Taseer Hussain Howard University
Deborah Hanfman Office of Science and Technology Policy	Karen Hein Institute of Medicine	Craig Hyams Naval Medical Research Institute
William R. Harlan National Institutes of Health	Merrill Heit U.S. Department of Energy	Noreen A. Hynes Peace Corps
Lowell T. Harmison Gallary House	Roger C. Herdman Office of Technology Assess- ment, U.S. Congress	Donald J. Igo U.S. Department of Transportation
James A. Harrell Public Health Service	Beth Hileman <i>Chemical and Engineering News</i>	Carrie Ingalls Institute of Medicine
	Eric Holdsworth Global Climate Coalition	

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

Richard J. Jackson Centers for Disease Control and Prevention	Sally Kane Council of Economic Advisers	Katharine Kripke Stanford University
Paul F. Jamason University of Delaware	Thomas R. Karl National Climatic Data Center	Margaret Kripke M.D. Anderson Cancer Center
Christer T. Jansen University of Turku, Finland	Eileen Kennedy Center for Nutrition Policy and Promotion	Jon Kusler Association of Wetland Manager
Nyka Jasper U.S. Agency for International Development	Charles Kennel National Aeronautic and Space Administration	Sandra L. LaFevre Reinsurance Association of America
Jim Jensen U.S. Agency for International Development	John L. Kermond National Oceanic and Atmospheric Association	Carol Lancaster Agency for International Development
James Jessleman Academy for Educational Development	Katherine Kirkland Association of Occupational and Environmental Clinics	Stephen Landry Agency for International Development
Stephen C. Joseph U.S. Department of Defense	Thomas M. Kirlin American Petroleum Institute	Hiram Larew Agency for International Development
John R. Justus Library of Congress	Heidi M. Klein National Association of City and County Health Officials	Daniel Lashof Natural Research Defense Council
Peter R. Jutro Environmental Protection Agency	Edward Knipling U.S. Department of Agriculture	Sharon LeDuc Environmental Protection Agency
Laurence S. Kalkstein University of Delaware	Andrei P. Kozlov National Institutes of Health	Alexander Leaf Harvard University Medical School
Carla Kappell Agency for International Development	Tim R. Kramer U.S. Department of Agriculture	Joel M. Levy National Oceanic and Atmospheric Administration
John Kallos Columbia Business School	Kalee Kreider Ozone Action	
Timothy P. Kanaley Institute of Medicine		

APPENDIX C

Elizabeth Lindgren Natural Resources Management Institute Stockholm University	Thomas F. Malone The Sigma Xi Scientific Research Society	Anthony McMichael Department of Epidemiology and Population
Andrew Lewis U.S. Department of State	Adam Markham World Wildlife Federation	Gary McNeil Council for Environmental Quality
Steven A. Lloyd Johns Hopkins University	Joyce M. Martin Environmental Protection Agency	L.H. Meredith U.S. Global Change Research Program
Ken Locklin A.T. International	W. J. Martens University of Limberg, Netherlands	Kathleen Michels Agency for International Development
David C. Logan Mobile Oil Corporation	DaCosta Mason American Association of Retired Persons	Alan Miller Center for Global Change
Janice Longstreth Waste Policy Institute	Donald R. Mattison University of Pittsburgh	Alvin J. Miller National Oceanic and Atmospheric Association
Ronald D. Lorton U.S. Department of State, Bureau of Oceans and International Environmental and Scientific Affairs	Lisa May Aurora Flight Sciences	Irving Mintzer Center for Global Change
Thomas E. Lovejoy Smithsonian Institution	Nancy Maynard National Aeronautic and Space Administration	Curtis Moore Curtis Moore Associates
Max Lum National Institute for Occupa- tional Safety and Health	Michael McCally Mt. Sinai Medical Center	Roscoe M. Moore, Jr. Office of International Health
William H. Lyster, Jr. Agency for International Development	Catherine E. McDermott Grantmakers in Health	Jennifer Morgan Climate Action Network
Diana MacArthur Dynamac Corporation	Alan McDonald American Academy of Arts and Sciences	Wayne A. Morissey Library of Congress
Michael C. MacCracken U.S. Global Change Research Program	Al McGartland Environmental Protection Agency	Robert T. Morris Medical College of Wisconsin
		Steven Morse Rockefeller University

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

Harry Moses U.S. Department of Energy	Susan Norwood U.S. Department of Energy	Countess Alicia Paolozzi National Association of Physicians for the Environment
Richard Moss Intergovernmental Panel on Climate Change	Edward W. Novak Army Environmental Policy Institute	John Passacantano Ozone Action
Jeryl L. Mumpower Rockefeller College	Christine O'Brien Environmental Protection Agency	Ari Patrinos U.S. Department of Energy
Robert K. Musil Physicians for Social Responsibility	James J. O'Brien Florida State University	Jonathan A. Patz Johns Hopkins School of Public Health
Charles E. Myers National Science Foundation	Robert O'Keefe Health Effects Institute	David Pelletier Cornell University
Carolyn Needleman Bryn Mawr College	Tara O'Toole U.S. Department of Energy	Michele Pena Climate Institute
Elvia E. Neibla U.S. Department of Agriculture, Forest Service	Ellen Odgen Agency for International Development	John S. Perry National Academy of Sciences
Henry Newhouse National Oceanic and Atmospheric Administration	David Oot Agency for International Development	Jonathan Pershing U.S. Department of State
Sheila A. Newton U.S. Department of Health and Human Services	Michael Oppenheimer Environmental Defense Fund	Anne C. Petersen National Science Foundation
Claudia Nierenberg National Oceanic and Atmospheric Administration	Brett Orlando Office of Science and Technology Policy	Karen Peterson National Institutes of Health
Frances P. Noonan George Washington University School of Medicine	Joseph V. Osterman Defense Research and Acquisition	Annie Petsonk Environmental Defense Fund
Michael Northrop Rockefeller Brothers Fund	Horst Otterstetter Pan American Health Organization	Paul B. Phelps Science Writer
		Winfred M. Phillips University of Florida

APPENDIX C

Rick Piltz U.S. Global Change Research Program	Debbie Reed U.S. Department of Agriculture, Office of the Secretary	Norman J. Rosenberg Battelle-Pacific Northwest Laboratories
Warren T. Piver National Institute of Environmental Health Sciences	Mickey Reed Cannon House Office Building	Arthur Rosenfeld U.S. Department of Energy
Rafe Pomerance U.S. Department of State	Walter V. Reid World Resources Institute	Herbert S. Rosenkranz University of Pittsburgh
Andrew Pope Institute of Medicine	John Reilly U.S. Department of Agriculture	Joshua Rosenthal Fogarty International Center
Jessica Poppele The World Bank	David Rejeski Office of Science and Technology Policy	Reva Rubenstein Environmental Protection Agency
Glenn Prickett Agency for International Development	Robert Repetto World Resources Institute	Philip R. Russell Johns Hopkins University
Ronald H. Pulliam National Biological Service	Donald L. Rheem E. Bruce Harrison Company	Alfred J. Saah Johns Hopkins University
Ata Qureshi Climate Institute	Richard Richels Electric Power Research Institute	Marla Salmon U.S. Department of Health and Human Services
David P. Rall Institute of Medicine	Courtney Riordan Environmental Protection Agency	Joel Saltz University of Maryland
Jason Randall Office of Science and Technology Policy	Michael Rodemeyer U.S. House of Representatives	Haleh V. Samiei Association for Women in Science
Stephen Rattien National Research Council	Julie Roque Office of Science and Technology Policy	Kim Sanzo Center for International Environmental Law
Susan V. Raymond New York Academy of Sciences		Joel D. Scheraga Environmental Protection Agency
Leslie A. Real Indiana University		Ellen Schmidt Greenpeace International

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

Gabriel Schmunis Pan-American Health Organization/World Health Organization	Dave Sharma U.S. Department of Transportation	Anthony Socci U.S. Global Change Research Program
Joe Schwartz Physicians for Social Responsibility	Eileen L. Shea Institute of Global Environmental Society	Rosemary Sokas George Washington University
Joel Schwartz Harvard University School of Public Health	Artie Shelton U.S. Department of Veterans Affairs	Anne K. Solomon U.S. Department of State
John Kimball Scott National Association of Physicians for the Environment	Clive Shiff Johns Hopkins University	William Sprigg National Academy of Sciences
Louise Scott Consultant	Martha Shimkin Pan American Health Organization	Ray Squitieri U.S. Treasury
Glenn E. Schweitzer National Research Council	Kenneth I. Shine Institute of Medicine	William Sprigg National Academy of Sciences
Jeff Seabright Agency for International Development	John Shlaes Global Climate Coalition	Jennifer Steinberg <i>Journal of NIH Research</i>
Stephen Seidel Council on Environmental Quality	Robert Shope University of Texas	Macol Stewart National Oceanic and Atmospheric Administration
Loren W. Setlow National Research Council	Michael Simpson Library of Congress	Paul Stolpman Environmental Protection Agency
Valerie P. Setlow Institute of Medicine	Holly Sims State University of New York	Richard E. Stuckey Center for Application of Sciences and Technology
Moir Shannon U.S. Department of Health and Human Services	James B. Sitrick Agency for International Development	Nicholas Sundt Global Change
	Rudi Slooff World Health Organization	Mark Sutton U.S. Global Climate Change Research Program
	Meta Snyder Registered Nurse	

APPENDIX C

Fred Swader U.S. Department of Agriculture	Robert J. Tuccillo Office of Management and Budget	Tracy M. Walton, Jr. National Medical Association
Lisa Swann Environmental Defense Fund	Waimar Tun Center for Health and Population Research	Bud Ward National Safety Council
William H. Swartz Johns Hopkins University	David Unnewehr American Insurance Association	Kathryn Washburn U.S. Department of the Interior
Guanri Tan University of Delaware	Rosario Val Pan-American Health Organization	Elizabeth Festa Watson Chemical Manufacturers Association
Paulo Fernando Teixeira Pan American Health Organization	Bob Vallario U.S. Department of Energy	Jeffrey Watson Royal Society of Canada
David Thomassen U.S. Department of Energy	Ann Van Dusen Agency for International Development	Robert T. Watson Office of Science and Technology Policy
Margo Thorning American Council for Capital Formation	Basil Vareldzis Agency for International Development	Peyton Weary University of Virginia Hospital
David Tejadd-De-Rivero Pan American Health Organization	David Verbel Biometrics Research Institute	Randall Wentzel U.S. Army
Tim Tinker Agency for Toxic Substances and Disease Registry	Romana Vysatova Domestic Policy Council	Carol Werner Environmental and Energy Study Institute
Steen Tinning Fredericksberg Hospital	Robert B. Wainwright Centers for Disease Control and Prevention	William E. Westermeyer National Research Council
Maria Livia Tosato Embassy of Italy	Jane Wales Office of Science and Technology Policy	William White Environmental Protection Agency
Dennis W. Trent Food and Drug Administra- tion, Center for Biologics Evaluation and Research	Tom Waltz World Bank	Carol E. Whitman U.S. Department of Agriculture

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

Natalie Williams
University of Delaware

Mark L. Wilson
Yale University School of
Medicine

Mary E. Wilson
Harvard University

Nancy C. Wilson
Climate Institute

Tom Wilson
Electric Power Research
Institute

Robert Wolcott
Environmental Protection
Agency

M. Gordon Wolman
Johns Hopkins University

Byron L. Wood
National Aeronautics and
Space Administration
Ames Research Center

Robert C. Worrest
Consortium for Earth Science
Information Network

Stephen W. Wyatt
Centers for Disease Control
and Prevention

Tammy R. Wyles
Georgia-Pacific Corporation

Ann G. Wylie
University of Maryland

Roger E. Wyse
University of
Wisconsin-Madison

Timothy Yarling
Japan International
Cooperation Agency

Terry F. Yosie
Environmental Development
Group

Elizabeth Younger
Younger and Rata

Eve Carroll Zentrick
Uniformed Services
University

Brigitta Zuidema-van Gerwen
Netherlands National Institute
of Public Health and
Environmental Protection

APPENDIX D

Abstracts of Conference Presentations

GEORGE ALLEYNE, M.D.

The reemergence in the Americas of infectious disease that had been controlled in the past, such as cholera, plague, and dengue, as well as the emergence of new infectious agents, such as Hanta and Guanarito viruses, *E. coli*:O:157, and cryptosporidia, have had a direct impact on health policy and the prevention of disease. Over the past several years, governmental and nongovernmental organizations have been working closely to modify health policy in order to place more emphasis on disease prevention. A major concern is the changing dynamics of disease transmission, which is influenced by migration, land use, and environmental degradation. Many lines of action are being pursued to prevent infectious diseases. One requirement is flexible management within the health sector, which is close to the population and that can adapt to the changing patterns of disease. In addition, the wide impact of infectious diseases, such as AIDS, mandates a policy of increased intersectorial cooperation. There must be fluid communication and management of health problems among the sectors of health, environment, and agriculture, supported by competent research based on policy analysis. It is believed that policy reform, combined with broad public support gained by effective use of the mass media, will allow us to confront the health problems caused by climate change and environmental degradation.

J. BRIAN ATWOOD

Climate change is believed to cause a wide variety of deleterious effects, including desertification, change in agricultural patterns, and disease. The effect is both direct and indirect; the causes may be either natural or manmade. To the extent that climate change and its impacts are influenced by human activity, methods must be found to mitigate, adapt, or respond. The U.S. government is obligated to exercise leadership at home and abroad to ensure that responses are appropriate and timely.

Who is at risk? Every human being is vulnerable but the citizens of developing countries and regions face the most immediate dangers. In those nations, climatic change and the

necessary responses may be greatest, but available resources are most limited. Clearly, the preventive and responsive measures we employ to deal with climate change and its effects must involve every affected person and operate society-wide.

ERIC CHIVIAN, M.D.

Despite increasing evidence that climate change and ozone depletion may have disastrous consequences for human health, there is a little understanding, among policy-makers or the public, of the extent of the possible threat to human life. Physicians and public health professionals should be central figures in helping to promote this understanding, but they are by and large ununiformed, as their education does not in general cover the relationship of global environmental change to human health. This presentation shall look at the role of the medical and public health communities in global environmental issues, such as climate change and ozone depletion, and shall address the growing need for their education and involvement.

RITA R. COLWELL, Ph.D

The origin and cyclical nature of cholera has intrigued scientists and public health officials, Robert Koch postulated environmental origins of cholera, but proof was not established until the tools of molecular biology and immunology were available. Work on environmental aspects of cholera during the past 20 years has revealed an association of *Vibrio cholerae* with zooplankton and marine and estuarine systems. Furthermore, the capability of *V. cholerae* to enter a dormant, that is, viable but nonculturable state, has offered an explanation for the inability to isolate it between epidemics. With fluorescent monoclonal antibody and gene probes, coupled with PCR amplification, it has been possible to detect and monitor *V. cholerae* in the environment. Furthermore, it has been shown that plankton blooms are correlated with increased incidence of *V. cholerae*. Studies carried out in Bangladesh provided the link between cholera outbreaks and plankton populations. Studies in progress, employing satellite imagery, will permit retrospective and prospective analyses of marine plankton and the cholera outbreak in Latin America during 1991-1992. The El Niño event appears to be closely associated with this cholera outbreak. Perturbations of the marine ecosystem may be the key to the erratic, cyclical nature of cholera epidemics.

STEPHEN C. JOSEPH, M.D., M.P.H.

Global surveillance is critical to national security and plays a vital role in the mission of the Department of Defense (DoD). Military forces can be deployed to virtually any area of the world on short notice; knowledge of emerging diseases and their potential impact on military operations greatly assist us in preparing countermeasures to avoid such threats, reduce their impact, and provide a rapid response to outbreaks. At present, three things need to be accomplished. First, DoD--using existing resources--will establish a surveillance and response capability in its overseas laboratories. Second, along with other U.S. government agencies, DoD will link international and host-nation training of field epidemiologists and researchers to existing DoD laboratories, creating regional networks. Third, U.S. government agencies in international partnerships need to establish a functional surveillance system on the Internet, of which PROMED is an excellent early prototype.

LAURENCE KALKSTEIN, Ph.D

Direct weather impacts, such as heat waves, have a profound effect upon human health; during unusually hot conditions, deaths from all causes can rise over 50 percent above average levels. The elderly, poor, and very young appear disproportionately stressed. The impact of climate change could exacerbate the situation, as more extreme hot weather, and a greater frequency of oppressive air masses could cause the number of heat-related deaths to rise significantly. Although developing nations could suffer inordinately, it is quite obvious that extreme heat can cause havoc in American cities, as evidenced by the recent Chicago heat wave.

There are a number of unanswered or disputed questions involving the impact of climate change on mortality and morbidity. Will increasing winter warmth compensate somewhat for hotter summers by decreasing winter mortality? What will be the impact of increasing accessibility to air conditioning? Would many of the people who die of excess heat represent deaths that would have occurred shortly afterward, regardless of the weather? What is the acclimatization potential of the population if future temperatures rise? Can excessive deaths be mitigated with the development of watch/warning systems that provide the appropriate agencies with advance notice about impending dangerous weather conditions? Finally, how does the combination of hot weather and air pollution contribute to increasing human mortality, and what are the implications of a global warming on weather or pollution impacts?

MARGARET L. KRIPKE, Ph.D

The amount of ultraviolet-B radiation in natural sunlight is dependent on the concentration of ozone in the atmosphere. A reduction in ozone will increase the amount of UV-B radiation reaching the earth's surface. Even a small increase in UV-B radiation is likely to

have important consequences for human health. Although a small amount of UV-B is necessary for production of vitamin D, excessive exposure causes squamous and basal cell skin cancers and contributes to the incidence of melanoma skin cancer. Ocular changes that lead to certain types of cataract are also a consequence of excessive exposure to UV-B radiation. UV-B radiation can also interfere with the body's immune system; this constitutes one of the most potentially dangerous effects of UV-B because of the possibility that immunity to infectious diseases may be compromised. Unfortunately, too little is known about the immunology consequences of UV-B radiation to make predictions about the impact of ozone depletion on human diseases.

ANTHONY J. McMICHAEL, M.D., Ph.D

Three things about this topic need emphasis: scale, context, and uncertainty. First, the anticipated health risks are not of a localized kind; they are of large scale, impinging at population level, and transcending national boundaries. Second, the risks are not just "more of the same" (more heatwaves, air pollution, etc). Rather, they would arise substantially via indirect pathways (by disturbance of natural systems, e.g. the ecology of infective agents, food production, and freshwater supplies). Third, forecasting them entails complexity, uncertainty, and a long time horizon. It is tempting to focus on the more familiar risks; increased deaths from heatwaves (especially in the very young, frail, and elderly), trauma from floods and storms, and—from stratospheric ozone depletion—more cases of skin cancer. However, in the long term, sustained changes in climate and in climate-dependent natural systems (particularly if also subjected to other environmental or ecological stresses) would result in: (a) altered patterns of infectious diseases, especially vector-borne diseases (malaria, dengue, etc); (b) some regional declines in food production; and (c) population displacement (rising seas, declining agriculture, food shortages, and weather disasters) and its many public health consequences. Combinations of mobile infections, malnutrition, and social stress—especially in displaced and migrating groups—could amplify the health impacts of climate change.

STEPHEN S. MORSE, Ph.D

"Emerging infectious diseases" are those that are newly appeared in the population or are rapidly increasing their incidence or geographic range (e.g., HIV/AIDS, cholera in South America and Africa, and Ebola in Africa, and Hantavirus pulmonary syndrome and Lyme disease in the United States). Most emerging infections are caused by pathogens that are present in the environment but are newly introduced into humans, often from another species as a result of changing ecological or environmental conditions that increase the chance of human contact, or are infections that were once geographically isolated but now have an opportunity to reach larger human populations. Climate may often be a factor. For example, with Hantavirus pulmonary syndrome in the southwestern United States in 1993, the virus probably was long present in local rodent populations, but unusual local weather conditions led to an exceptionally

CONFERENCE ON HUMAN HEALTH AND GLOBAL CLIMATE CHANGE

large rodent population, with greater opportunities for people to come in contact with infected rodents (and, hence, with the virus); the weather anomaly itself may have been due to large-scale climatic effects. Human population movements, which can introduce remote infections to a large population, also are often a factor in the emergence of disease. The mass movement of workers from rural areas to cities, largely driven by economic conditions, can allow a previously isolated infection to reach larger numbers of people (this probably happened with HIV). Climate changes, by potentially decreasing productivity of local rural agriculture, could accelerate this migration. As a final example, epidemiologists have long documented a close relationship between climatic conditions and epidemics of childhood bacterial meningitis (which can also spread globally by travel) in parts of Africa where the disease naturally occurs.

JOEL SCHWARTZ, Ph.D

Increases in temperature in the Northern Hemisphere will result in increased demand for air conditioning, and hence increased emissions from electric power generation, which are the major source of fine particles in much of North America. Increased temperature will also lead to increased ozone formation. While the degree of pollution resulting from climate change is relatively unclear, the effects of particulate air pollution and ozone are becoming increasingly clear. Increased particulate air pollution is associated with increased risk of mortality, decreased life expectancy, and increased hospital admissions for heart and respiratory illness. Ozone is associated with increased hospital admissions for respiratory illness. The magnitude of these risks can now be quantified.

ROBERT E. SHOPE, M.D.

Some probable effects of global warming are (a) an increase in temperatures especially at night, (b) greater warming in polar than in tropical latitudes, (c) an increase in the frequency of tropical storms, (d) loss of forests, and (e) migration of humans and their domestic animals north in the Northern Hemisphere. These changes will affect the health of people and animals, especially through increased numbers and efficiency of arthropod and rodent vectors of disease.

Vector-borne diseases such as dengue, St. Louis encephalitis, Lyme disease, yellow fever, malaria, and Rift Valley fever, as well as bat rabies and Hantaviruses, will be affected. These diseases have in common an ecological component such that climate limits their distribution. Most occur in tropical areas and have either a mosquito, tick, or wild animal as part of their cycle. In many cases the infectious agent multiplies better in the reservoir at high ambient temperature, and often the vector depends on ample rainfall to thrive.

In the case of Lyme disease, climate influences both the infectious agent and the hosts that maintain the life-cycle of the vector. Dengue is a tropical virus disease transmitted by *Aedes* mosquitoes. This disease, with warming, appears to be moving northward to the U.S.-Mexican border.

ROBERT T. WATSON, Ph.D

The Earth's climate is predicted to change because human activities are altering the chemical composition of the atmosphere. The buildup of greenhouse gases—primarily carbon dioxide, methane, nitrous oxide and chlorofluorocarbons (CFCs)—is changing the radiation balance of the planet. The basic heat-trapping property of these greenhouse gases is essentially undisputed. However, there is considerable scientific uncertainty about exactly how and when the Earth's climate will respond to enhanced greenhouse gases. The direct effects of climate change will include changes in temperature, precipitation, soil moisture, and sea level. Such changes could have adverse effects on ecological systems, human health, and socioeconomic sectors.

Accumulation of CFCs in the upper atmosphere has already led to world-wide depletion of the ozone layer and an ozone hole in springtime over Antarctica. Ozone filters out harmful ultraviolet radiation and keeps it from reaching the Earth's surface. Recent international agreements to phase out CFCs are beginning to show results; we now expect peak depletion to occur about the turn of the century, and the ozone layer should recover over the next several decades.

Ozone depletion and climate change are complex problems that will affect the economy and the quality of life for this and future generations. The lag time between emission of the gases and their impact is on the order of decades to centuries; so too is the time needed to reverse any effects. Thus, decisions in the nearterm will have long-term consequences.

M. GORDON "REDS" WOLMAN, Ph.D

The geologic record provides clear evidence of climatically induced changes in the quantity and quality of fresh-water on the globe. Major fluctuations in climate, in the last 10,000 years and before, have resulted in the creation and demise of lakes and river systems. Temperature perturbations of only a few degrees have also been accompanied by significant increases in the frequency of floods, and similar flood events are associated with El Niño oscillations in some regions. Increasing seasonal runoff at some locations in the United States may be associated with a warming trend during this century, but the record is not consistent. Climate change influences water quality directly and indirectly; directly through changes in water temperature and associated chemical and biochemical phenomena (e.g. dissolved oxygen, algae), and indirectly through alterations of vegetation and the erosional process on land. Sediment yield and accompanying organic and inorganic constituents may alter the quality of ambient flow and the characteristics of the habitat. Human impacts acting on both landscape and climate are often inseparable from the variable behavior of natural processes.

DAVID OOT, Ph.D.

More than 800 million people, or 15 percent of the world's total population, are food insecure. They lack the economic and physical access to adequate food to meet their dietary needs and to lead healthy and productive lives. Inadequate food consumption is a primary cause of malnutrition along with infection and poor health. For 1993, the UN reports that over 34 percent of all preschool children in developing countries are malnourished. From recent research we know that protein energy malnutrition (PEM), even in its mild-to-moderate forms, contributes to 56 percent of child deaths in 53 developing countries. The terrible burden of PEM on child survival is even greater when the toll of hidden hunger due to micronutrient deficiencies--especially of Vitamin A, which leads to blindness; of iron, causing anemia; and of iodine deficiency, which leads to impaired mental performance.

Projections through 2020 suggest an increasing number of malnourished people, especially in South Asia. Estimates for the numbers of additional people at risk of hunger range from a conservative 100 million to around 360 million by the year 2060. Cereal prices were estimated to increase dramatically from 25 to 125 percent, with profound implications for the net purchasers of food, the poor. The differential and negative impact in the developing world has implications for the range and types of actions that need to be taken to address the health and nutrition consequences.

- Early warning and famine mitigation;
- Institutional strengthening in developing countries to predict and respond to environmental and related emergencies;
- Development assistance to vulnerable countries for promoting and refining adaptive measures to improve food production and income generation;
- Increased emphasis on basic health and nutrition services including family planning;
- Focused and coherent approaches to effective utilization of US food resources targeted to the vulnerable; and
- Global action and leadership to advance scientific knowledge and its application.

ADDITIONAL ABSTRACT OF CONFERENCE PRESENTATIONS

J. Michael Hall, Ph.D., and Paul Epstein, M.D., M.P.H.

During the past 15 years scientists have made dramatic progress in predicting the El Niño-Southern Oscillation (ENSO) phenomenon and related seasonal to interannual climate variability in many critical areas of the globe, particularly in the tropics and subtropics, where the ENSO signal and impacts are strongest. Current ENSO-forecasting capabilities can predict climate trends for many affected regions of the world with a lead time of up to 1 year. Accurate and timely forecasts allow policymakers to mitigate the potentially devastating economic

impacts of ENSO by adapting planning processes to short-term climate fluctuations. The ability to anticipate an upcoming anomalous wet or dry period is already being used by decisionmakers in several tropical countries. Past successes in climate forecasting and impacts modeling in the agriculture and hydrology sectors have set the stage for a new line of investigation and application in the health sector.

El Niño events—producing warmer and wetter years periodically in regions around the world—may be associated with upsurges of cholera and other water-borne diseases, new appearances of harmful algal blooms, disease events across taxa in the marine environment, outbreaks of malaria and dengue fever, and the abundance of rodents as pests and pathogen vectors. Multidisciplinary application centers integrating climate forecasting with ecological and social information can provide early warning for multiple sectors including hydroelectric energy, water resources management, and agriculture (“Famine Early Warning Systems”). With additional investigation, the potential exists to extend these application efforts to human health (“Health Early Warning Systems”). While climate circumscribes the distribution of many disease vectors, extreme events may determine the timing of outbreaks.

In considering El Niño as an analogue for long-term climate change, lessons can be learned from effects on extreme events: changes in droughts, floods, and minimum and maximum temperatures. Study of the linkage between ENSO and health is beginning to reveal important threshold effects and provide tools for predicting the impacts of global climate change that can be tested and perfected on verifiable timescales. The significance of ENSO may be greater still, as some scientists believe that global climate change may be experienced in large part through changes in climatic extremes and climate variability. For some diseases, changes in climatic extremes may be even more important than changes in average temperature and average precipitation.



DEPARTMENT OF THE ARMY

US ARMY MEDICAL RESEARCH AND MATERIEL COMMAND
504 SCOTT STREET
FORT DETRICK, MARYLAND 21702-5012

REPLY TO
ATTENTION OF:

MCMR-RMI-S (70-1y)

21 Apr 97


MEMORANDUM FOR Administrator, Defense Technical Information
Center, ATTN: DTIC-OCP, Fort Belvoir,
VA 22060-6218

SUBJECT: Request Change in Distribution Statement

1. The U.S. Army Medical Research and Materiel Command has reexamined the need for the limitation assigned to technical reports written for Grant Number DAMD17-95-1-5063. Request the limited distribution statement for Accession Document Number ADB209063 be changed to "Approved for public release; distribution unlimited." This report should be released to the National Technical Information Service.

2. Point of contact for this request is Ms. Judy Pawlus at DSN 343-7322.

FOR THE COMMANDER:


GARY R. GILBERT
Colonel, MS
Deputy Chief of Staff for
Information Management

Completed 1-10-00 *cl*