

UNCLASSIFIED

AD NUMBER
ADB259837
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies only; Proprietary Info.; Jul 99. Other requests shall be referred to U.S. Army Medical Research and Materiel Command, 504 Scott St., Fort Detrick, MD 21702-5012.
AUTHORITY
USAMRMC ltr, 17 Jun 2002

THIS PAGE IS UNCLASSIFIED

AD _____

GRANT NUMBER DAMD17-98-1-8104

TITLE: Use of the HSP 110 Peptide Binding Protein for the
Development of New Breast Cancer Vaccines

PRINCIPAL INVESTIGATOR: John R. Subjeck, Ph.D.

CONTRACTING ORGANIZATION: Health Research, Inc.
Buffalo, New York 14263-0001

REPORT DATE: July 1999

TYPE OF REPORT: Annual

PREPARED FOR: Commanding General
U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Distribution authorized to U.S. Government
agencies only (proprietary information, Jul 99). Other requests
for this document shall be referred to U.S. Army Medical Research
and Materiel Command, 504 Scott Street, Fort Detrick, Maryland
21702-5012.

The views, opinions and/or findings contained in this report are
those of the author(s) and should not be construed as an official
Department of the Army position, policy or decision unless so
designated by other documentation.

20001121 083

NOTICE


USING GOVERNMENT DRAWINGS, SPECIFICATIONS, OR OTHER DATA INCLUDED IN THIS DOCUMENT FOR ANY PURPOSE OTHER THAN GOVERNMENT PROCUREMENT DOES NOT IN ANY WAY OBLIGATE THE U.S. GOVERNMENT. THE FACT THAT THE GOVERNMENT FORMULATED OR SUPPLIED THE DRAWINGS, SPECIFICATIONS, OR OTHER DATA DOES NOT LICENSE THE HOLDER OR ANY OTHER PERSON OR CORPORATION; OR CONVEY ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE, OR SELL ANY PATENTED INVENTION THAT MAY RELATE TO THEM.

LIMITED RIGHTS LEGEND

Award Number: DAMD17-98-1-8104
Organization: Health Research, Inc.

Those portions of the technical data contained in this report marked as limited rights data shall not, without the written permission of the above contractor, be (a) released or disclosed outside the government, (b) used by the Government for manufacture or, in the case of computer software documentation, for preparing the same or similar computer software, or (c) used by a party other than the Government, except that the Government may release or disclose technical data to persons outside the Government, or permit the use of technical data by such persons, if (i) such release, disclosure, or use is necessary for emergency repair or overhaul or (ii) is a release or disclosure of technical data (other than detailed manufacturing or process data) to, or use of such data by, a foreign government that is in the interest of the Government and is required for evaluational or informational purposes, provided in either case that such release, disclosure or use is made subject to a prohibition that the person to whom the data is released or disclosed may not further use, release or disclose such data, and the contractor or subcontractor or subcontractor asserting the restriction is notified of such release, disclosure or use. This legend, together with the indications of the portions of this data which are subject to such limitations, shall be included on any reproduction hereof which includes any part of the portions subject to such limitations.

THIS TECHNICAL REPORT HAS BEEN REVIEWED AND IS APPROVED FOR PUBLICATION.



10/29/00

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE July 1999	3. REPORT TYPE AND DATES COVERED Annual (1 Jul 98 - 30 Jun 99)
4. TITLE AND SUBTITLE Use of the HSP 110 Peptide Binding Protein for the Development of New Breast Cancer Vaccines			5. FUNDING NUMBERS DAMD17-98-1-8104
6. AUTHOR(S) John R. Subject, Ph.D.			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Health Research, Inc. Buffalo, New York 14263-0001			8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012			10. SPONSORING / MONITORING AGENCY REPORT NUMBER
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION / AVAILABILITY STATEMENT Distribution authorized to U.S. Government agencies only (proprietary information, Jul 99). Other requests for this document shall be referred to U.S. Army Medical Research and Materiel Command, 504 Scott Street, Fort Detrick, Maryland 21702-5012.			12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words) Heat shock proteins have been examined in the last few years as anti-cancer vaccines. There are only a few major heat shock protein families in mammals, the most obvious being hsp28, hsp70, hsp90 and hsp110. To date, hsp70 and hsp90 family members have been the primary candidates for preparation of anti-tumor vaccines. Hsp110 has remained largely unstudied. Recently, hsp110 has been initially cloned and characterized in this laboratory. We have hypothesize in our application, based largely on sequence data, that hsp110 may be an excellent candidate for use as an anti-tumor, heat shock protein vaccine. The objective of our proposal was to test this hypothesis and examine peptides bound to hsp110. This first annual report describes the protocol for the purification of hsp110 from tumors and normal tissue. Moreover, it describes the initial studies of purified hsp110 in inhibiting the growth of a murine tumor model and in significantly extending survivability. These results demonstrate that hsp110 can be used as an anti-cancer vaccine.			
14. SUBJECT TERMS Breast Cancer			15. NUMBER OF PAGES 10
			16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Limited

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

11 Where copyrighted material is quoted, permission has been obtained to use such material.

11 Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

11 Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.

✓ In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and use of Laboratory Animals of the Institute of Laboratory Resources, national Research Council (NIH Publication No. 86-23, Revised 1985).

✓ For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.

NA In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

NA In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.

NA In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.

PI - Signature

Date

7/9/98

4. TABLE OF CONTENTS

1. FRONT COVER	PAGE 1
2. FORM 298	PAGE 2
3. FOREWORD	PAGE 3
4. TABLE OF CONTENTS	PAGE 4
5. INTRODUCTION	PAGE 5
6. BODY	PAGE 5
7. KEY RESEARCH ACCOMPLISHMENTS	PAGE 6
8. REPORTABLE OUTCOMES	PAGE 6
9. CONCLUSIONS	PAGE 6
10. REFERENCES	PAGE 7
11. APPENDICES	PAGE 7

5. INTRODUCTION

Devising means to stimulate an anti-tumor immune response represents a powerful approach to the control and elimination of systemic disease in breast and other forms of cancer. A novel approach to this has been proposed in the last few years. *This approach takes advantage of the promiscuous peptide binding properties of a small set of genetically conserved proteins known as heat shock proteins.* These molecular chaperones bind peptide chain and are involved in numerous protein folding, transport and assembly processes, and may even be involved in the antigen presentation pathway to MHC complexes. Purification of specific heat shock proteins from tumors also provides a plethora of associated tumor cell peptides, some of which are *immunogenic*. Use of these properties of specific heat shock proteins provides a general and simple approach in the preparation of anti-tumor vaccines has been demonstrated to produce an anti-tumor immune response in animals.

There are only a few major heat shock protein families in mammals, the most obvious being hsp28, hsp70, hsp90 and hsp110. To date, hsp70 and hsp90 family members have been the primary candidates for preparation of anti-tumor vaccines. Not all stress proteins function as vaccines and it can be expected that different ones may exhibit different activities. Curiously, hsp110 has remained, until recently, uncloned and largely unstudied. Recently, hsp110 has been initially cloned and characterized in this laboratory. We have hypothesize in our application, based largely on sequence data, that hsp110 may be an excellent candidate for use as an anti-tumor, heat shock protein vaccine. The objective of our proposal was to test this hypothesis and examine peptides bound to hsp110.

6. BODY

We have perfected an optimal purification scheme for hsp110 (Objective 1, Task A). In short, tumor or normal tissue are homogenized in hypotonic buffer and centrifuged at 100,000g. The supernatant is mixed with ConA-sepharose beads and the the unbound material separated on a column. This material is then applied to an ion exchange column (MonoQ). Bound proteins are eluted by a salt gradient (200-400 mM NaCl). The hsp110 fractions are then pooled, concentrated and loaded on a size exclusion column (Superose 6). Fractions are again collected and tested using anti-hsp110 antibody. This provides a homogenous hsp110 sample when examined by silver staining of gels.

In working out this purification protocol, it was observed that hsp110 exists in native form in a large complex of 400 kDa to 700 kDa. We have verified that this "hsp110 complex" also includes hsc70 and hsp28 and that the three actively interact (bind to one another) in situ. This suggests that these three chaperones form a chaperoning machine in cells. The chaperoning functions of this complex are being examined and a study of the vaccine potential of the complete complex is under consideration.

Next, we have tested the effectiveness of different doses of hsp110 as an anti-cancer vaccine, using Colon 26 tumors grown in Balb/c mice (as outlined in Objective 2,

Task A of application). This is a highly aggressive tumor system and was not listed as a model in the initial application. We have chosen to add this model to our studies because of its aggressive nature and because we have gained considerable experience with it in other ongoing studies in the lab. In this study intradermal injections with hsp110 were performed two times, with inoculations separated by 10 days. Varying quantities of tumor derived hsp110 were used and hsp110 isolated from the livers of the same animals were used as a control (injections with Phosphate Buffered Saline/PBS as a control was also used). The data is shown in the Appendix in figure 1. It is clearly evident, using average tumor volume, that increasing quantities of hsp110 have increasing inhibitory effects on tumor growth rates. However, with this highly aggressive tumor model, mice were not cured. Nonetheless, the data indicate that hsp110 has specific antitumor effects. In comparison, we also examined hsc70 in this tumor model, which has been previously demonstrated to be a highly effective anti-cancer in other tumor models (1,2). Hsc70 slowed tumor growth but was not curative (data not shown).

Another manner in which such studies can be presented is to measure animal survival. While tumor growth provides average tumor volume data, it provides no direct insight into changes in life expectancy. Figure 2 presents this data for hsp110, again using this tumor model. In these studies, tumors are first established and then the animal is vaccinated. It is seen that tumor derived hsp110 has a significant impact on the life expectancy of mice, while PBS or liver (from the same animals) derived hsp110 have little or no effect.

Final studies are underway to examine the vaccine potential of hsp110 using the Meth A tumor system grown in Balb/c mice, as described in the application. This data is highly positive and the final results will be presented in the next report.

7. KEY OUTCOMES

The key outcomes from the above data are the purification scheme for hsp110 and the demonstration that hsp110 exhibits the clear ability to function in vivo as an anti-cancer vaccine when purified from the tumor.

8. REPORTABLE OUTCOMES

None in the first year of study directly related to the Statement of Work. However, a manuscript is in preparation describing the vaccine potential of hsp110. A second manuscript is close to submission, describing the purification protocol for hsp110 and the possible significance of the hsp110 complex described above ("Characterization of the native interactions of hsp110 with hsc70 and hsp28", Wang, Kazim, Repasky and Subject).

9. CONCLUSIONS

Hsp110 has anti-cancer vaccine activity.

10. REFERENCES

1. udono, H., and Srivastava, P.K. Heat Shock Protein 70-associated peptides elicit specific cancer immunity. *Journal of Experimental Medicine*. 178:1391-1396, 1993.
2. Tamura, Y., Peng, P., Liu, K., Daou, M., Srivastava, P. K. Immunotherapy of tumors with autologous tumor-derived heat shock protein preparations. *Science* 278: 117-120. 1997.

11. APPENDICES

Figures 1 and 2, attached.

Figure 1

Tumor growth after immunization with purified hsp110





Figure 2

Immunization with Tumor-derived hsp110 Increases the survival of Balb/C mice bearing Colon26 Tumor





DEPARTMENT OF THE ARMY
US ARMY MEDICAL RESEARCH AND MATERIEL COMMAND
504 SCOTT STREET
FORT DETRICK, MARYLAND 21702-5012

REPLY TO
ATTENTION OF:

MCMR-RMI-S (70-1y)

17 Jun 02

MEMORANDUM FOR Administrator, Defense Technical Information
Center (DTIC-OCA), 8725 John J. Kingman Road, Fort Belvoir,
VA 22060-6218


SUBJECT: Request Change in Distribution Statement

1. The U.S. Army Medical Research and Materiel Command has reexamined the need for the limitation assigned to technical reports written for grants. Request the limited distribution statements for the Accession Documents listed at enclosure be changed to "Approved for public release; distribution unlimited." These reports should be released to the National Technical Information Service.

2. Point of contact for this request is Ms. Judy Pawlus at DSN 343-7322 or by e-mail at judy.pawlus@det.amedd.army.mil.

FOR THE COMMANDER:

Encl


PHYLLIS M. PINEHART
Deputy Chief of Staff for
Information Management

ACCESSION DOCUMENT NUMBERS

ADB266028

ADB259887

ADB259894

ADB259837

ADB258947

ADB274390

ADB262488

ADB257222

ADB274382

ADB258931

~~ADB260157~~

~~ADB274382~~

> Do not downgrade