

UNCLASSIFIED

AD NUMBER
ADB262568
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies only; Proprietary Info.; Dec 99. Other requests shall be referred to U.S. Army Medical Research and Materiel Command, 504 Scott St., Fort Detrick, MD 21702-5012.
AUTHORITY
USAMRMC ltr, 26 Nov 2002

THIS PAGE IS UNCLASSIFIED

AD _____

Award Number: DAMD17-98-1-8334

TITLE: Innovative Approaches for Determining the Role of BRCA2
and BRCA1 in DNA Recombinational Repair: Examination of
Genetic Instability and Possible Therapeutic Uses

PRINCIPAL INVESTIGATOR: Maria Jasin, Ph.D.

CONTRACTING ORGANIZATION: Sloan-Kettering Institute for
Cancer Research
New York, New York 10021

REPORT DATE: December 1999

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Distribution authorized to U.S. Government
agencies only (proprietary information, Dec 99). Other requests
for this document shall be referred to U.S. Army Medical Research
and Materiel Command, 504 Scott Street, Fort Detrick, Maryland
21702-5012.

The views, opinions and/or findings contained in this report are
those of the author(s) and should not be construed as an official
Department of the Army position, policy or decision unless so
designated by other documentation.

DTIC QUALITY INSPECTED 4

20010124 037

NOTICE

USING GOVERNMENT DRAWINGS, SPECIFICATIONS, OR OTHER DATA INCLUDED IN THIS DOCUMENT FOR ANY PURPOSE OTHER THAN GOVERNMENT PROCUREMENT DOES NOT IN ANY WAY OBLIGATE THE U.S. GOVERNMENT. THE FACT THAT THE GOVERNMENT FORMULATED OR SUPPLIED THE DRAWINGS, SPECIFICATIONS, OR OTHER DATA DOES NOT LICENSE THE HOLDER OR ANY OTHER PERSON OR CORPORATION; OR CONVEY ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE, OR SELL ANY PATENTED INVENTION THAT MAY RELATE TO THEM.


LIMITED RIGHTS LEGEND


Award Number: DAMD17-98-1-8334

Organization: Sloan-Kettering Institute for Cancer Research

Those portions of the technical data contained in this report marked as limited rights data shall not, without the written permission of the above contractor, be (a) released or disclosed outside the government, (b) used by the Government for manufacture or, in the case of computer software documentation, for preparing the same or similar computer software, or (c) used by a party other than the Government, except that the Government may release or disclose technical data to persons outside the Government, or permit the use of technical data by such persons, if (i) such release, disclosure, or use is necessary for emergency repair or overhaul or (ii) is a release or disclosure of technical data (other than detailed manufacturing or process data) to, or use of such data by, a foreign government that is in the interest of the Government and is required for evaluational or informational purposes, provided in either case that such release, disclosure or use is made subject to a prohibition that the person to whom the data is released or disclosed may not further use, release or disclose such data, and the contractor or subcontractor or subcontractor asserting the restriction is notified of such release, disclosure or use. This legend, together with the indications of the portions of this data which are subject to such limitations, shall be included on any reproduction hereof which includes any part of the portions subject to such limitations.

THIS TECHNICAL REPORT HAS BEEN REVIEWED AND IS APPROVED FOR PUBLICATION.







Maria Jasin, PhD
Cell Biology Program

December 15, 1999

Commander
U.S. Army Medical Research and Materiel Command
ATTN: MCMR-RMI-S
504 Scott Street
Fort Detrick, Maryland 21702-5012

Dear Sir or Madam:

The annual report accompanying this letter describes unpublished data that should not be distributed in any public format, so as not to jeopardize future publication prospects. Unpublished data is discussed in the abstract, introduction, body, key research accomplishments and conclusions found on pages 3 and 6-11 of this report. This data should be kept confidential and used solely for the purpose of assessing continued support.

Sincerely,

Maria Jasin, Ph.D.
Associate Professor

Memorial Sloan-Kettering Cancer Center
1275 York Avenue, New York, New York 10021
Telephone 212.639.7438 • FAX 212.717.3317
E-mail: m-jasin@ski.mskcc.org

NCI-designated Comprehensive Cancer Center

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE December 1999	3. REPORT TYPE AND DATES COVERED Annual (1 Dec 98 - 30 Nov 99)	
4. TITLE AND SUBTITLE Innovative Approaches for Determining the Role of BRCA2 and BRCA1 in DNA Recombinational Repair: Examination of Genetic Instability and Possible Therapeutic Uses			5. FUNDING NUMBERS DAMD17-98-1-8334	
6. AUTHOR(S) Maria Jasin, Ph.D.				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Sloan-Kettering Institute for Cancer Research New York, New York 10021 E-MAIL: m-jasin@ski.mskcc.org			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Distribution authorized to U.S. Government agencies only (proprietary information, Dec 99). Other requests for this document shall be referred to U.S. Army Medical Research and Materiel Command, 504 Scott Street, Fort Detrick, Maryland 21702-5012.				12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 Words) The purpose of this research is to determine a role for BRCA1 and BRCA2 in the recombinational repair of DNA double-strand breaks. The inability of a cell to precisely repair chromosomal breaks may lead to genetic instability and consequently promote carcinogenesis. Products of the BRCA1 and BRCA2 genes have been shown to interact with Rad51, a component of homologous repair pathways known to precisely repair breaks. In this annual report we describe a homologous gene targeting defect in Brca1-deficient ES cells. We also measured gene conversion within a substrate containing GFP gene repeats, one of which is mutated by the recognition site of the rare-cutting I-Sce I endonuclease. Following expression of I-Sce I, repair of an induced break can be monitored by measuring green fluorescence within the cell. We have found that repair of a chromosomal break by gene conversion is diminished in the Brca1-deficient ES cells. Additionally, we have analyzed gene targeting in ES cells that contain a truncated Brca2 gene. These results directly demonstrate that cells deficient in Brca1 have reduced homologous repair of an induced chromosomal double-strand break. This defect may contribute to the propensity to develop early-onset breast and ovarian cancers by increasing genetic instability.				
14. SUBJECT TERMS Breast Cancer			15. NUMBER OF PAGES 12	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Limited	

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

N/A Where copyrighted material is quoted, permission has been obtained to use such material.

N/A Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

N/A Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.

N/A In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and use of Laboratory Animals of the Institute of Laboratory Resources, national Research Council (NIH Publication No. 86-23, Revised 1985).

X For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.

N/A In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

N/A In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.

N/A In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.


PI - Signature

12/17/99

Date

TABLE OF CONTENTS

	Page
Letter of Distribution Limitations	2
SF 298	3
Foreword	4
Table of Contents	5
Introduction	6
Body	6-10
Key Research Accomplishments	10
Reportable Outcomes	10
Conclusions	10
References	11
Appendices (not applicable)	

INTRODUCTION

In mammals cells, homologous recombination is expected to maintain genomic integrity through the precise repair of lesions such as chromosomal double-strand breaks (DSBs). For precise repair, the sister chromatid would be expected to be the preferred repair template, as sister-chromatids are identical to each other (1). Nevertheless, repair of chromosomal DSBs using other homologous templates, such as alleles or repetitive elements, may be deleterious or catastrophic, since it can result in loss of heterozygosity or translocations, respectively (2, 3). Thus, disruption of genes involved in DSB repair processes may be predicted to disturb the balance of various repair pathways that have evolved to guard the genome from perturbation. An essential component of homologous recombination pathways is the strand-exchange protein RAD51. The products of both hereditary breast cancer genes, BRCA1 and BRCA2, co-localize with RAD51 to nuclear foci following DNA damage in mitotic cells and at forming synaptonemal complexes in meiotic cells (4, 5). BRCA1-deficient human cells and *Brca1*-deficient murine are sensitive to DNA damaging agents which create DSBs, implicating these proteins in DSB repair (6). Our goal was to determine if mutation of BRCA1 or BRCA2 affects homologous recombination.

BODY

Statement of work:

Task: To analyze gene targeting and the recombinational repair of induced DSBs in BRCA1-deficient ES cells.

- Quantitate gene targeting efficiencies in BRCA1-deficient and parental ES cells using pimhyg targeting constructs; analyze the fidelity of the gene targeting event by Southern and PCR analysis
- Create additional recombination substrates cloned within the pimhyg targeting construct to test the role of BRCA1 in the recombinational repair of additional I-*Sce* I repair templates

The *Brca1*^{-/-} 236.44 and control *Brca1*^{+/+} 310.7 cell lines (7) were tested for gene targeting proficiency at the *pim1* locus on chromosome 17, using a previously published pimhyg targeting design (8, 9). The previously published design was modified to create an additional recombination substrate cloned within the pimhyg targeting vector that will be described in detail below. This additional recombination substrate is for the analysis of DSB-promoted gene

conversion, creating for the first time a marker assay for gene conversion in *Brcal*-deficient cells.

The *pimhyg* gene targeting vectors contain a promoterless hygromycin resistance (*hyg^R*) gene cloned in frame with *pim1* coding sequences. The *hyg* gene is expressed when the vector correctly gene targets at the *pim1* locus or when a fortuitous nonhomologous integration occurs adjacent to promoter sequences. The *pimhyg* targeting vectors (p59DRGFP4 and p59DRGFP6) were electroporated into both cell lines and *hyg^R* colonies were selected. Southern analysis demonstrated that most of the *hyg^R Brcal^{-/-}* clones were derived from random integration of the targeting vectors, with only 15% of clones derived from gene targeting (Table 1). By contrast, efficient gene targeting was observed in the *Brcal^{+/-}* and *Brcal^{+/+}* cell lines, with greater than 90% of the clones correctly targeted.


Table 1

Cell line	pim1 Targeting Efficiency	
	p59DRGFP4	p59DRGFP6
ES TG2A (<i>Brcal^{+/+}</i>)	Not Done	88/90 = 97.8%
310.7 (<i>Brcal^{+/-}</i>)	63/72 = 87.5%	86/93 = 92.5%
236.44 (<i>Brcal^{-/-}</i>)	5/32 = 15.6% (5.6X decrease)	8/54 = 14.8% (6.3X decrease)
<i>Brcal^{lex1/lex2}</i>	25/42 = 59.5%	39/79 = 49.4%

We next investigated the *Brcal*-deficient and control ES cell lines for the repair of chromosomal DSBs by intrachromosomal gene conversion. During the process of gene targeting, a gene conversion substrate called DR-GFP (10) was integrated at the *pim1* locus, since this substrate had been previously cloned into the *pimhyg* targeting vector. DR-GFP is composed of two differentially mutated green fluorescent protein (GFP) genes (Figure 1). GFP serves as marker gene since a GFP+ gene indicates that a gene conversion event occurred. The two GFP genes are oriented as direct repeats and separated by a drug selection gene for puromycin resistance (10). The *SceGFP* gene is mutated to contain the recognition site for *I-Sce* I, a rare-cutting endonuclease, so that DSBs can be induced in the substrate *in vivo*. The *I-Sce* I site was introduced in the GFP gene at a *Bcg* I restriction site by substituting 11 base pairs (bp)

of wild-type GFP sequences with those of the I-*Sce* I site. These substituted bp also supply two in-frame stop-codons, which terminate translation and inactivate the protein. Downstream of the *SceGFP* gene is a 0.8 kb internal GFP fragment termed iGFP, and the two homologous mutated GFP genes are separated by 3.7 kb.

Figure 1 Taken from Pierce et al. (1999).



Gene conversion initiated by a DSB at the I-*Sce* I site restores an intact GFP gene whose expression is detected by cellular fluorescence. The two gene targeting vectors, p59DRGFP4 and p59DRGFP6, each contain the DR-GFP gene conversion substrate, although it is in opposite orientations in the two vectors. Two gene targeted cell clones were analyzed for each cell line and for each orientation of the DR-GFP substrate. Cells were electroporated with an I-*Sce* I expression vector or control DNAs and then analyzed for fluorescence on a flow cytometer. Results are shown in Table 2.

The *Brcal*^{+/−} cell clones had average gene conversion frequencies of 1.17 and 2.05% for the two different orientations, whereas the *Brcal*^{−/−} cell clones had average frequencies of 0.15 and 0.32%, respectively. Thus, DSB-promoted gene conversion is decreased with *Brcal* mutation. This is consistent with our initial hypothesis that BRCA1 plays a key role in recombination repair of chromosomal breaks. Gene conversion is a very precise form of DSB repair and is not mutagenic (i.e., is genetically silent) when it occurs between sister-chromatids.

Our previously published work has demonstrated a relationship between direct repeat recombination, as in our gene conversion substrate DR-GFP, and sister-chromatid recombination. Therefore, *BRCA1* mutation appears to alter DSB repair.

Table 2

Cell clone	DNA*:Neg	% GFP positive cells	
		I-Sce I	NZE
310.7 DRGFP6 C6	0.00	1.82	85.6
310.7 DRGFP6 H2	0.00	0.51	62.9
		Avg = 1.17	
236.44 DRGFP6 B1	0.01	0.14	66.4
236.44 DRGFP6 F6	0.01	0.16	ND
		Avg = 0.15 (7.8X dec)	
310.7 DRGFP4 B6	0.00	2.02	80.5
310.7 DRGFP4 B12	0.00	2.07	89.7
		Avg = 2.05	
236.44 DRGFP4 B2	0.00	0.35	70.6
236.44 DRGFP4 H5	0.00	0.28	88.3
		Avg = 0.32 (6.4X dec)	

*DNA: Neg, mock DNA; I-Sce I, the pCBASce I-Sce I expression vector; NZE, a GFP expression vector.

Task: To specifically disrupt the BRCA2 interaction with Rad51 during induced I-Sce I chromosomal cleavage for the analysis of LOH and other types of DSB repair

- create dominant-negative expression plasmids for the wild-type (and, for a control, mutant) open reading frames of BRCA2 for functional inhibition of BRCA2/Rad51 protein interactions

We are currently creating the dominant-negative expression plasmid. In addition to disrupting the BRCA2-Rad51 interaction with a dominant negative expression plasmid, we have recently obtained an ES cell line with *Brca2* alleles disrupted by gene targeting (11). The disruption is in a presumed interacting domain of mouse *Brca2* with Rad51. This recent development presents a very precise system for analyzing the effect of *Brca2* disruption, as every cell will have the protein disrupted.

We have begun our analysis of DSB repair by introducing the DR-GFP substrate into the *Brca2* disrupted cell line, *Brca2*^{lex1/lex2}. As can be seen in Table 1, we have obtained cell lines

containing the GFP substrate in both orientations. We have not, as yet, performed the DSB repair assay. Thus, we cannot reach any conclusions. The gene targeting frequencies, however, suggest that recombination may be slightly impaired in the *Brca2*^{lex1/lex2} cell line.

KEY RESEARCH ACCOMPLISHMENTS

- Created a marker gene conversion recombination substrate cloned within the pimhyg targeting construct to test the role of *Brca1* in the recombinational repair of an I-*Sce* I-induced chromosomal DSB
- Quantitated gene targeting efficiencies in *Brca1*-deficient and parental ES cells using the pimhyg targeting constructs containing the marker gene conversion substrate
- Quantitated DSB-induced gene conversion in *Brca1*-deficient and parental ES cells using pimhyg targeting constructs
- Quantitated gene targeting efficiencies in *Brca2*-deficient and parental ES cells using the pimhyg targeting constructs containing the gene conversion substrate

REPORTABLE OUTCOMES

- Development of ES cell lines deficient in *Brca1* and *Brca2* which contain gene conversion recombination reporter marker substrates at the *pim1* locus

CONCLUSIONS

Our results support the hypothesis that *BRCA1* and possibly *BRCA2* play a role in recombinational repair and therefore have a caretaker role in the cell, guarding against tumorigenesis.

REFERENCES

1. R. D. Johnson, N. Liu, M. Jasin, *Nature* **401**, 397-399 (1999).
2. M. E. Moynahan, M. Jasin, *Proc. Natl. Acad. Sci. USA* **94**, 8988-8993 (1997).
3. C. Richardson, M. E. Moynahan, M. Jasin, *Genes Dev.* **12**, 3831-3842 (1998).
4. J. Chen, et al., *Mol. Cell* **2**, 317-28 (1998).
5. R. Scully, et al., *Cell* **88**, 265-75 (1997).
6. M. Jasin, in *DNA Damage and Repair* J. A. Nickoloff, M. F. Hoekstra, Eds. (Humana Press, Totowa, N.J., 1999), vol. III,.
7. L. C. Gowen, B. L. Johnson, A. M. Latour, K. K. Sulik, B. H. Koller, *Nat. Genet.* **12**, 191-194 (1996).
8. H. te Riele, E. R. Maandag, A. Clarke, M. Hooper, A. Berns, *Nature* **348**, 649-651 (1990).
9. M. E. Moynahan, J. W. Chiu, B. H. Koller, M. Jasin, *Molecular Cell* **4**, 511-518 (1999).
10. A. J. Pierce, R. D. Johnson, L. H. Thompson, M. Jasin, *Genes Dev.* **13**, 2633-2638 (1999).
11. M. Morimatsu, G. Donoho, P. Hasty, *Cancer. Res.* **58**, 3441-7 (1998).



DEPARTMENT OF THE ARMY
US ARMY MEDICAL RESEARCH AND MATERIEL COMMAND
504 SCOTT STREET
FORT DETRICK, MARYLAND 21702-5012

REPLY TO
ATTENTION OF

MCMR-RMI-S (70-1y)

26 Nov 02

MEMORANDUM FOR Administrator, Defense Technical Information
Center (DTIC-OCA), 8725 John J. Kingman Road, Fort Belvoir,
VA 22060-6218

SUBJECT: Request Change in Distribution Statement

1. The U.S. Army Medical Research and Materiel Command has reexamined the need for the limitation assigned to technical reports written for this Command. Request the limited distribution statement for the enclosed accession numbers be changed to "Approved for public release; distribution unlimited." These reports should be released to the National Technical Information Service.

2. Point of contact for this request is Ms. Kristin Morrow at DSN 343-7327 or by e-mail at Kristin.Morrow@det.amedd.army.mil.

FOR THE COMMANDER:

PHYLLIS M. RINEHART
Deputy Chief of Staff for
Information Management

Encl

ADB263708
ADB257291
ADB262612
ADB266082
ADB282187
ADB263424
ADB267958
ADB282194
ADB261109
ADB274630
ADB244697
ADB282244
ADB265964
ADB248605
ADB278762
ADB264450
ADB279621
ADB261475
ADB279568
ADB262568
ADB266387
ADB279633
ADB266646
ADB258871
ADB266038
ADB258945
ADB278624