

UNCLASSIFIED

AD NUMBER	
AD005561	
CLASSIFICATION CHANGES	
TO:	unclassified
FROM:	confidential
LIMITATION CHANGES	
TO: Approved for public release; distribution is unlimited.	
FROM: Distribution authorized to DoD only; Test and Evaluation; 06 JAN 1953. Other requests shall be referred to Defense Atomic Support Agency, Washington, DC. Pre-dates formal DoD distribution statements. Treat as DoD only.	
AUTHORITY	
DASA ltr dtd 25 Jun 1962; DNA ltr dtd 15 Mar 1977	

THIS PAGE IS UNCLASSIFIED

**THIS REPORT HAS BEEN DECLASSIFIED
AND CLEARED FOR PUBLIC RELEASE.**

**DISTRIBUTION A
APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.**

UNCLASSIFIED

AD _____

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION ALEXANDRIA, VIRGINIA

DOWNGRADED AT 3 YEAR INTERVALS:
DECLASSIFIED AFTER 12 YEARS
DCD DIR 5200.10



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

AFSWP-381

CONFIDENTIAL

SECURITY INFORMATION

Lab. Project 5046-3, Part 27
Final Report
NS 081-001

AW-7

**MATERIAL LABORATORY
NEW YORK NAVAL SHIPYARD
BROOKLYN 1, N. Y.**

TECHNICAL REPORT



1170180
SECURITY INFORMATION

~~CONFIDENTIAL~~
SECURITY INFORMATION

CRITICAL THERMAL ENERGIES
of
SPECIAL AWNING MATERIALS

Submitted by

THE BUREAU OF SHIPS, DEPARTMENT OF THE NAVY

L. Banet
J. Bracciaventi

Lab. Project 5046-3, Part 27

Final Report

NS 081-001

Technical Objective AW-7

AFSWP 381

6 January, 1953

Optics and Nucleonics Branch

J.M. McGREEVY, Head

Superintending Engineer
G. J. DASHEFSKY

The Director
CAPT. H.T. KOONCE, USN

MATERIAL LABORATORY
New York Naval Shipyard
Brooklyn 1, New York

SECURITY INFORMATION

SECURITY INFORMATION

Lab. Project 5046-3, Part 27
Final Report

ABSTRACT

Several plasticized and aluminized materials proposed for use as the canopies of special fire-support craft have been exposed to the Material Laboratory carbon-arc source of thermal radiation for the purpose of determining their resistance to thermal radiation. The critical thermal energies of the materials were measured; the apparent transmission of thermal energy was determined by measuring the effects on heat-sensitive paper backing. Initial damage effects occur at radiant exposures ranging from 0.56 to 14 cal/cm², and final destruction at exposures ranging from 10 to 90 cal/cm², when the energy is delivered at a rate of application of 85 cal/cm² sec. While the resistance of the plasticized materials is greater than that of the aluminized materials, the apparent transmittances of the aluminized materials are somewhat higher.

CONFIDENTIAL

Lab. Project 5046-3, Part 27

Final Report

SECURITY INFORMATION

CONTENTS

	Page
Authority	6
Introduction	6
Equipment and Methods of Exposure	7
Results and Conclusions	8

SECURITY INFORMATION

CONFIDENTIAL

Lab. Project 5046-3, Part 27
Final Report

Ref: (a) COMNAVSHIPYD Conf ltr S99/L5, Ser 960-92 of 14 Mar 1950
(b) BUSHIPS Restr spdltr S99-(0)(348) Ser 348-75 of 6 Apr 1950
(c) BUSHIPS Restr ltr S90/1-5(348) Ser 348-207 of 29 May 1952
(d) BUSHIPS Restr ltr S90/1-5(348) Ser 348-232 of 15 Jul 1952

Encl: (1) Critical Thermal Energies of White Plasticized Materials
(2) Critical Thermal Energies of Aluminized Materials
(3) Apparent Transmittances of Plasticized and Aluminized
Materials

AUTHORITY

1. This investigation is part of the program proposed by reference (a) and formally approved by reference (b). The general Thermal Radiation program is under the Supervision of the Armed Forces Special Weapons Project.

INTRODUCTION

2. As part of its general program on the effects of the thermal radiation of atomic explosions on materials, the Material Laboratory is evaluating the characteristics under exposure to thermal radiation of various materials of particular interest to the several agencies of the Department of Defense. As data become available, these findings are published.

3. The Bureau of Ships requested the evaluation of several plasticized and aluminized materials which had been proposed for use on the canopies of special fire-support craft now being designed. The plasticized materials included duck and glass fabrics with vinyl and silicone treatments. The aluminized materials included these and other fabrics with an aluminum pigment added to the plasticizer.

CONFIDENTIAL

Lab. Project 5046-3, Part 27

Final Report

EQUIPMENT AND METHODS OF EXPOSURE

4. The critical thermal energies of the treated fabrics were determined, employing the Material Laboratory carbon-arc source of thermal radiation. The source consists of an 11-mm carbon arc mounted at the focus of a reflector which collimates the emitted energy; a second mirror which is mounted coaxially at a distance of 12 feet from the collimator, condenses the radiation to the mirror's focus. Gradations of thermal damage are obtained by varying the effective exposure time through accelerating a 1x8-inch sample transversely through the focus. The rate of application of energy was $85 \text{ cal/cm}^2\text{sec}$, over a central area 2 mm wide.

5. Since not only the destructive effects on the treated materials are important, but also the amount of energy transmitted through such materials, the apparent transmittance of thermal radiation was determined. The apparent transmittance of thermal radiation was measured by exposing the materials to the carbon-arc source with indicators, in the form of black carbon paper and M-6 vesicant detector paper, mounted behind the assemblies with an air gap of 1/16-inch. The energies incident on the fabric which would produce certain effects on the indicator papers and the total energies required to produce the same effects directly on the papers were measured; the apparent transmittances of the assemblies were computed as the ratios of these two values. It may be noted that the apparent transmittance of an assembly does not have to be identical for several indicators or effects, since the heat transfer and reaction of material assemblies at elevated temperatures are influenced by the duration of exposure, the rate of application of energy and characteristics of the materials. Nevertheless, the apparent transmittance is a useful index of the relative merits of several materials since the same methods of exposure are employed in all cases.

CONFIDENTIAL

Lab. Project 5046-3, Part 27
Final Report

RESULTS AND CONCLUSIONS

6. The critical thermal energies of the fabrics submitted by the Bureau of Ships are defined as those which produce certain characteristic, reproducible effects on the materials, such as blistering, discoloration and charring. In addition, the initial occurrence of flaming was noted. The critical thermal energies of the materials are listed in Enclosures (1) and (2). The apparent transmittances of the fabrics are given in Enclosure (3).

7. Analysis of the data given in Enclosures (1) through (3) indicates that the thermal radiation resistance of the plasticized materials is greater than that of the aluminized materials and that the apparent transmittances of the two classes of materials are approximately the same. The best materials from the standpoint of resistance and transmittance are the vinyl-on-glass and silicone-on-glass combinations.

8. To summarize the results of this investigation, the special fabric materials submitted by the Bureau of Ships suffer complete destruction upon exposure to the carbon-arc source of thermal radiation at radiant exposures ranging from 10 to 90 cal/cm² at a rate of application of energy of 85 cal/cm²sec. Initial destructive effects take place at radiant exposures ranging from 0.56 to 14 cal/cm². The thermal radiation resistance of the plasticized materials is greater than that of the aluminized materials. The apparent transmittances of the materials, determined by effects on carbon-paper backing, range from 1.4 to 5.2 per cent. The silicone-on-glass and vinyl-on-glass combinations have a high critical energy for destruction and a low apparent transmittance.

Approved:


H. T. KOONCE, CAPTAIN, USN
The Director

CONFIDENTIAL
SECURITY INFORMATION
Material Laboratory

Lab. Project 5046-3, Pt. 27
Final Report
Enclosure (1)

CRITICAL THERMAL ENERGIES OF PLASTICIZED MATERIALS

Material.	Description of Effect	Critical Energy cal/cm ²
Vinyl on No. 10 Duck (Wm. E. Hooper & Sons)	Blistering of top surface	6.9
	Sporadic charring	6.4 - 10
	Regular charring	10
	Flames during exposure	11-13
	Back surface blackens	45
	Turns brittle and cracks on manipulation	55
Vinyl on No. 126 Glass (Mobile Plastics Co.)	Blistering of top surface	7.6
	Sporadic charring	9.0 - 17
	Regular charring	17
	Flames during exposure	17
	Back surface blisters	17
	Vinyl on top surface destroyed, glass fiber exposed	44
	Vinyl on back surface destroyed	73
Vinyl on No. 126 Glass (Duracote Co.)	Glass fiber destroyed	90
	Sporadic charring	14
	Flames during exposure	18
	Regular charring	18
	Back surface darkens	27
	Vinyl on top surface destroyed, vinyl on back surface stiffens	46
	Glass fiber and vinyl on back surface destroyed	72
Silicone on glass No. 3010(Connecticut Hard Rubber Co.)	Flames during exposure	14
	Regular charring	14
	Back surface blisters	31
	Turns brittle and cracks on manipulation	73
Silicone on glass No. 3016(Connecticut Hard Rubber Co.),	Sporadic charring	14-21
	Flames during exposure	18
	Regular charring	21
	Blisters on back surface	44
	Turns brittle and cracks on manipulation	68

CONFIDENTIAL

CRITICAL THERMAL ENERGIES OF ALUMINIZED MATERIALS

Material	Description of Effect	Critical Energy cal/cm ²
Aluminum Pigmented Nylon, E-284 G (U.S. Rubber Co.)	Surface dulls	1.0
	Charring	5.8
	Flames during exposure	8.6
	Turns brittle and cracks on manipulation	10
	Flame propagates after exposure	13
Aluminized Vinyl on Nylon, Fiberthin "B" (U.S. Rubber Co.)	Surface dulls	1.6
	Flames during exposure	4.3
	Charring	4.3
	Holes appear in material	14
	Destroyed	22
Aluminum Pigmented Vinyl on No. 126 glass (Mobile Plastics Co.)	Surface dulls	0.99
	Turns golden color	1.9
	Surface blackens	3.7
	Flames during exposure	8.6
	Back surface blisters	16
	Turns brittle and cracks on manipulation	65
Aluminum Pigmented Vinyl on No. 10 Duck (Wm. E. Hooper & Sons)	Surface dulls	2.2
	Turns golden color	2.8
	Surface blackens	4.7
	Flames during exposure	5.6
	Back surface blisters	22
	Back surface blackens, material stiffens and cracks on manipulation	44
Aluminum on Asbestos-Glass, S/915 (U.S. Rubber Co. & Mineral Mining & Mfg. Co.)	Charring	7.2
	Flames during exposure	8.5 -13
	Back surface blackens	15
	Turns brittle and cracks on manipulation	46
Duck, Spec. No. 24C20, Std. Stk G-24-D-257-140	Surface discoloration	0.56
	Surface blackens	0.81
	Flames during exposure	5.6
	Back surface blackens	23
	Turns brittle and cracks on manipulation	35

APPARENT TRANSMITTANCES OF FABRICS

Material	EFFECT ON INDICATOR			Radiant Exposure on Material cal/cm ²	Apparent Trans- mittance %
	Indicator	Description of Effect	cal/cm ²		
Vinyl on No. 10 Duck (Wm. E. Hooper & Sons)	Carbon paper Carbon paper	Dulling of surface Destroyed	0.06 0.78	5.0 53	1.2 1.5
Vinyl on No. 126 Glass (Mobile Plastics Co.)	Carbon paper Carbon paper M-6 Ves. Det. M-6 Ves. Det.	Dulling of surface Destroyed Turns orange Paint Distills off	0.06 0.78 0.44 5.9	1.2 17 16 90	5.0 4.6 2.7 6.5
Vinyl on No. 126 Glass (Duracote Co.)	Carbon paper M-6 Ves. Det. Carbon paper M-6 Ves. Det.	Dulling of surface Turns orange Destroyed Paint Distills off	0.06 0.44 0.78 5.9	2.4 18 46 75	2.5 2.4 1.7 7.8
Silicone on glass, No. 3016 (Connecti- cut Hard Rubber Co.)	Carbon paper M-6 Ves. Det. Carbon paper	Dulling of surface Turns orange Destroyed	0.06 0.44 0.78	5.2 14 27	1.2 3.1 2.8
Silicone on glass, No. 3016 (Connecti- cut Hard Rubber Co.)	Carbon paper M-6 Ves. Det. Carbon paper	Dulling of surface Turns orange Destroyed	0.06 0.44 0.78	7.3 18 41	0.82 2.4 1.9
Aluminum Pigmented Nylon, E-284-G (U.S. Rubber Co.)	Carbon paper Carbon paper	Dulling of surface Destroyed	0.06 0.78	1.8 11	3.3 7.1
Aluminized Vinyl on Nylon, Fiberthin "B" (U.S. Rubber Co.)	Carbon paper M-6 Ves. Det.	Dulling of surface Turns orange	0.06 0.44	5.6 15	1.1 2.9
Aluminum Pigmented Vinyl on No. 126 Glass (Mobile Plas- tics Co.)	Carbon paper M-6 Ves. Det. Carbon paper	Dulling of surface Turns orange Destroyed	0.06 0.44 0.78	6.3 14 49	0.95 3.1 1.6
Aluminum Pigmented Vinyl on No. 10 Duck (Wm. E. Hooper & Sons)	Carbon Paper M-6 Ves. Det. Carbon paper	Dulling of surface Turns orange Destroyed	0.06 0.44 0.78	6.7 18 49	0.89 2.4 1.6

CONFIDENTIAL

SECURITY INFORMATION

APPARENT TRANSMITTANCES OF FABRICS

Material	EFFECT ON INDICATOR			Radiant Exposure on Material cal/cm ²	Apparent Trans- mittance %
	Indicator	Description of Effect	cal/cm ²		
Aluminum on Asbestos Glass S/915, (U.S. Co. & Minnesota Mining & Mfg. Co.)	Carbon paper	Dulling of surface	0.06	8.0 26	0.75 3.0
	Carbon paper	Destroyed	0.78		
Duck, Spec. 24C20 No. 10, Std. Stk. (G-24-D-257-140)	Carbon paper	Dulling of surface	0.06	5.2 14 43	1.2 3.1 1.8
	M-6. Ves. Det. Carbon paper	Turns orange Destroyed	0.44 0.78		

SECURITY INFORMATION

CONFIDENTIAL

C

3 September 1952

THERMAL RADIATION DISTRIBUTION LIST

ARMY

1. Chief of Research and Engineering Division, Army Chemical Center, Maryland (1 copy)
2. Chief Signal Officer, Department of the Army, Washington 25, D.C., Attn: E and T Division, Special Projects Branch, Applied Physics Section (1 copy)
3. The Quartermaster General, Department of the Army, Washington 25, D.C., Attn: Lt. Col. R.H. Oliver, Research and Development Division (1 copy)
4. Commanding General, Aberdeen Proving Ground, Aberdeen, Maryland, Attn: Dr. J.H. Frazer (1 copy)
5. Chief of Engineers, Department of the Army, Washington 25, D.C., Attn: Mr. E. H. Dhein (1 copy)
6. Operations Research Office, John Hopkins University, 6410 Connecticut Avenue, Chevy Chase, Maryland, Attn: Mr. S.H. Turkell (1 copy)
7. The Surgeon General, Department of the Army, Washington 25, D. C., Attn: Col. J.R. Wood (1 copy)
8. The Assistant Chief of Staff, G-4, Department of the Army, Washington 25, D.C., Attn: Lt. Col. J.C. Nickerson (1 copy)
9. Commanding Officer, Engineer Research and Development Laboratory, Fort Belvoir, Virginia, Attn: Special Projects Branch (1 copy)
10. Signal Corps Engineering Laboratories, Fort Monmouth, New Jersey, Attn: Components and Materials Branch, SSL (1 copy)
11. Commanding Officer, Evans, Signal Laboratory, Belmar, New Jersey, Attn: Nucleonics Branch, Atomic Weapons Tests Section (1 copy)
12. Chief of Ordnance, Department of the Army, R and D Division, Washington 25, D. C., Attn: ORDTB-AE (2 copy)
13. Chief, QM R and D Laboratories, Philadelphia Quartermaster Depot, 2800 South 20th Street, Philadelphia 45, Pennsylvania, Attn: Mr. John M. Davies (1 copy)
14. Chief, QM R and D Laboratories, Philadelphia Quartermaster Depot, 2800 South 20th Street, Philadelphia 45, Pennsylvania, Attn: Tech Library (2 copies)

ARMY (Continued)

15. Commanding Officer, Watertown Arsenal, Watertown 72, Massachusetts (1 copy)
16. Commanding Officer, Picatinny Arsenal, Dover, New Jersey (1 copy)
- 17.-- Commanding Officer, Frankford Arsenal, Bridesburg Station, Philadelphia, Pennsylvania, (1 copy)
18. Chief, Army Field Forces, Fort Monroe, Virginia (4 copies)
19. Office of the Chief Chemical Officer, Department of the Army, Washington 25, D. C. (1 copy)
20. California Forest Experimental Station, U.S. Forest Service, P.O. Box 245, Berkeley, California, Attn: Mr. Charles C. Buck, Chief, Division Forest Fire Research (1 copy)
21. Armour Research Foundation, Illinois Institute of Technology, Technology Center, Chicago 16, Illinois, Attn: Mr. K.H. Jacobs (1 copy)
22. Commandant, Command and General Staff College, Ft. Leavenworth, Kansas (1 copy)
23. Commandant, The AA and GM Branch, The Artillery School, Ft. Bliss, Texas (1 copy)

NAVY

24. Chief, Bureau of Medicine and Surgery, Department of the Navy, Washington 25, D. C., Attn: Code 74 (1 copy)
25. Chief, Bureau of Yards and Docks, Department of the Navy, Washington 25, D. C., Attn: Code P 344 (1 copy)
26. Chief, Bureau of Supplies and Accounts, Department of the Navy, Washington 25, D. C., Attn: Code OW (1 copy)
27. Chief of Naval Research, Department of the Navy, Building T-3, 1804 Constitution Avenue, Washington 25, D. C., Attn: Code 424 (2 copies)
28. Chief, Bureau of Ships, Department of the Navy, Washington 25, D.C., Attn: Code 348 (2 copies)
29. Commander, New York Naval Shipyard, Naval Base, Brooklyn 1, New York, Attn: Code 900 (1 copy)
30. Commanding Officer, U.S. Naval Radiological Defense Laboratory, San Francisco 24, California, Attn: Nucleonics Division (1 copy)