

UNCLASSIFIED

AD NUMBER
AD017810
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 26 JUN 1953. Other requests shall be referred to Office of Naval Research, Arlington, VA 22203.
AUTHORITY
26 Oct 1977, ST-A per ONR ltr

THIS PAGE IS UNCLASSIFIED

Reproduced by

Armed Services Technical Information Agency

DOCUMENT SERVICE CENTER

KNOTT BUILDING, DAYTON, 2, OHIO

AD -

17810

UNCLASSIFIED

OFFICE OF NAVAL RESEARCH
BIOCHEMISTRY BRANCH
CODE 422

NR 122-280 7/3/53

June 26, 1953

Final Report - Contract No. N7-ONR 397-4 T.O. IV

between

The Biochemistry Branch, Office of Naval Research

and

The University of Maryland
College Park, Maryland

The primary objective of this research project was to obtain degradation of the lignin molecule through use of either enzyme preparations or by direct attack with microorganisms. Subsequently, the degradation products would be characterized and used for elucidation of the structure of lignin. From a more practical standpoint, since lignin is a major constituent of wood, it might be feasible to design more satisfactory means of wood preservation if knowledge were available as to the mechanism of lignin deterioration. Finally, lignin represents a waste substance encountered in tremendous quantities and might serve as a useful raw material in some microbiological fermentation process if an organism could be discovered capable of attacking this material.

AD No. 7810
ASTIA FILE COPY

The problem was approached by isolating a type of lignin (native lignin) which according to best authority represents the lignin as it occurs in situ. Many obstacles were inherent in this process and one was the extremely small yield. This isolated lignin was used as a substrate and incorporated into media of numerous types which were then inoculated with many kinds of microorganisms. A quantitative method of analysis for the fate of lignin in such culture conditions was formulated. It is believed that the scheme developed contributes a new approach for adequate interpretation of data in this field of investigation.

The limited utilization of lignin obtained under the best cultural conditions did not result in accumulation of any intermediates that could be isolated and the assumption is that utilization was quantitative, CO_2 and mold mycelium being the end products.

Enzyme preparations from various microbial sources appeared to effect some peripheral oxidation of the lignin molecule. Many of the fungi responsible for lignin disappearance in wood, in situ, were found to possess enzyme(s) of the phenol-oxidase type. An extensive study has been made of this enzyme system; its qualitative occurrence and quantitative activity characteristics on suspected lignin constituents would indicate the involvement of this enzyme system somewhere in the pathway of lignin degradation.

A species of bacteria was isolated which was capable of degrading the lignin related material, alpha-conidendrin. A polysaccharide was synthesized during this process and its characteristics were determined.

Personnel participating in project:

Investigating staff

Sidney Gottlieb
Jerry H. Geller
William C. Day
Fletcher P. Veitch
Michael J. Pelczar
Walter A. Konetzka
Yolanda Pratt
Pamela Ludford
Walter H. Martin

May 1948 - August 1951
August 1948 - June 1951
June 1948 - January 1952
September 1948 - April 1950
July 1948 - August 1951
June 1951 - May 1952
July 1951 - April 1952
October 1951 - April 1952
May 1952 - January 1953

Stenographical help

T. B. Green

July - September 1948

Student - part time help

W.E. Wolfel
G.R. Minnick
C.W. Dulin
R. Kray
A. Brickman
B. Baer
R. Daneck
E. Ruiker
C. Raabe
S. Arella
E. Angullo
J. Tuomo
G. Rawlings

June - July 1948
June - August 1948
July - August 1948
September 1948
October 1948 - May 1949
July 1948 - March 1952
October 1949 - August 1950
April - June 1950
June 1951 - April 1952
September - November 1950
December 1950 - May 1951
August 1951 - April 1952
April - September 1949

Project reports

✓ Status Report
✓ Status Report
✓ Status Report
✓ Status Report
✓ Technical Summary Report
✓ Status Report
✓ Status Report
✓ Annual Research Report
Semi Annual Research Report
Annual Research Report
Semi Annual Progress Report
Semi Annual Progress Report
Final Report

September 1 - November 1, 1948
November 1, 1948 - Jan. 1, 1949
January 1 - March 1, 1949
May 1 - July 1, 1949
May 1, 1948 - May 1, 1949
July 1, September 1949
September 1 - November 1, 1949
January 1 - December 31, 1950
January 1 - June 30, 1951
January 1 - December 31, 1951
January 1 - June 30, 1952
June 30 - December 31, 1952
June 26, 1953

Publications:

1. The biological degradation of lignin. S. Gottlieb. Monthly Research Report of the Office of Naval Research. May 1, 1949.
2. The biological degradation of lignin. I Utilization of lignin by fungi. W.C. Day, M.J. Pelczar, Jr., and S. Gottlieb. Archives of Biochemistry, 23: 360-369, 1949.
3. Enzymatic decomposition of lignin. S. Gottlieb and J.H. Geller. Science, 110: 18, 1949.
4. Biological degradation of lignin. W.C. Day, M.J. Pelczar, Jr. S. Gottlieb and J.H. Geller. Navy Wood Symposium, 1949 Washington, D.C.
5. Growth of Polyporus versicolor in a medium with lignin as the sole carbon source. M.J. Pelczar, Jr., S. Gottlieb and W.C. Day. Archives of Biochemistry, 25: 449-451, 1950.
6. The biological degradation of lignin. II The adaptation of white-rot fungi to grow on lignin media. S. Gottlieb, W.C. Day and M.J. Pelczar, Jr. Phytopathology, 40: 926-935, 1950.
- ✓ 7. Microbiological aspects of lignin degradation. S. Gottlieb and M.J. Pelczar, Jr. Bact. Rev., 15: 55-76, 1951.
- ✓ 8. Lignin - raw material of the future. M.J. Pelczar, Jr. and S. Gottlieb. Research Reviews (ONR) pp. 4-6, November, 1951.
- ✓ 9. The biological degradation of lignin. III Bacterial degradation of alpha-conidendrin. W.A. Konetzka, M.J. Pelczar, Jr. and S. Gottlieb. J. Bact., 63: 771-779, 1952.
- ✓ 10. The biological degradation of lignin. IV The inability of Polyporus versicolor to metabolize sodium lignosulfonate. W.C. Day, S. Gottlieb and M.J. Pelczar, Jr. Applied Microbiology, 1: 78-81, 1953.
- ✓ 11. The biological degradation of lignin. V Polysaccharide synthesis from α -conidendrin. Y.T. Pratt, W.A. Konetzka, M.J. Pelczar, Jr., and W.H. Martin, Jr. Applied Microbiology (in press).

Papers presented:

1. Microbiological degradation of lignin. M.J. Pelczar, Jr. Baltimore Branch of Soc. Amer. Bact. January, 1951.
2. Observations on microbial decomposition of lignin. M.J. Pelczar, Jr.; S. Gottlieb, and W.C. Day. Washington Branch of Soc. Amer. Bact. February, 1951.

3. Quantitative analysis of the medium-mycelium complex following growth of Polyporus versicolor in glucose and sodium lignosulfonate. W.D. Day, M. J. Pelczar, Jr. and S. Gottlieb. Soc. of Amer. Bact. National meeting, Baltimore, May 1951.
4. The degradation of lignin and lignin related compounds. S. Gottlieb. Gordon Research Conference on Microbial Deterioration. July 1951.
5. Studies on the microbiological degradation of lignin and related compounds. S. Gottlieb, M.J. Pelczar, Jr., W.C. Day and W.A. Konetzka. 12th International Congress of Pure and Applied Chemistry. September 1951.
6. Microbial degradation of conidendrin. W.A. Konetzka and M.J. Pelczar, Jr. Washington Branch of Soc. of Amer. Bact. January 1952.
7. Microbial degradation of lignin and conidendrin. W.A. Konetzka M.J. Pelczar, Jr. Maryland Branch, Soc. of Amer. Bact. March 1952.

This research project has resulted in the development of a new experimental design for evaluation of microbial degradation of lignin. Previous claims by others of lignosulfonate utilization were shown to be in error because of inadequate analyses.

It has been established that some microorganisms are capable of unequivocal but limited utilization of native lignin. The partial utilization of any given amount of lignin may be due to one of several factors such as inhomogeneity of isolated native lignin, complete lignin degradation might be dependent upon some simultaneously occurring biochemical transformation in wood, deficiency of some catalytic chemical entity, etc.

The difficulty in isolating appreciable quantities of lignin plus the uncertainty of its chemical identity to the material in situ represent major obstacles in this field of investigation.

Enzymes of the phenol oxidase type found in the wood rotting fungi have been characterized as to spectrum of activity and other chemical and physical characteristics. This information may contribute to elucidation of enzyme types in the phenol oxidase - laccase group.