

UNCLASSIFIED

AD NUMBER
AD029385
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 30 SEP 1954. Other requests shall be referred to Office of Naval Research, Arlington, VA 22203.
AUTHORITY
ONR ltr dtd 9 Nov 1977

THIS PAGE IS UNCLASSIFIED

Armed Services Technical Information Agency

Because of our limited supply, you are requested to return this copy WHEN IT HAS SERVED YOUR PURPOSE so that it may be made available to other requesters. Your cooperation will be appreciated.

AD

29385

NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

Reproduced by
DOCUMENT SERVICE CENTER
KNOTT BUILDING, DAYTON, 2, OHIO

UNCLASSIFIED

**Best
Available
Copy**

AD NO. 29385
ASTIA FILE COPY

Submitted to the Journal of Chemical Physics

THE MICROWAVE SPECTRUM AND STRUCTURE OF BENZONITRILE*

David R. Lide, Jr.
Department of Chemistry, Harvard University,
Cambridge, Mass.

Abstract

The rotational spectrum of benzonitrile has been studied in the one-centimeter region, and approximately twenty absorption lines have been fitted to the rigid asymmetric-rotor theory. The principal moments of inertia are 89.370, 326.740, and 416.183 AU $\text{\AA}^2$. The evidence indicates a planar symmetric structure with ring dimensions essentially the same as in benzene. The dipole moment is 4.14 ± 0.05 Debye units.

- - - - -

Since the addition of a CN group to the benzene ring results in a fairly long, rod-like molecule, the rotational spectrum of benzonitrile is expected to be characteristic of a near-prolate symmetric rotor with dipole moment in the small inertial axis. The principal transitions of such a rotor are of the type $J, K \rightarrow J+1, K$, where K is the quantum number of the limiting prolate symmetric rotor. While each transition of given J would appear as a single line in the limiting symmetric case, the molecular asymmetry produces a $(2J+1)$ -fold splitting, corresponding to the various possible values of K .

* The research reported in this paper was made possible by support extended Harvard University by the Office of Naval Research under ONR Contract N5ori-76, Task Order V.

These $2J+1$ lines will be grouped about a central frequency given by $(b+c)(J+1)$, and it can be shown that the lines of higher K will converge toward this central frequency in a regular manner. It is thus predicted that the benzonitrile spectrum will consist of a series of bands in which successive band-heads are separated by roughly equal frequency intervals. There is, of course, nothing to prevent the overlapping of adjacent bands.

The microwave spectrum has been observed on a commercial sample of benzonitrile which had been distilled and dried over calcium sulfate. The spectrum was found to be quite rich, but the lines were extremely broad and seemed surprisingly weak, in view of the large reported dipole moment. An extended search revealed several regions of very dense absorption separated by intervals of about 2800 mc. These regions were assigned as band-heads of high K -values, although they actually contained far more individual lines than could be expected from a single rigid rotor. On the basis of this framework, however, it was possible to pick out the lines of $K = 0, 1$, and 2 , which are shifted far away from the band-heads and can thus be chosen with less ambiguity. In this way an assignment consistent with the rigid asymmetric-rotor theory was arrived at. A set of rotational constants was calculated which gave a good fit for some twenty-odd lines of the $J = 6 \rightarrow 7$, $7 \rightarrow 8$, and $8 \rightarrow 9$ systems. The agreement of all the calculated and observed frequencies within a few hundred kilocycles (which is not much greater than the uncertainty in frequency measurements) is adequate evidence for the assignment. The close agreement further indicates that centrifugal distortion is negligible, as is to be expected in such a heavy molecule. The rotational constants used in the assignment are given in Table I, and in Table II the assigned transitions are listed. While many additional lines could certainly be assigned,

there seems little point in further experimental and computational labor.

Attempts to study the Stark effect of benzonitrile encountered a number of difficulties. In addition to the large line breadths and highly cluttered spectrum, intensity considerations made it necessary to work with lines of high J-values, which increased the difficulties with resolution. It was possible, however, to obtain a partial resolution of the Stark effects of a few favorable lines. A detailed analysis was made on the $7_{25} \rightarrow 8_{26}$ transition at 23,111.1 mc. The necessary direction-cosine matrix elements were calculated by approximating the asymmetric-rotor wave functions with elliptic cylinder functions.¹ It is interesting to note that a significant contribution to the

¹ S. Golden, J. Chem. Phys. 16, 78 (1948).

Stark effect of this transition comes from the interaction of the nearly degenerate $7_{25} - 8_{08}$ and $8_{26} - 9_{09}$ pairs. While such levels with K-values differing by two cannot interact in the symmetric limit, there is sufficient asymmetry in this molecule ($\chi = -0.850$) to permit an appreciable interaction. The dipole moment determined from this Stark effect is 4.14 ± 0.05 Debye units. This value falls at the top of the rather wide range (3.61 to 4.14) of some two dozen reported measurements by the solution method;² a previous measurement in the vapor state gave 4.39. It is felt that the Stark effect should

² Everard, Kumar, and Sutton, J. Chem. Soc. 1951, 2807.

give the most reliable value, since all difficulties with molecular association are eliminated.

While a great many isotopic species would be required to give a complete determination of the structure of benzonitrile, a certain amount of information can be drawn from the present data on the common species. First, the

expected planarity of the molecule is confirmed by the smallness of the inertial defect ($I_c - I_a - I_b = 0.073$); furthermore, the presence of a two-fold axis (and hence, almost certainly, of C_{2v} symmetry) was demonstrated by observing the intensity alternation which results from the proton nuclear spins. If two pairs of protons can be exchanged by a 180° rotation about the small inertial axis, then the lines of even K will be enhanced over those of odd K by a factor of 10:6. An intensity alternation of this magnitude was found in the benzonitrile spectrum.

Since benzonitrile has been shown to have a planar symmetric structure the moment of inertia about the symmetry axis should be comparable to the appropriate moment of benzene. The value of I_a determined here agrees quite closely with the benzene moment of 88.95 as determined from the rotational raman spectrum;³ it seems likely, then, that the addition of the CN group

³ B. Stoicheff, J. Chem. Phys. 21, 1410 (1953).

causes no significant distortion of the ring dimensions. Thus if we assume hexagonal symmetry for the ring and a C-H distance of 1.080 Å, the value of I_a leads to a C-C distance in the ring of 1.402 Å. If it is further assumed that the C-N distance is 1.158 Å (the value found in several similar -CN compounds⁴) then the remaining experimental moment fixes the C-C single-bond

⁴ Bond distances are taken from Gordy, Smith, and Trambarulo, Microwave Spectroscopy, p. 371 (John Wiley & Sons, New York, 1953).

distance as 1.419 Å. The decrease from the normal single-bond distance is clearly due to resonance between the C-N triple bond and the ring, which tends to increase the bond order of the intervening C-C bond. In fact, the length of this bond in C_6H_5-CN falls in a logical position between the corresponding lengths in H_3C-CN (1.460) and $HCC-CN$ (1.382).

Two further points should be mentioned. The unusual line widths in benzonitrile (at least 2 mc. under the best experimental conditions) imply a very large collision cross section. In fact, rough measurements indicate an effective collision diameter of from 40 to 60 Å. While this diameter is much greater than normally encountered in microwave work, it is not too surprising when both the large physical size and the very high dipole moment of benzonitrile are taken into consideration. It should be noted that for the transitions studied here the calculated interaction of the nitrogen quadrupole moment results in a splitting of only about 0.05 mc., and thus makes a negligible contribution to the broadening.

Only about one-quarter of the observed lines were actually assigned, although these included all the strong lines. It is probable that the majority of the remaining lines are due to molecules in excited vibrational states. While there is little available vibrational data on benzonitrile, it seems likely that three or four fundamentals will be below 500 cm^{-1} , and at room temperature the population of each of these states will be ten percent or more of the ground state. Since each of these states will have a rotational spectrum which is as rich as the ground state, the number of observed lines seems a reasonable order of magnitude. Although an effort was made to find regularities among the unassigned lines, the spectrum was too dense to permit any progress in this direction.

Table I. Parameters of benzonitrile

$$b - c = 332.45 \text{ mc.}$$

$$b + c = 2761.30$$

$$a - \frac{1}{2}(b + c) = 4274.7$$

$$I_a = 89.370 \text{ A.U.}\text{\AA}^2$$

$$I_b = 326.740$$

$$I_c = 416.183$$

Table II. Assigned lines in benzonitrile

<u>Transition</u>	<u>Calculated Frequency</u>	<u>Observed Frequency</u>
$6_{25} \rightarrow 7_{26}$	19,179.4 mc.	19,179.5 mc.
$6_{61} \rightarrow 7_{62}$	19,383.4	19,383.5
$6_{60} \rightarrow 7_{61}$		
$6_{52} \rightarrow 7_{53}$	19,397.9	19,398.1
$6_{51} \rightarrow 7_{52}$		
$6_{43} \rightarrow 7_{44}$	19,425.6	19,426.0
$6_{42} \rightarrow 7_{43}$		
$6_{34} \rightarrow 7_{35}$	19,448.9	19,449.2
$6_{33} \rightarrow 7_{34}$	19,535.4	19,534.8
$6_{24} \rightarrow 7_{25}$	20,096.2	20,096.3
$6_{15} \rightarrow 7_{16}$	20,193.1	20,193.7
$7_{17} \rightarrow 8_{18}$	20,453.2	20,453.3
$7_{07} \rightarrow 7_{08}$	20,828.6	20,829.0
$7_{26} \rightarrow 8_{27}$	21,856.3	21,856.4
$7_{62} \rightarrow 8_{63}$	22,163.5	22,163.1
$7_{61} \rightarrow 8_{62}$		
$7_{53} \rightarrow 8_{54}$	22,185.2	22,184.7
$7_{52} \rightarrow 8_{53}$		
$8_{18} \rightarrow 9_{19}$	22,938.1	22,937.9
$7_{16} \rightarrow 8_{17}$	22,943.8	22,943.7
$7_{25} \rightarrow 8_{26}$	23,111.2	23,111.1

Table II. (continued)

<u>Transition</u>	<u>Calculated Frequency</u>	<u>Observed Frequency</u>
$8_{08} \rightarrow 9_{09}$	23,228.1 mc.	23,227.9 mc.
$8_{27} \rightarrow 9_{28}$	24,509.9	24,509.3
$8_{72} \rightarrow 9_{73}$	24,929.9	24,929.1
$8_{71} \rightarrow 9_{72}$		
$8_{63} \rightarrow 9_{64}$	24,948.1	24,948.7
$8_{62} \rightarrow 9_{63}$		
$8_{54} \rightarrow 9_{55}$	24,978.9	24,978.6
$8_{53} \rightarrow 9_{54}$		
$8_{36} \rightarrow 9_{46}$	25,033.0	25,032.7

DISTRIBUTION LIST
Contract N5ori 76, T.O. V
E. B. Wilson, Jr. Harvard University

List A - Government

Commanding Officer
U.S. Navy Off. of Naval Research
Branch Office, 150 Causeway St.
Boston, Mass. 1 copy

Office of Naval Research
Navy Dept.
Washington, D.C.
Attn: Tech'l. Inf. Branch Code 250

Commanding Officer
U.S. Navy Office of Naval Research
Branch Office, 346 Broadway
New York 13, N.Y.

Research & Development Board
1712 G St., N.W.
New War Dept. Bldg.
Washington 25, D.C.

Commanding Officer
U.S. Navy Off. of Naval Research
Branch Office, American Fore Bldg.
844 North Rush St.
Chicago 11, Ill.

Commanding Officer
U.S. Navy Off. of Naval Research
Branch Office, 1000 Geary St.
San Francisco 9, Calif.

Commanding Officer
U.S. Navy Off. of Naval Research
Branch Office, 1030 East Green St.
Pasadena 1, Calif.

Officer in Charge
Off. of Naval Research Branch Office
Navy No. 100
Fleet Post Office
New York, N.Y.

Director
Naval Research Laboratory
Washington 20, D.C.
Attn: Dr. D. C. Smith Code 810

Director of Research
Naval Research Laboratory
Washington 20, D.C.
Attn: Technical Inf. Officer 9 cop.

Chief of Bureau of Ordnance
Navy Dept.
Washington 25, D.C.
Attn: Reke

~~XXXXXXXXXXXXXXXXXXXX~~ See below
~~XXXXXXXXXXXXXXXXXXXX~~
~~XXXXXXXXXXXXXXXXXXXX~~
~~XXXXXXXXXXXXXXXXXXXX~~

Commanding Officer
Naval Ordnance Test Station
Inyokern, Calif.
Attn: Dr. C. T. Elvey

Director
National Bureau of Standards
Washington, D.C.

Argonne National Laboratory
P.O. Box 5207
Chicago 80, Ill.
Attn: Dr. Hoylande D. Young

U.S. Atomic Energy Commission
1901 Constitution Ave. N.W.
Washington 25, D.C.
Attn: B. M. Fry

Brookhaven National Laboratory
Tech'l. Information Div.
Upton, Long Island, N.Y.
Attn: Research Library

Carbide & Carbon Chemicals Div.
Plant Records Dept., Central Files
(K-25) P.O. Box P
Oak Ridge, Tenn.

Cmdr., U.S. Naval Ordnance Lab.
White Oak, Silver Spring, Md.
Attn: Library

Contract N5ori 76, T.O. V
List A - cont'd.

General Electric Co.
Technical Services Division
Technical Information Group
P.O. Box 100
Richland, Wash.
Attn: Miss M. G. Freidank

Iowa State College
P.O. Box 14A, Station A
Ames, Iowa
Attn: Dr. F. H. Spedding

Knolls Atomic Power Laboratory
P.O. Box 1072
Schenectady, N.Y.
Attn: Document Librarian

Los Alamos Scientific Laboratory
P.O. Box 1663
Los Alamos, New Mexico
Document Custodian

Mound Laboratory
U.S. Atomic Energy Commission
P.O. Box 32
Miamisburg, Ohio
Attn: Central Files

U.S. Atomic Energy Commission
New York Operations Office
P.O. Box 30, Ansonia Station
New York 23, N.Y.
Attn: Div. of Tech. Information
& Declassification Service

Oak Ridge National Laboratory
P.O. Box P
Oak Ridge, Tenn.
Attn: Central Files

U.S. Atomic Energy Commission
Library Branch
Technical Information Div. ORE
P.O. Box E
Oak Ridge, Tenn.

Univ. of California Radiation Lab.
Information Div.
Room 128, Bldg. 50
Berkeley, Calif.
Attn: Dr. R. K. Wakerling

Univ. of Rochester
Atomic Energy Project
P.O. Box 287, Station 3
Rochester 7, N.Y.
Attn: Tech. Report Control Unit

Westinghouse Electric Corp.
Atomic Power Division
P.O. Box 1468
Pittsburgh 30, Pa.
Attn: Librarian

Chief of Naval Research
Office of Naval Research
Washington 25, D.C.
Attn: Chemistry Branch
Code 425

Mr. Ralph L. Clark
Research & Development Board
The Pentagon
Washington 25, D.C.

Jet Propulsion Laboratory
California Institute of Technology
Pasadena, Calif.

Dept. of the Navy
Office of Naval Research
Washington 25, D.C.
Attn: Lt. Cdr. Frank L. Thomas
Physics Branch
(3 copies for transmission to
ONR in London)

Dr. R. G. Reunert
6621 Georgia Avenue
Applied Physics Laboratory
The Johns Hopkins University
Silver Spring, Maryland

DISTRIBUTION LIST
Contract N5ori 76, T.O. V
E. B. Wilson, Jr. Harvard University

List C - Microwave Spectroscopy

Dr. Harry C. Allen, Jr.
Dept. of Physics & Astronomy
Michigan State College
East Lansing, Mich.

Prof. R. Beringer
Dept. of Physics
Yale University
New Haven, Conn.

Dr. G. R. Bird
Dept. of Chemistry
Rice Institute
Houston, Texas

Dr. Donald K. Coles
Electronics Dept.
Research Laboratory
Westinghouse Electric Corp.
East Pittsburgh, Pa.

Dr. C. D. Cornwell
Dept. of Chemistry
University of Wisconsin
Madison, Wis.

Dr. B. P. Dailey
Dept. of Chemistry
Columbia University
New York 27, N.Y.

Dr. J. de Haer
Dept. of Chemistry
University of Colorado
Boulder, Colo.

Prof. D. M. Dennison
Dept. of Physics
University of Michigan
Ann Arbor, Mich.

Document Room
Research Lab. of Electronics
Room 20B-221
Mass. Institute of Technology
Cambridge 39, Mass.

Dr. Walter Edgell
Dept. of Chemistry
Purdue University
Lafayette, Ind.

Dr. J. H. Goldstein
Dept. of Chemistry
Emory University
Emory University, Ga.

Prof. Walter Gordy
Dept. of Physics
Duke University
Durham, N.C.

Dr. William D. Gvinn
Dept. of Chemistry
University of California
Berkeley, Calif.

Dr. H. S. Gutowsky
Dept. of Chemistry
University of Illinois
Urbana, Ill.

Dr. W. D. Herschberger
Dept. of Physics
University of California
Los Angeles 24, Calif.

Dr. Richard H. Hughes
Gulf Research Corp.
Pittsburgh, Pa.

Contract N5ori 76, T.O. V
List C - p.2

Dr. F. F. Cleveland
Dept. of Physics
Technology Center
Illinois Institute of Technology
Chicago 16, Ill.

Dr. C. K. Jen
Applied Physics Lab.
Johns Hopkins University
8621 Georgia Ave.
Silver Spring, Maryland

Dr. Daniel Kivelson
Dept. of Physics
Mass. Inst. of Technology
Cambridge 39, Mass.

Dr. G. W. King
International Telemeter Corp.
200 Stoner Ave.
Los Angeles 25, Calif.

Dr. David E. Mann
Section 3.2
National Bureau of Standards
Washington, D.C.

Dr. H. W. Morgan
Oak Ridge National Laboratory
P.O. Box P
Oak Ridge, Tenn.

Chief of Naval Research
Office of Naval Research
Planning Div./Physics
Navy Dept.
Washington 25, D.C.

Director of Research
Naval Research Lab.
Washington 20, D.C.
Attn: Technical Inf. Officer
(9 copies)

Commanding Officer
U.S. Navy Office of Naval Research
Branch Office, 150 Causeway St.
Boston, Mass.

Prof. Linus Pauling
Dept. of Chemistry
California Institute of Technology
Pasadena, Calif.

Dr. A. H. Sharbaugh
General Electric Co.
Research Labs.
Schenectady, N.Y.

Dr. William V. Smith
Dept. of Physics
University of Delaware
Newark, Del.

Prof. Malcolm Strandberg
Dept. of Physics
Mass. Inst. of Technology
Cambridge 39, Mass.

Prof. C. H. Townes
Dept. of Physics
Columbia University
New York 27, N.Y.

Prof. Dudley Williams
Dept. of Physics
The Ohio State University
Columbus 10, Ohio

Dr. J. Sheridan
Dept. of Chemistry
University of Birmingham
Birmingham, England