

TR-01-313

AFMDC-TR-61-15

AIR FORCE MISSILE DEVELOPMENT CENTER

TECHNICAL REPORT

A ZOOMETRIC STUDY TO DETERMINE THE OPTIMUM
MANUAL PERFORMANCE AREAS FOR THE CHIMPANZEE

Lester M. Zinser
William J. Farley
Frederick H. Rohles, Jr.




HOLLOMAN AIR FORCE BASE
NEW MEXICO

May 1961

20090505 068

AD023



AST
JUN 10 1961

Qualified requesters may obtain copies of this report without charge from the Armed Services Technical Information Agency (ASTIA). Department of Defense contractors must be certified for ASTIA services, or have their need-to-know established by the military agency sponsoring their project or contract.

Requests should be directed to:

Commander
Armed Services Technical Information Agency
Documents Services Center
Arlington Hall Station
Arlington 12, Virginia

This report has also been released to the Office of Technical Services, Department of Commerce, Washington 25, D.C., for sale to the general public.

Requests should be directed to:

U.S. Department of Commerce
Office of Technical Services
Washington 25, D.C.

AD-257964

AFMDC-TR-61-15

AFMDC-TR-61-15

Project 6893

Task 68930

A ZOMETRIC STUDY TO DETERMINE THE OPTIMUM
MANUAL PERFORMANCE AREAS FOR THE CHIMPANZEE

by

Lester M. Zinser

William J. Farley

Frederick H. Rohles, Jr.

Aeromedical Field Laboratory
Directorate of Development and Test

AIR FORCE MISSILE DEVELOPMENT CENTER
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
Holloman Air Force Base, New Mexico

May 1961

ABSTRACT

Manual work space dimensions were determined for the chimpanzee. The findings can be used as guides in designing space capsules in which performance measures on chimpanzees are required.

PUBLICATION REVIEW

This Technical Report has been reviewed and is approved for publication.

FOR THE COMMANDER



HAMILTON H. BLACKSHEAR

Lt Colonel, USAF, MC

Chief, Aeromedical Field Laboratory

TABLE OF CONTENTS

	Page
I. INTRODUCTION	1
II. METHODS	2
1. Subjects.	2
2. Apparatus	3
3. Procedures	3
III. RESULTS	6
IV. SUMMARY AND CONCLUSIONS	6
REFERENCES	7
APPENDIX A-Optimum Work Areas for Large and Small Animals under Seven Different Angles of Seat Backrest	9
APPENDIX B-Maximum Reach for Large and Small Animals at Five Different Degrees On the Median Plane and Three Angles of Seat Backrest. . .	19

LIST OF ILLUSTRATIONS

Figure

1	Restraint Device and Anthropometric Scale for Measuring the Optimum Manual Performance Areas . .	4
2	Locations of the Near Low, Near High, Far Low and Far High Positions	5
3	Optimum Work Areas for Large and Small Animals When the Backrest Angle is at 0°	11
4	Optimum Work Areas for Large and Small Animals When the Backrest Angle is at 10°	12

LIST OF ILLUSTRATIONS (continued)

	Page
Figure	
5 Optimum Work Areas for Large and Small Animals When the Backrest Angle is at 20°	13
6 Optimum Work Areas for Large and Small Animals When the Backrest Angle is at 30°	14
7 Optimum Work Areas for Large and Small Animals When the Backrest Angle is at 40°	15
8 Optimum Work Areas for Large and Small Animals When the Backrest Angle is at 50°	16
9 Optimum Work Areas for Large and Small Animals When the Backrest Angle is at 60°	17
10 Maximum Reach in the 0° Median Plane with Three Backrest Angles	21
11 Maximum Reach in the 20° Median Plane with Three Backrest Angles	22
12 Maximum Reach in the 40° Median Plane with Three Backrest Angles	23
13 Maximum Reach in the 60° Median Plane with Three Backrest Angles	24
14 Maximum Reach in the 80° Median Plane with Three Backrest Angles	25

A ZOOMETRIC STUDY TO DETERMINE THE OPTIMUM MANUAL PERFORMANCE AREAS FOR THE CHIMPANZEE

I. INTRODUCTION

The discipline of engineering psychology is founded on the fact that when machines are designed with cognizance of the psychophysiological processes of the user, the result will be increased production, reduced fatigue, and a decrease in operator errors. In contrast, the reduction of fatigue and decrement of errors have been only incidental to studies of animal performance. Yet, from the findings of engineering psychology, it is reasonable to assume that properly designed performance measuring apparatus and work space for infra-human subjects would facilitate learning, enhance performance, and reduce fatigue. Moreover, since it is well established that animals will precede man in space flight and coupled with the fact that behavioral measures will be made on these animals (Ref. 1), it must be postulated that properly designed manual performance areas for these animals will facilitate performance during orbital flight.

Recent studies have shown the chimpanzee to be particularly adaptable for space research. The physiology and anatomy of this species closely resemble man and current investigations demonstrate that the chimpanzee can learn the complex behavioral tasks suitable for study during space flight (Ref. 2 and 3). Recognizing these factors and cognizant of the findings of engineering

psychology, it appeared that comparable information for the chimpanzee would be useful for the designer of the animal space capsule. Thus, the purpose of this investigation was to determine the optimum manual performance areas for the chimpanzee, with the assumption that the similarity between this species and man would warrant comparable anthropometric determinations.

II. METHODS

1. Subjects

Thirteen chimpanzees of representative sizes served as subjects. The zoometric data on these animals are presented in the table below. To facilitate handling, the larger animals were given an intravenous injection of perphenazine*. The dosage was 0.05 mg. per pound of body weight.

Ages and Weights of the Subjects

<u>Subject</u>	<u>Age(Months)</u>	<u>Weight(lbs)</u>
64	31	23
62	32	22
65	36	31
76	38	23
46	41	32
35	41	40
44	46	34
49	46	37
41	49	41
47	50	40
50	50	43
51	56	37
33	59	45

* Perphenazine is the brand name for the Schering Company product, Trilafan.

2. Apparatus

A restraint chair was constructed of aluminum and equipped with a backrest that could be tilted at different angles. Knee and ankle braces, and a neck yoke were used to restrain the subject in the chair. A semi-circular aluminum table was mounted on the chair; this was inscribed with radii every 10 degrees beginning with 0 degrees at the median plane and extending to 90 degrees on either side. In addition, the table was inscribed with arcs spaced one inch apart. Actual measurements of reach were made with a 40-inch measuring stick. The seat and table are shown in Figure 1. Complete details of the seat will be the subject of a forthcoming Technical Report.

3. Procedures

Aside from restraining the subjects, the manual performance areas were determined by the same procedures used in similar human investigations (Ref. 4 and 5). This consisted of determining the near low position, near high position, far low position, and far high position when the angle of the seat backrest was at each of the following angles: 0°, 10°, 20°, 30°, 40°, 50°, and 60°; these positions are illustrated in Figure 2 and defined more fully by Ely, Orlansky, and Thomson, Reference 4, page 19. When these positions were determined for each subject, at each backrest angle, trapezia were drawn to represent the optimum work area for that subject. Then, regardless of subject, the shortest distance from the seat reference point to each of the four positions noted above was determined for each backrest angle. The trapezium which was constructed by joining these four points then represented the optimum work area for a small




Figure 1. Restraint Device and Scale for Measuring the Optimum Manual Performance Areas




Figure 2. Portrayal of the Near High, Far High, Near Low, and Far Low Positions, the Seat Reference Point, and the Backrest Angles

animal; the procedure was repeated by determining the longest distance to each of these four positions; the resulting trapezium represented the optimum work area for a large animal.

The maximum reach point was determined with three backrest angles. The measurements were taken on the following degrees of median plane: 0°, 20°, 40°, 60°, and 80°. The resulting figures illustrate the arc formed by the upward swing of the outstretched arm from the table top to a point directly above the seat reference point.

III. RESULTS

The optimum work areas for both a large and a small animal are shown in Appendix A, Figures 3 through 9. The trapezium, ABCD represents the optimum work area of a chimpanzee regardless of size. The width of this area is approximately 19 inches.

Appendix B, Figures 10 through 14, depicts the maximum reach of a large and small animal at three backrest angles.

IV. SUMMARY AND CONCLUSIONS

Using the methods of engineering psychology, the optimum manual performance work areas were determined for a chimpanzee. Gross anthropometric determinations on the chimpanzee will be the subject of future study in order to provide additional design information to the manufacturers of chimpanzee space flight capsules.

REFERENCES

1. Rohles, F.H., "Behavioral Measurements on Animals Participating in Space Flight", American Psychologist, 1960, 15, 668-669.
2. Belleville, R.E., F.H. Rohles, and M.E. Grunzke, "Complex Avoidance Behavior in the Chimpanzee and Its Applicability to the Study of Space Environments", AFMDC TR 60-27, September 1960.
3. Rohles, F.H., R.E. Belleville, and M.E. Grunzke, "The Measurement of Higher Intellectual Functioning in the Chimpanzee", Aerospace Medicine, 1961, 32, 121-125.
4. Ely, Jerome H., Jesse Orlansky, and Robert M. Thomson, "Layout of Workplaces", Chapter V of the Joint Services Human Engineering Guide to Equipment Design. Army-Navy-Air Force Steering Committee of the U. S. Department of Defense, WADC Technical Report 56-171, AD Document No. AD 110507, 1956.
5. Lipschultz, H. L. and K. O. W. Sandberg, "Maximum Limits of Working Areas on Vertical Surfaces", Office of Naval Research Special Devices Center, Technical Report No. 166-1-8, 1947.

APPENDIX A

Optimum Work Areas for Large and Small Animals
Under Seven Different Angles of Seat Backrest




Figure 3. Optimum Work Areas for Large and Small Animals When the Backrest Angle is at 0°. (Trapezium ABCD represents the optimum work area regardless of animal size.)




Figure 4. Optimum Work Areas for Large and Small Animals When the Backrest Angle is at 10°. (Trapezium ABCD represents the optimum work area regardless of animal size.)




Figure 5. Optimum Work Areas for Large and Small Animals When the Backrest Angle is at 20°. (Trapezium ABCD represents the optimum work area regardless of animal size.)




Figure 6. Optimum Work Areas for Large and Small Animals When the Backrest Angle is at 30°. (Trapezium ABCD represents the optimum work area regardless of animal size.)




Figure 7. Optimum Work Areas for Large and Small Animals When the Backrest Angle is at 40° . (Trapezium ABCD represents the optimum work area regardless of animal size.)




Figure 8. Optimum Work Areas for Large and Small Animals When the Backrest Angle is at 50°. (Trapezium ABCD represents the optimum work area regardless of animal size.)




Figure 9. Optimum Work Areas for Large and Small Animals When the Backrest Angle is at 60° . (Trapezium ABCD represents the optimum work area regardless of animal size.)

APPENDIX B

Maximum Reach for Large and Small Animals
at Five Different Degrees On the Median
Plane and Three Angles of Seat Backrest




Figure 10. Maximum Reach In the 0° Median Plane with Three Backrest Angles




Figure 12. Maximum Reach In the 40° Median Plane with Three Backrest Angles




Figure 13. Maximum Reach In the 60° Median Plane with Three Backrest Angles

DISTRIBUTION

AFSC (RDMTI-1) Andrews AFB Wash 25 DC	1	RADC (RCOIL-2) Griffiss AFB, NY	1
AFSC (RDMTI-2) Andrews AFB Wash 25 DC	1	WADD (WWRDMP-2, T. McGuire) Wright-Patterson AFB, Ohio	1
HQ USAF (AFCIN-3T) Wash 25 DC	1	WADD (WWRDMA) Wright-Patterson AFB, Ohio	1
HQ USAF (AFDRD-HF) Wash 25 DC	1	CIA (OCR Mail Room) 2430 E. Street NW Wash 25 DC	2
AFMTC (Tech Library MU-135) Patrick AFB Fla	1	Dept of the Navy Bureau of Ordnance (Sp-401) Wash 25 DC	1
APGC ()GTRIL) Eglin AFB Fla	1	Institute of Aeronautical Sciences ATTN: Library Acquisition New York 25, NY	1
AFCCDD (CCSTN) L. G. Hanscom Field Bedford, Mass	1	Dept of the Navy Naval Research Laboratory ATTN: Code 463 Wash 25 DC	1
AFFTC (FTOTL) Edwards AFB, Calif	1	Dept of the Navy Naval Research Laboratory ATTN: Director, Code 5360 Wash 25 DC	1
AFOSR (SRRI) Wash 25 DC	1	Commanding Officer Diamond Ordnance Fuse Lab ATTN: Technical Reference Section (ORDTL 06.33) Wash 25 DC	1
AFSWC (SWOI) Kirtland AFB NMex	1	U.S. Naval Inspector of Ordnance Lockheed Missile Division P. O. Box 504 Sunnyvale, Calif	1
AFSWC (SWRB) Kirtland AFB, NMex	1	USAFA (Director of the Library) USAF Academy, Colo	2
AU (AUL-6008) Maxwell AFB, Ala	1	Analytic Services, Inc 1101 North Royal Street Alexandria, Va	1
ASTIA (TIPDR) Arlington Hall Station Arlington 12, Va	30		
AEDC (AETRI) Arnold AF Stn, Tenn	1		
OTS Dept of Commerce Wash 25 DC	1		

HQ USAF AFCIN-M Wash 25, DC	1	NASA ATTN: Chief, Division of Research Information 1520 H Street NW Wash 25 DC	6
Boeing Airplane Company Aero-Space Division Library 13-84 Seattle 24, Wash	1	School of Aviation Medicine USAF Brooks AFB Tex	1
Commander Army Rocket and Guided Msl Agcy ATTN: Tech Library Redstone Arsenal Ala	1	Commander U.S. Naval Missile Center Point Mugu, Calif	1
WSMR (ORDBS-OM-TL 312) NMex	1	Commander Naval Air Development Center ATTN: Director, AMAL Johnsville, Pa.	2
Lt Col K. B. Dobson Ordnance Mission British Liaison Office White Sands Missile Range NMex	1	Headquarters U.S. Army R&D Command Main Navy Building ATTN: NP and PP Research Branch Wash 25, DC	1
National Library of Medicine ATTN: Library Acquisition Samuel Lazerow Wash 25 DC	3	Commanding Officer U.S. Army Medical Research Lab ATTN: Psychology Division Fort Knox, Ky	1
Defense Research Member Canadian Joint Staff ATTN: Dr. M. B. Whillans Director of Biosciences Research Wash 8, DC	1	Commanding General Research and Development Division Dept of the Army Wash 25 DC	2
Cornell Aeronautical Labs, Inc 4455 Genesee Street Buffalo 21, NY	1	Director Naval Research Laboratory Wash 25, DC	1
Director Armed Forces Institute of Pathology Walter Reed Army Medical Center ATTN: Deputy Director for the Air Force Wash 25, DC	2	Director Office of Naval Research Wash 25, DC	2
NASA ATTN: Biology and Life Support System Program 1520 H Street NW Wash 25 DC	1	University of California Medical Center ATTN: Biomedical Library Los Angeles 24, Calif	1
		Director Walter Reed Army Institute of Research ATTN: Neuropsychiatry Division Wash 25, DC	1

Commanding General Engineer Research and Development Laboratories ATTN: Technical Documents Center Fort Belvoir, Va	1	Librarian Quarterly Cumulative Index Medicus American Medical Association 535 North Dearborn Street Chicago, Ill	1
Commanding Officer U.S. Naval School of Aviation Medicine Pensacola, Fla	2	The Rockefeller Institute Medical Electronics Center 66th Street and New York New York 25, NY	1
Space Technology Laboratories, Incorporated ATTN: Technical Information Center Document Procurement P. O. Box 95001 Los Angeles 45, Calif	1	NORAIR Division of Northrop Corp ATTN: Bioastronautics Branch 1001 East Braodway Hawthorne, Calif	1
Medical Records Section Room 325 Division of Medical Sciences National Academy of Sciences National Research Council 2101 Constitution Avenue NW Wash 25, DC	1	New Mexico State University of Agriculture, Engineering, and Science ATTN: Librarian University Park, NMex	1
Aviation Crash Injury Research of the Flight Safety Foundation 2713 East Airline Way Sky Harbor Airport Phoenix, Ariz	1	5010th Air Base Squadron 5010th Air Base Wing USAF APO 937, Seattle, Wash	1
Lockheed Missile and Space Biomedical System Development Division Sunnyvale, Calif	1	Princeton University The James Forrestal Research Center Library Princeton, N.J.	1
Librarian U.S. Naval Research Center Bethesda, Md	1	Government Publications Division University of New Mexico Library Albuquerque, NMex	1
Director Langley Research Center NASA ATTN: Librarian Langley Field, Va	3	Life Sciences Group Northrop Corporation 1001 Broadway Hawthorne, Calif	1
Librarian National Institute of Health Bethesda, Md	1	School of Aviation Medicine USAF Aerospace Medical Center (ATC) ATTN: SAMDYNA, Capt Bruce H. Warren Brooks AFB, Texas	1
		WADD (WWB) Wright-Patterson AFB Ohio	1
		Life Sciences Dept, (Code 5700) U.S. Naval Missile Center Point Mugu, Calif	1

LOCAL

Air Force Missile Development Center

ATTN: MDR 1
NLO 1
MDNH 1
MDRB 50
SRLTR 3
MDRAR 2

Holloman AFB, NMex

Air Force Missile Development Center Holloman AFB, New Mexico A ZOOMETRIC STUDY TO DETERMINE THE OPTIMUM MANUAL PERFORMANCE AREAS FOR THE CHIMPANZEE, by Lester M. Zinser, William J. Farley, and Frederick H. Rohles, Jr., May 1961. 28 pp., including illustrations, Project 6893, Task 68930. (AFMDC-TR-61-15) Unclassified report Manual work space dimensions were determined for the chimpanzee. The findings can be used as guides in designing space capsules in which performance measures on chimpanzees are required.	UNCLASSIFIED	Air Force Missile Development Center Holloman AFB, New Mexico A ZOOMETRIC STUDY TO DETERMINE THE OPTIMUM MANUAL PERFORMANCE AREAS FOR THE CHIMPANZEE, by Lester M. Zinser, William J. Farley, and Frederick H. Rohles, Jr., May 1961. 28 pp., including illustrations, Project 6893, Task 68930. (AFMDC-TR-61-15) Unclassified report Manual work space dimensions were determined for the chimpanzee. The findings can be used as guides in designing space capsules in which performance measures on chimpanzees are required.	UNCLASSIFIED
Air Force Missile Development Center Holloman AFB, New Mexico A ZOOMETRIC STUDY TO DETERMINE THE OPTIMUM MANUAL PERFORMANCE AREAS FOR THE CHIMPANZEE, by Lester M. Zinser, William J. Farley, and Frederick H. Rohles, Jr., May 1961. 28 pp., including illustrations, Project 6893, Task 68930. (AFMDC-TR-61-15) Unclassified report Manual work space dimensions were determined for the chimpanzee. The findings can be used as guides in designing space capsules in which performance measures on chimpanzees are required.	UNCLASSIFIED	Air Force Missile Development Center Holloman AFB, New Mexico A ZOOMETRIC STUDY TO DETERMINE THE OPTIMUM MANUAL PERFORMANCE AREAS FOR THE CHIMPANZEE, by Lester M. Zinser, William J. Farley, and Frederick H. Rohles, Jr., May 1961. 28 pp., including illustrations, Project 6893, Task 68930. (AFMDC-TR-61-15) Unclassified report Manual work space dimensions were determined for the chimpanzee. The findings can be used as guides in designing space capsules in which performance measures on chimpanzees are required.	UNCLASSIFIED

Air Force Missile Development Center Holloman AFB, New Mexico A ZOOMETRIC STUDY TO DETERMINE THE OPTIMUM MANUAL PERFORMANCE AREAS FOR THE CHIMPANZEE, by Lester M. Zinser, William J. Farley, and Frederick H. Rohles, Jr., May 1961. 28 pp., including illustrations, Project 6893, Task 68930. (AFMDC-TR-61-15) Unclassified report Manual work space dimensions were determined for the chimpanzee. The findings can be used as guides in designing space capsules in which performance measures on chimpanzees are required.	UNCLASSIFIED	Air Force Missile Development Center Holloman AFB, New Mexico A ZOOMETRIC STUDY TO DETERMINE THE OPTIMUM MANUAL PERFORMANCE AREAS FOR THE CHIMPANZEE, by Lester M. Zinser, William J. Farley, and Frederick H. Rohles, Jr., May 1961. 28 pp., including illustrations, Project 6893, Task 68930. (AFMDC-TR-61-15) Unclassified report Manual work space dimensions were determined for the chimpanzee. The findings can be used as guides in designing space capsules in which performance measures on chimpanzees are required.	UNCLASSIFIED
Air Force Missile Development Center Holloman AFB, New Mexico A ZOOMETRIC STUDY TO DETERMINE THE OPTIMUM MANUAL PERFORMANCE AREAS FOR THE CHIMPANZEE, by Lester M. Zinser, William J. Farley, and Frederick H. Rohles, Jr., May 1961. 28 pp., including illustrations, Project 6893, Task 68930. (AFMDC-TR-61-15) Unclassified report Manual work space dimensions were determined for the chimpanzee. The findings can be used as guides in designing space capsules in which performance measures on chimpanzees are required.	UNCLASSIFIED	Air Force Missile Development Center Holloman AFB, New Mexico A ZOOMETRIC STUDY TO DETERMINE THE OPTIMUM MANUAL PERFORMANCE AREAS FOR THE CHIMPANZEE, by Lester M. Zinser, William J. Farley, and Frederick H. Rohles, Jr., May 1961. 28 pp., including illustrations, Project 6893, Task 68930. (AFMDC-TR-61-15) Unclassified report Manual work space dimensions were determined for the chimpanzee. The findings can be used as guides in designing space capsules in which performance measures on chimpanzees are required.	UNCLASSIFIED