

UNCLASSIFIED

AD NUMBER	
AD312375	
CLASSIFICATION CHANGES	
TO:	unclassified
FROM:	confidential
LIMITATION CHANGES	
TO:	Approved for public release, distribution unlimited
FROM:	Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 17 MAR 1959. Other requests shall be referred to Naval Ordnance Lab., White Oak, MD.
AUTHORITY	
31 Mar 1971, DoDD 5200.10; USNSWC ltr, 7 Oct 1974	

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

*Reproduced
by the*

**ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA**



DECLASSIFIED
DOD DIR 5200.9

UNCLASSIFIED

AD

312375

FOR
MICRO-CARD
CONTROL ONE

1

OF

1

Reproduced by

Armed Services Technical Information Agency

ARLINGTON HALL STATION; ARLINGTON 12 VIRGINIA

"NOTICE: When Government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the U.S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto."

CONFIDENTIAL

NAVORD REPORT 6299

FC

HEAT RESISTANCE EXPLOSIVES VI

PROPERTIES OF 1, 3-DIAMINO-2, 4, 6-TRINITROBENZENE, DATB

FILE COPY

EXPOSED TO

ASTIA

ARLINGTON HALL STATION

ARLINGTON 11, VIRGINIA

DATA, TESTS


17 MARCH 1959



U. S. NAVAL ORDNANCE LABORATORY
WHITE OAK, MARYLAND

Best Available Copy

CONFIDENTIAL



CONFIDENTIAL
NAVORD Report 6299

HEAT RESISTANT EXPLOSIVES VI

Properties of 1, 3-Diamino-2, 4, 6-Trinitrobenzene, DATB

By:

J. R. Holden
A. H. Rosen
J. M. Rosen

Approved by:


D. V. Sickman, Chief
Organic Chemistry Division
Chemistry Research Department

↓
ABSTRACT: 1, 3-Diamino-2, 4, 6-trinitrobenzene, DATB, decomposes at a rate of about 1 to 1.5% per hour at 260°C. Two polymorphs have been identified with a transition temperature of 217°C. Densities, X-ray powder diffraction patterns, and unit cell dimensions of the two polymorphs are reported. The infrared absorption spectrum and solubility data are also given.

CHEMISTRY RESEARCH DEPARTMENT
U. S. NAVAL ORDNANCE LABORATORY
White Oak, Silver Spring, Maryland

1
CONFIDENTIAL

CONFIDENTIAL

NAVORD Report 6299

17 March 1959

This report contains physical constants and properties of an experimental high temperature stable explosive, 1, 3-diamino-2, 4, 6-trinitrobenzene, DATB, which have been determined in the Organic Chemistry Division of the Chemistry Research Department. Other recent work on this explosive is covered in NAVORD Reports 6208, 6223 and 6225.

The work reported herein should be helpful in evaluating DATB for military applications, in developing analytical methods and in additional studies on the properties of DATB. Funds allocated under Tasks NOL 260 and 301-664/43006/08 were used for this project.

MELL A. PETERSON
Captain, USN
Commander

Albert Lightbody
ALBERT LIGHTBODY
By direction

11
CONFIDENTIAL

CONFIDENTIAL
NAVORD Report 6299

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION -----	1
POLYMORPHISM -----	1
DENSITY -----	2
HIGH TEMPERATURE STABILITY -----	2
SOLUBILITY -----	3
INFRARED ABSORPTION SPECTRUM -----	3
UNIT CELL DIMENSIONS -----	3
ACKNOWLEDGMENT -----	5
REFERENCES -----	11

Illustrations

TABLE I. X-RAY POWDER DIFFRACTION PATTERNS OF DATB-I AND DATB-II -----	6
TABLE II. INFRARED ABSORPTION SPECTRUM OF DATB-I-	8
FIGURE 1. SYNTHESIS OF DATB -----	9
FIGURE 2. DECOMPOSITION OF DATB AT 280°C -----	10

CONFIDENTIAL
NAVORD Report 6299

HEAT RESISTANT EXPLOSIVES VI

Properties of 1,3-Diamino-2,4,6-Trinitrobenzene, DATB

INTRODUCTION

1,3-Diamino-2,4,6-trinitrobenzene, DATB, is a high melting explosive (286°C) which decomposes about 1 to 1.5% per hour at 260°C (500°F). Its density is slightly greater than that of RDX and it is somewhat less sensitive than TNT by the standard ERL drop-weight impact test. Considerable success has been achieved in the synthesis of DATB, (1), (2), (3), (4). Two efficient synthetic routes have been found as well as a semi-continuous modification of one, Figure 1.

This report contains a number of significant physical and chemical properties of DATB that have been determined by the Organic Chemistry Division.

POLYMORPHISM

Two crystalline forms of DATB have been observed. The low temperature form, I, transforms to a high temperature form, II, when heated above 217°C , the transition temperature. This polymorphic transition was discovered by microscopic observation and confirmed by X-ray diffraction. The transition temperature was determined by heating samples of form I for forty minutes at several different temperatures and finding which had transformed to form II by X-ray diffraction on powdered samples. The powder diffraction patterns of forms I and II are given in Table I. The impact sensitivity of form II, as determined by the standard ERL drop-weight impact machine, is the same as that of form I. Only form I has been obtained from the syntheses previously mentioned.

Form II DATB shows a pronounced tendency to persist in a metastable state below the transition temperature. One sample has been kept at room temperature for more than six months without transformation. Other samples of form II heated at 190° , 200° , and 210°C showed no signs of transformation after seven hours at these temperatures. A II $\longrightarrow$ I solid-solid transition is thus improbable under any set of practical conditions likely to be encountered.

1
CONFIDENTIAL

CONFIDENTIAL
NAVORD Report 6299

The DATB II $\longrightarrow$ I solution phase transition takes place rather rapidly, however, under gamma-butyrolactone at room temperature. Crystals of form I are observed after about an hour and the transition is largely completed in four to six hours. The transition also takes place under acetone or dioxane but requires a longer period of time. The rate of a solution phase transition is a function of temperature, solvent, and particle size of the sample.

Purified DATB melts at 286°C . The melt solidifies to form II as would be expected. DATB sublimes readily at atmospheric pressure at 200°C , and excellent crystals of form II have been obtained by heating a few hours at this temperature. A concentrated solution of DATB in gamma-butyrolactone near its boiling point, when cooled rapidly, yields a mixture of large crystals of I and II.

DENSITY

Large well-formed crystals of DATB-I were used for a precise measurement of the crystal density by the flotation equilibrium method (5). A value of 1.837 (23°C) was obtained which is believed to be accurate within one part per thousand. The crystal density of DATB-II was found to be 1.815 by the same procedure. Therefore, the two polymorphs differ in density by about 1%.

HIGH TEMPERATURE STABILITY

DATB shows very good stability at 260°C . A majority of the batches synthesized on a semi-pilot plant scale produced about 4 to 6 cc of gas per gram of explosive per hour. Calculations based on the complete decomposition of a small weighed sample of DATB at 260°C show that one gram will yield 420 cc of gas. Thus, a typical sample of DATB decomposes about 1 to 1 1/2% per hour. At 260°C the rate of decomposition is approximately constant for at least six hours. On the other hand, at 280°C the rate of decomposition appears to be autocatalytic, Figure 2. In all probability decomposition products are accumulating in the DATB until the sample is molten at 280°C . The first part of the curve, Figure 1, therefore represents largely the rate of solid decomposition while the part after 100 minutes represents the rate of liquid decomposition.

CONFIDENTIAL
NAVORD Report 6299

SOLUBILITY

DATB is rather insoluble in methanol, acetone, benzene and hexane; slightly soluble in hot dioxane, nitrobenzene and glacial acetic acid; and relatively soluble in hot gamma-butyrolactone as shown below.

<u>Temperature, °C</u>	<u>g./100 ml gamma-butyrolactone</u>
100	5
125	10
150	25

INFRARED ABSORPTION SPECTRUM

Table II lists the wavelengths, relative intensities, and, when possible, the assignments of the absorption maxima in the spectrum of DATB-I. The spectrum was obtained from a sample which had been recrystallized three times from gamma-butyrolactone. The solid was run as a Nujol mull in the region $680-1320\text{ cm}^{-1}$ and as a Fluorolube mull in the region $1300-5000\text{ cm}^{-1}$ on a Beckman IR 4 equipped with sodium chloride prisms. The only extraneous band due to the dispersing agent occurs at 730 cm^{-1} . The frequencies for NH stretching and deformation are normal. Two nitro group stretching bands are found, the asymmetrical band at 1555 cm^{-1} and the symmetrical band at 1359 cm^{-1} .

UNIT CELL DIMENSIONS

The unit cell dimensions of crystals of both DATB-I and DATB-II have been determined by X-ray diffraction using the Weissenberg method. The DATB-I crystal used for these measurements was a rectangular shaped rod obtained by recrystallization from gamma-butyrolactone at moderate temperatures. The DATB-II crystal was selected from a mixture of form I and form II crystals obtained by rapid crystallization of DATB from boiling gamma-butyrolactone. It was a thick plate roughly hexagonal in shape. This DATB-II crystal proved to be a twin, and thus the data given below for DATB-II may not be as reliable as that given for DATB-I.

CONFIDENTIAL
NAVORD Report 6299

Crystal Symmetry	<u>DATB-I</u> Monoclinic	<u>DATB-II</u> Monoclinic
a axis, Å	7.26	7.76
b " , Å	5.21	9.04
c " , Å	11.68	12.84
β, degrees	96	103
Unit cell volume, Å ³	440	877
Molecules per unit cell	2	4
Calculated density, g/cc	1.835	1.84
Measured density, g/cc	1.837	1.815
Probable space group	P c	

4
CONFIDENTIAL

CONFIDENTIAL
NAVORD Report 6299

ACKNOWLEDGMENT

The authors acknowledge the assistance of T.N. Hall who performed the infrared measurements and of H. T. Simmons for the crystal density measurements.

CONFIDENTIAL
NAVORD Report 6299

Table I

X-Ray Powder Diffraction Patterns of DATB-I and DATB-II

DATB - I			DATB - II		
d ° Å	Relative Intensity	2θ CuK _α	d ° Å	Relative Intensity	2θ CuK _α
7.25	90	12.2	7.55	14	11.7
5.79	53	15.3	7.13	6	12.4
5.18	4	17.1	6.06	10	14.6
4.79	22	18.5	5.47	7	16.2
4.33	98	20.5	5.37	10	16.5
4.23	20	21.0	4.41	17	20.1
4.04	27	22.0	4.25	23	20.9
3.88	37	22.9	3.97	10	22.4
3.63	27	24.5	3.69	14	24.1
3.52	92	25.3	3.60	11	24.7
3.23	22	27.6	3.45	4	25.8
2.94	100	30.4	3.41	4	26.1
2.80	12	31.9	3.12	100	28.6
2.60	8	34.4	2.93	7	30.5
2.56	10	35.0	2.81	3	31.8
2.46	10	36.5	2.72	3	32.9

CONFIDENTIAL
NAACORD Report 6299

Table I (cont'd)

X-Ray Powder Diffraction Patterns of DATB-I and DATB-II

DATB - I			DATB - II		
d	Relative	2 θ	d	Relative	2 θ
$\text{\AA}$	Intensity	CuK α	$\text{\AA}$	Intensity	CuK α
2.27	2	39.7	2.61	3	34.3
2.19	16	41.1	2.55	3	35.2
2.16	31	41.8	2.13	13	42.5
2.12	14	42.6	2.10	10	43.1
1.99	10	45.5			

CONFIDENTIAL
NAVORD Report 6299

Table II

The Infrared Absorption Spectrum of DATB-I

Wave Number cm ⁻¹	Intensity	Assignment
783	M	C-H out of plane deformation
832	W	
896	W	C-H out of plane deformation (para-substituted benzene)
1030	W broad	
1215	M broad	
1308	M	C-N stretching (aromatic primary amines)
1355	M broad	Nitro group - symmetrical stretching
1475	W broad	C=C stretching
1520	W	
1555	W	Nitro group - asymmetrical stretching
1602	S	N-H deformation (primary amines)
2930	W broad	
3270	M	N-H stretching (primary amines)
3375	M	N-H stretching (primary amines)




FIG. 1 SYNTHESIS OF DATB




FIG. 2 DECOMPOSITION OF DATS AT 280° C

CONFIDENTIAL
NAVORD Report 6299

REFERENCES

- (1) NAVORD Report 6016, "Heat Resistant Explosives II, 1, 3-Diamino-2, 4, 6-trinitrobenzene, DATB", K. G. Shipp and M. E. Hill, 31 March 1958
- (2) NAVORD Report 6208, "Heat Resistant Explosives III, 1, 3-Diamino-2, 4, 6-trinitrobenzene, DATB, from 1, 3-Dimethoxybenzene", M. J. Kamlet and J. C. Dacons, 15 December 1958
- (3) NAVORD Report 6223, "Heat Resistant Explosives IV, A Rapid Nitration Procedure for the Conversion of m-Nitroaniline to 2, 3, 4, 6-Tetranitroaniline", L. A. Kaplan, 30 December 1958
- (4) NAVORD Report 6225, "Heat Resistant Explosives V, 1, 3-Diamino-2, 4, 6-trinitrobenzene, DATB, by Ammonolysis of Methoxytrinitrobenzene Compounds", K. G. Shipp, T. N. Hall and M. E. Hill, 15 December 1958
- (5) NOLM 10656, "Micro Determination of the Crystal Density of Organic Compounds", J. M. Rosen, 4 January 1950