

UNCLASSIFIED

AD. 400 275

*Reproduced
by the*

**ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA**



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

4-63-3-1

TM-890/009/00

CATALOGED BY ASTIA
AD No. 400275

400 275

ASTIA
APR 8 1963
RECEIVED
ASTIA

A-1159

TECHNICAL MEMORANDUM

(TM Series)

ASTIA AVAILABILITY NOTICE

Qualified requesters may obtain
copies of this report from ASTIA.

This document was produced by SDC in performance of contract AF 19(628)-1648, Space
Systems Division Program, for Space Systems Division, AFSC.

Utility System Programming Proposals

SYSTEM

Proposal for Additional Features

DEVELOPMENT

In the LARII Assembly Program

CORPORATION

By

F. J. LaChapelle

2500 COLORADO AVE.

1 March 1963

SANTA MONICA

Approved

CALIFORNIA

J. B. Munson

The views, conclusions or recommendations expressed in this document do not necessarily reflect the official views or policies of agencies of the United States Government.

Permission to quote from this document or to reproduce it, wholly or in part, should be obtained in advance from the System Development Corporation.

Although this document contains no classified information it has not been cleared for open publication by the Department of Defense. Open publication, wholly or in part, is prohibited without the prior approval of the System Development Corporation.



1 March 1963

-1-

TM-890/009/00

This document is one of a series of TM-890 volumes established for Utility System Programming proposals.

Comments on this document must be received by 29 March 1963 to be reflected in the final design criteria.

Proposal for Additional Features in the LARII Assembly Program

Processing of EQU Cards

Due to the nature of the present LARII assembler, all symbols must be defined during a single pass through the source program. Since EQU cards define symbols, they must be completely processed. So a symbol occurring in the M-term of an EQU must be defined earlier in the deck than the EQU, or the symbol in the location of the EQU will be undefined. The location of EQU cards in a deck then is dependent on the symbol ordering of the program itself even though EQU cards have nothing to do with the operational part of a program. This rule is unnecessary and could be circumvented in the following way.

When the assembler finds an EQU which it can not evaluate it would save the information needed in a table. At the end of pass one all the other symbols in the program except possibly some of the EQU's would be defined. This table would then be scanned, defining all of the symbols possible. When finally such a scan of this table yielded no newly defined symbols, the rest must be undefined. With this feature EQU cards could be placed anywhere in the deck without regard to the location of the symbols which are contained in their M-term.

Expanded DUP Pseudo

The DUP pseudo is now limited to duping the following card only. This capability could be expanded to allow the duplication of the following N cards, M times. The M-term could contain two expressions separated by a comma to define N and M. This pseudo coupled with the VFD pseudo and the action of the element

1 March 1963

-2-

TM-890/009/00

asterisk in M-term arithmetic would allow the generation of almost any kind of a table.

Additions to the Index

The format of the LARII index which follows the listing of every program is: The location of every symbol which is not null, followed by the symbol itself (symbols are in alphabetical order), followed by the location of each cell which makes a reference to this symbol.

Each one of these references could be followed by a comma and one letter, which would give some sort of indication of the operation which was performed on the symbolic cell at the reference location.

The letter "L" would mean that this cell was loaded or entered into one of the central registers.

The letter "D" would mean that this cell was destroyed; that is, changed in some fashion.

The letter "T" would mean a transfer was made to this symbolic location.

The letter "U" would mean the cell was combined with a central register, e.g., added.

The letter "P" would mean this cell was used as a machine count, e.g., shift instruction.

The letter "B" would mean this cell contained a symbolic B-term reference.

The letter "Z" would mean this cell was referenced by a ZRO, NOP, SVN, or appears in a pseudo operation.

All EQU's and references made in the M-term of an EQU would be put in this index. A reference made by an EQU would be followed by an asterisk and the letter "E". The reference location would be the location counter at the time the EQU was encountered.

Each symbol defined by an EQU card would be put in the index. The symbol's value and not its location would go to the left of the symbol. An asterisk would appear between the value and the symbol. The value in the first reference location would be the location counter at the time the EQU was encountered, followed by two asterisks. All cells which referenced the symbol would follow in the usual manner.

At present null symbols are in a separate listing and their locations are not given. Null symbols could be inserted in the index along with their location and no references, of course.

Extended Error Checks

Due to the proposed additions to the assembly program the error checking ability would have to be amplified. The additional error flags and their meanings would be:

- "R" error - This M-term expression is neither relocatable nor absolute and would not be handled correctly at load time. An example would be A+B, where A and B are relocatable elements. The M-term is cleared to absolute zero.
- "C" error - Incorrect use of a special character in an M-term. The M-term is cleared to absolute zero and examination of that card ceases.
- "V" error - Division by zero has occurred in an arithmetic expression. It is equivalent to division by one.
- "N" error - The symbolic B-term is undefined. It is defined as zero.
- "G" error - The B-term specified is greater than seven. It is calculated module eight.
- "E" error - Too many temporarily undefined EQU cards. All those following must remain undefined. The limit would be about four hundred.

1 March 1963

-4-

TM-890/009/00

- "P" error - A pseudo instruction such as DUP or BSS has a relocatable M-term. It is defined as one. This error printout will also occur if a symbol is undefined when it is used in an ORG, DUP, BSS, but it is defined later. The ORG will get a value of 10000B. The DUP and BSS will get the value one. The symbol will be defined correctly and used as it is defined if it is referenced thereafter.
- "T" error - The literal table is full. All references to literals which do not already exist in the table must go undefined. The limit on distinct literals is one thousand octals.
- "K" error - A reference has been made to a block which does not exist. The share area is searched (if one exists) and the symbol is undefined if it is not found there.

The number of errors is printed at the end of each listing. This could be followed by the location of each error and its type in a format similar to a symbol in the index. The number of errors and their locations (octal cell in the program) would be apparent at a glance. The location of the sequence errors could be recorded in this manner also.

Reference Symbols

The pseudos REF, REFD, and REFC allow one to alter the reference symbol table at assembly time. If prestores are stacked, then a person must take the symbol table as it remains, following the previous assemblies. The assembly program is sure to have the original table only when it is read in anew from the master tape.

The original table could be saved and restored before assembling the next program if the previous program alters it. In this way, one would be assured of the current symbols table regardless of job stacking, etc.

1 March 1963

-5-
(last page)

TM-890/009/00

Heading Cards

The first two REM cards in a symbolic deck appear at the top of each page of the assembly listing. The identification information (columns 70-80) on these cards is also printed on each page. It could be eliminated since it serves no real purpose.

Additions to OCT and DEC Pseudos

The DEC pseudo recognizes the letter "D" for decimal scaling and the letter "B" for binary scaling. MTCII recognizes the letters "E" and "S" respectively for the same purpose. The assembly program would recognize all four letter in order to prevent errors resulting from confusion of the two programs.

If one wishes to insert an octal number in the higher bit positions of a word using the OCT pseudo, he must follow the number by a sufficient number of zeros to left adjust it appropriately. If the number is not to be left adjusted by a multiple of three bits, zeros are not sufficient and the bit pattern must be considered and a different number written which can be offset by a multiple of three bits, resulting in the desired bit pattern. The OCT pseudo could recognize a binary scaling factor. The octal integer would be followed by the letter "B" and this followed by a number between zero and forty-eight to specify the number of bits the octal integer is to be shifted to the left. The binary scaling factor (which follows the B) would be a positive integer with no sign term.

1 March 1963

TM-890/009/00

DISTRIBUTION LIST

EXTERNAL

Space Systems Division
(Contracting Agency)
Major C. R. Bond (SSOCD)

6594th Aerospace Test Wing
(Contracting Agency)
Lt. Col. A. W. Dill (TWRD)
Lt. Col. M. S. McDowell (TWRU) (2)
TWACS
V. Thomas

PIR-E1 (Lockheed)
N. N. Epstein
C. H. Finnie
H. F. Grover
H. R. Miller
W. E. Moorman
461 Program Office
698EK Program Office

PIR-E2 (Philco)
J. A. Bean
J. A. Isaacs
R. Morrison
S. M. Stanley

PIR-E3 (LFE)
D. F. Criley
K. B. Williams (5)

PIR-E8 (Mellonics)
F. Druding

PIR-E5 (Aerospace)
F. M. Adair
R. V. Bigelow
R. D. Brandsberg
L. H. Garcia
G. J. Hansen
C. S. Hoff
L. J. Kreisberg
T. R. Parkin
E. E. Retzlaff
H. M. Reynolds
D. Saadeh
R. G. Stephenson
V. White

PIR-E7 (STL)
A. J. Carlson (3)

PIR-E4 (GE-Sunnyvale)
J. Farrentine
N. Kirby

PIR-E4 (GE-Santa Clara)
D. Alexander

PIR-E4 (GE-Box 8555)
J. S. Brainard
R. J. Katucki
J. D. Selby

PIR-E4 (GE-3198 Chestnut)
J. F. Butler
H. D. Gilman

PIR-E4 (GE-Bethesda)
A. Pacchioli

PIR-E4 (GE-Box 8661)
J. D. Rogers

1 March 1963

TM-890/009/00

DISTRIBUTION LIST

INTERNAL

NAME	ROOM	NAME	ROOM
Allfree, D.	22078	Henley, D. E.	24058B
Alperin, N. I.	24118A	Hill, C. L.	24057
Armstrong, E.	24089	Hillhouse, J.	24049
Bernards, R. M.	Sunnyvale	Holmes, M. A.	22082
Biggar, D.	24090B	Holzman, H. J.	22096B
Bilek, R. W.	24124	Houghton, W. H.	22073
Black, H.	14039	Hoyt, R. L.	14039
Brenton, L.	22070	Imel, L. E.	14039
Burke, B. E.	22076	Kastama, P. T.	24053
Busch, R. E.	24065B	Kayser, F. M.	25026
Carter, J. S.	27032	Keddy, J. R.	25026
Champaign, M. E.	24127B	Key, C. D.	24123
Chiodini, C. M.	22078	Keyes, R. A.	20073
Ciaccia, B. G.	24082A	Kinthead, R. L.	24071
Cline, B. J.	24097	Kneemeyer, J. A.	24065A
Cogley, J. L.	24135	Knight, R. D.	24110B
Conger, L.	22079	Kolbo, L. A.	24139
Cooley, P. R.	24083	Kostiner, M. N.	14056B
Court, T. D.	22073	Kralian, R. P.	14039
Crum, D. W.	24093	Kristensen, K.	Sunnyvale
Dant, G. B.	22073	LaChapelle, F.	24061
DeCuir, L. E.	22096A	Laughlin, J. L.	20073
Derango, W. C.	24077	LaVine, J.	20079
Dexter, G. W.	24128	Little, J. L.	20077
Disse, R. J.	24139	Long, F.	24122
Dobbs, G. H.	24094		
Dobrusky, W. B.	22125	Madria, G. A.	22049
Ellis, R. C.	24081	Mahon, G. A.	20076
Emigh, G. A.	14039	Marioni, J. D.	24076B
Ericksen, S. R.	24110A	Martin, W. P.	24089
Felkins, J.	24034	McKeown, J.	24121
Foster, G. A.	14039	Michaelson, S. A.	14039
Franks, M. A.	25030	Milanesco, J. J.	24121
Frey, C. R.	24049	Munson, J. B.	24048
Frieden, H. J.	24071	Myers, G. L.	14056A
		Nelson, P. A.	24075
Gardner, S. A.	22053	Ng, J.	22049
Greenwald, I. D.	24058A	Ngou, L.	25030
Griffith, E. L.	27029	Padgett, L. A.	24085
Haake, J. W.	24120	Patin, O. E.	Sunnyvale
Harris, E. D.	24083	Polk, T. W.	24099

1 March 1963

TM-890/009/00

DISTRIBUTION LIST

INTERNAL

<u>NAME</u>	<u>ROOM</u>	<u>NAME</u>	<u>ROOM</u>
Pruett, B. R.	24073	Thompson, J. W.	22077
Raybin, M.	14039	Thornton, R. L.	14050
Reilly, D.	24085	Totschek, R. A.	24090A
Remstad, C. L.	27029	Vorhaus, A. H.	24076A
Rosenberg, E. J.	14050	Wagner, I. T.	24081
Russell, R. S.	14050	Warshawsky, S. B.	22082
Scholz, J. w.	14039	West, G. D.	24117
Seacat, C. M.	Sunnyvale	West, G. P.	24094
Seiden, H. R.	22091A	Wilson, G. D.	22101
Shapiro, R. S.	22091A	Winsor, M. E.	24137
Skelton, R. H.	24127A	Winter, J. E.	24097
Solomon, J. D.	24053	Wise, R. C.	24051
Speer, N. J.	24053	Wong, J. P.	Sunnyvale
Stone, E. S.	22116B	Zubris, C. J.	24075
Sweeney, M. J.	24057		
Taber, W. E.	22053		
Tennant, T. C.	27024		
Testerman, W. D.	14039		

UNCLASSIFIED

System Development Corporation,
Santa Monica, California
UTILITY SYSTEM PROGRAMMING PROPOSALS
PROPOSAL FOR ADDITIONAL FEATURES IN
THE LARII ASSEMBLY PROGRAM.
Scientific rept., TM-890/009/00, by
F. J. LaChapelle. 1 March 1963, 5p.
(Contract AF 19(628)-1648, Space Systems
Division Program, for Space Systems
Division, AFSC)

Unclassified report

DESCRIPTORS: Satellite Network.
Programming (Computers).

Proposes additional features in the
LARII Assembly Program. States that

UNCLASSIFIED

when the assembler found EQU cards
which it could not evaluate it would
save the information needed in a
table and at the end of pass one when
all the other symbols in the program
were defined, these EQU cards could be
defined. Suggests that the DUP Pseudo
be expanded to allow the duplication of
the following N cards, M times. Indicates
that extended error checking capabilities
could be provided and the index could be
more complete.

UNCLASSIFIED

UNCLASSIFIED