

AD 617318

MEMORANDUM


RM-4591-PR

JULY 1965

INVARIANT IMBEDDING AND NONVARIATIONAL PRINCIPLES IN ANALYTICAL DYNAMICS

Richard Bellman, Harriet Kagiwada and Robert Kalaba

copy	of	100
INT. COPY	\$	1.00
EX. COPY	\$	0.50
		16P



PREPARED FOR:

UNITED STATES AIR FORCE PROJECT RAND

The RAND Corporation
SANTA MONICA • CALIFORNIA

ARCHIVE COPY

MEMORANDUM

RM-4591-PR

JULY 1965

INVARIANT IMBEDDING AND
NONVARIATIONAL PRINCIPLES IN
ANALYTICAL DYNAMICS

Richard Bellman, Harriet Kagiwada and Robert Kalaba

This research is sponsored by the United States Air Force under Project RAND—Contract No. AF 49(638)-700—monitored by the Directorate of Operational Requirements and Development Plans, Deputy Chief of Staff, Research and Development, Hq USAF. Views or conclusions contained in this Memorandum should not be interpreted as representing the official opinion or policy of the United States Air Force.

DDC AVAILABILITY NOTICE

Qualified requesters may obtain copies of this report from the Defense Documentation Center (DDC).

The RAND *Corporation*

1700 MAIN ST • SANTA MONICA • CALIFORNIA • 90406

PREFACE

Part of the Project RAND research program consists of basic supporting studies in mathematics. In this Memorandum the authors provide an integration theory for the canonical equations of motion with parallels to the classical theory of Jacobi. The new approach is applicable to the general case where there is no variational principle underlying the equations of motion.

SUMMARY

The authors provide an integration theory for the canonical equations of motion with parallels to the classical theory of Jacobi. The new approach is applicable to the general case where there is no variational principle underlying the equations of motion.

CONTENTS

PREFACE.	iii
SUMMARY.	v
Section	
1. INTRODUCTION	1
2. THE FORMALISM.	3
3. AN EXAMPLE: THE HARMONIC OSCILLATOR.	7
4. DISCUSSION	9
REFERENCES	11

INVARIANT IMBEDDING AND NONVARIATIONAL PRINCIPLES IN ANALYTICAL DYNAMICS

1. INTRODUCTION

In several earlier papers [1], [2], we have pointed out that it is possible to associate a one-dimensional steady-state particle transport process with each mechanical process having N degrees of freedom. The generalized displacement vector $q(t)$, $0 \leq t \leq T$, is taken to represent the number of particles of each type passing a point t per unit of time going to the right, and $p(t)$, the generalized momentum, represents the flux to the left at t . Hamilton's equations,

$$(1.1) \quad \dot{q}_i = H_{p_i},$$

$$(1.2) \quad -\dot{p}_i = H_{q_i}, \quad 0 \leq t \leq T, \quad i = 1, 2, \dots, N,$$

are the transport equations for this process. The boundary conditions

$$(1.3) \quad p(T) = c,$$

$$(1.4) \quad q(0) = w,$$

correspond to incident streams from the right and left. Consider the quantities

$$(1.5) \quad r(c, T, w) = q(T),$$

$$(1.6) \quad \tau(c, T, w) = p(0),$$

the reflection and transmission functions. Using invariant imbedding, or other techniques, it is an easy matter to derive partial differential equations for the functions r and τ [3]. These functions can be made the basis for an integration theory of the system of equations (1.1) and (1.2). This was explained in [2].

In this paper, we extend the earlier result in much the same manner that Jacobi extended Hamilton's integration theory [4]. The important point is that the approach presented here applies in the general case where there may not be a variational principle underlying equations (1.1) and (1.2).

2. THE FORMALISM

For simplicity, consider the system of dynamical equations

$$(2.1) \quad \frac{du}{dt} = F(u,v),$$

$$(2.2) \quad -\frac{dv}{dt} = G(u,v), \quad 0 \leq t \leq T,$$

along with the boundary conditions

$$(2.3) \quad u(0) = w, \quad v(T) = c.$$

In earlier notes, we showed the reflection function

$$(2.4) \quad r(c,T,w) = u(T),$$

and the transmission function

$$(2.5) \quad \tau(c,T,w) = v(0),$$

satisfy the first-order partial differential equations

$$(2.6) \quad r_T = F(r,c) + G(r,c)r_c,$$

$$(2.7) \quad \tau_T = G(r,c)\tau_c.$$

In addition, they satisfy the initial conditions

$$(2.8) \quad r(c,0) = w,$$

$$(2.9) \quad \tau(c,0) = c.$$

Then, on physical grounds, it is clear that

$$(2.10) \quad r(v,t,w) = u,$$

$$(2.11) \quad \tau(v,t,w) = \text{const.} = v(0).$$

These represent extensions of Chandrasekhar's principles of invariance [5] to the case of nonlinear transport equations. These equations implicitly give u and v as functions of time and two constants.

We may, however, go further, in the manner of Jacobi. Let

$$(2.12) \quad r = r(c,T,\alpha)$$

be a solution of equation (2.6) for arbitrary values of the constant α , and let $\tau(c,T,\alpha)$ be a solution of equation (2.7), which now involves α by way of r .

Then

$$(2.13) \quad \tau(v, t, \alpha) = \beta,$$

$$(2.14) \quad r(v, t, \alpha) = u$$

is a system of equations which implicitly define u and v as functions of t, α , and β ; and u and v are solutions of equations (2.1) and (2.2).

Let us verify this statement. Upon differentiation with respect to t , equation (2.13) yields

$$(2.15) \quad \tau_c(v, t, \alpha)\dot{v} + \tau_T(v, t, \alpha) = 0.$$

From equation (2.7), however, we know that

$$(2.16) \quad \tau_T(v, t, \alpha) = G(u, v)\tau_c(v, t, \alpha),$$

so that

$$(2.17) \quad \dot{v} = -G(u, v),$$

provided

$$(2.18) \quad \tau_c \neq 0.$$

Equation (2.17) is one of the desired relations. Upon differentiating equation (2.14) with respect to t we find

$$(2.19) \quad r_c(v, t, \alpha) \dot{v} + r_T(v, t, \alpha) = \dot{u}$$

or

$$(2.20) \quad -r_c(v, t, \alpha)G(u, v) + r_T(v, t, \alpha) = \dot{u}.$$

We recall equation (2.6), and see that

$$(2.21) \quad \dot{u} = F(u, v).$$

This completes the verification.

3. AN EXAMPLE: THE HARMONIC OSCILLATOR

Consider the equations

$$(3.1) \quad \dot{q} = \frac{p}{m}, \quad q(0) = w,$$

$$(3.2) \quad -\dot{p} = kq, \quad p(T) = c.$$

The equations for the reflection and transmission functions are

$$(3.3) \quad r_T = \frac{c}{m} + krr_c$$

and

$$(3.4) \quad \tau_T = krr_c.$$

We can easily find a one-parameter family of solutions of equation (3.3) using the method of separation of variables,

$$(3.5) \quad r(c, T, \alpha) = c(km)^{-1/2} \tan\left[\left(\frac{k}{m}\right)^{1/2} T + \alpha\right].$$

A solution of equation (3.4) is

$$(3.6) \quad \tau(c, T, \alpha) = c \sec\left[\left(\frac{k}{m}\right)^{1/2} T + \alpha\right].$$

Consequently, the solution of the system of equations (3.1) and (3.2) is

$$\begin{aligned}\beta &= \tau(p, t, \alpha) \\ &= p \sec\left[\left(\frac{k}{m}\right)^{1/2} t + \alpha\right],\end{aligned}$$

and

$$\begin{aligned}(3.7) \quad q &= r(p, t, \alpha) \\ &= p(km)^{-1/2} \tan\left[\left(\frac{k}{m}\right)^{1/2} t + \alpha\right].\end{aligned}$$

These expressions reduce to

$$(3.8) \quad p = \beta \cos\left[\left(\frac{k}{m}\right)^{1/2} t + \alpha\right],$$

$$(3.9) \quad q = \beta(km)^{-1/2} \sin\left[\left(\frac{k}{m}\right)^{1/2} t + \alpha\right],$$

a form of the solution of the equations of the harmonic oscillator.

4. DISCUSSION

It is evident that this approach is applicable to systems with N degrees of freedom, rather than merely one. In addition, the employment of other principles of invariance [5], such as

$$(4.1) \quad v(t) = r(u(t), T - t, c),$$

leads to still other relations. Only minor changes in the formulas occur if the right-hand sides are functions of t , as well as u and v . In addition, there are immediate applications of perturbation analysis to results of this nature.

REFERENCES

1. Bellman, R., and R. Kalaba, "A Note on Hamilton's Equations and Invariant Imbedding," Quarterly of Applied Mathematics, Vol. 21, No. 2, July 1963, pp. 166-168.
2. ———, "Invariant Imbedding and the Integration of Hamilton's Equations," Rendiconti del Circolo Matematico di Palermo, Vol. 12, Series II, 1963, pp. I-II.
3. ———, "On the Fundamental Equations of Invariant Imbedding, I," Proceedings of the National Academy of Sciences, USA, Vol. 47, No. 3, March 1961, pp. 336-338.
4. Lanczos, C., The Variational Principles of Mechanics, University of Toronto Press, Toronto, 1949.
5. Chandrasekhar, S., Radiative Transfer, Dover Publications, Inc., New York, 1960.